



Presented by The High End

CARDBOARD RACE CAR COCKPIT

Life-Size Sit-In Formula Racing Car

Build a Formula 1 cockpit. Race from the bedroom. Trophies not included.


AGES 4–12	BOXES 3–4 Large Boxes	TIME 2–2.5 Hours	DIFF Beginner *	PIECES 8 pcs
--------------	--------------------------	---------------------	--------------------	-----------------

CARDBOARD NEEDED:
3–4 Large Boxes (at least 24" × 36" (61 × 91 cm) each)

MISSION GOAL:
Build a low, wide F1 cockpit: extended nose cone, front + rear wings, four road wheels, steering wheel. Child sits low inside.

HOW IT ALL GOES TOGETHER — CARDBOARD RACE CAR COCKPIT

Seen from directly above. Every part you cut is on this picture, with the letter from its own cut-template page. If a letter is on this drawing, there is a page for it in this file — that is the whole parts list, nothing else is needed.



Drawn to scale from the cut sizes in this plan. Front of the car is to the right.

EVERY PART IN THIS BUILD					
A	CAR BODY (FULL BOX) 36" × 24" (91 × 61 cm)	CUT ×1	B	NOSE CONE 12" × 22" (30 × 56 cm)	CUT ×1
C	FRONT WING ELEMENT 14" × 8" (36 × 20 cm)	CUT ×2	D	REAR WING ELEMENT 20" × 6" (51 × 15 cm)	CUT ×1
E	REAR WING ENDPLATE 6" × 8" (15 × 20 cm)	CUT ×2	F	STEERING WHEEL (CIRCLE) 8" × 8" (20 × 20 cm)	CUT ×2
G	ROAD WHEEL (DISC) 10" × 10" (25 × 25 cm)	CUT ×8	H	WHEEL SPACER (ROLL) 12" × 3" (30 × 8 cm)	CUT ×4

WHEEL MOUNT — LOOKING DOWN ON ONE WHEEL

CAR BODY SIDE

H SPACER TUBE
3"

G 2 DISCS 10" taped face to face = 1 wheel

FROM THE SIDE — WHERE THE AXLE MARKS GO

body height = however deep your box is

Four marks in all — 9" in from each end, 2" up from the bottom edge, on BOTH sides. The wheel hangs below the body; that is what gives it ground clearance.


BUILD SEQUENCE — WHAT IT LOOKS LIKE AFTER EACH STEP

Each picture is the car once that step is finished. The part you just added is the ORANGE one. Grey is what was already there. Work down the page and your car should look like each picture in turn.


1 ORIENT THE CAR BODY




2 CUT THE COCKPIT




3 ATTACH THE NOSE CONE




4 ADD FRONT WINGS



5 BUILD THE REAR WING




6 CUT THE ROAD WHEELS




4 WHEELS (2 DISCS EACH) + 4 TUBES

7 MOUNT THE ROAD WHEELS



8 ADD STEERING WHEEL



FINISHED CAR CHECK

Nose cone out front. A front wing each side, wider than the body. Rear wing up on its two endplates. 4 road wheels, 2 a side, standing 3" clear of the body. Steering wheel inside the cockpit. That is every part in the table above, all used.



CAR BODY (FULL BOX)

36" x 24" (91 x 61 cm) | Cut x1

CUT
x1

CAR BODY (FULL BOX)

x1

0" 4" 8" 12" 16" 20" 24" 28" 32"

4" 3" 2" 1" 0" 1" 2" 3" 4" 5" 6" 7" 8" 9" 10" 11" 12" 13" 14" 15" 16" 17" 18" 19" 20"

CUT COCKPIT OVAL on top: child sits low, shoulders at edge. Adult only.

36" x 24" (91 x 61 cm)
Flip on its side — long = car length


MARK LEGEND FOR THIS PIECE:

OVAL — cut oval shape: pin string at center, trace with pencil

NOTE: Flip on its side — long = car length

NOSE CONE

x1

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

Mark 4.7" in from each TOP corner — that leaves a 2.6" nose. Draw straight lines from those marks down to the bottom corners.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

12" × 22" (30 × 56 cm)

F1 nose — wide at the back, narrow at the point

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

FOLD — score lightly, then fold at this line

SCORE — press hard with ruler but do NOT cut through

NOTE: Long taper to a point



FRONT WING ELEMENT

14" x 8" (36 x 20 cm) | Cut x2

CUT
x2

FRONT WING ELEMENT

x2

0"4"8"12"

4"

INNER EDGE — tape to nose cone sides, angled slightly down

14" x 8" (36 x 20 cm)
Wide flat — attach low at nose

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Wide flat — attach low at nose



REAR WING ELEMENT

20" × 6" (51 × 15 cm) | Cut ×1

CUT
x1

REAR WING ELEMENT

x1

0"

4"

8"

12"

16"

4"

20" × 6" (51 × 15 cm)

Horizontal wing at rear

MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Horizontal wing at rear



REAR WING ENDPLATE

6" × 8" (15 × 20 cm) | Cut ×2

CUT
x2

REAR WING ENDPLATE

0"

4"

4"

6" × 8" (15 × 20 cm)

Vertical plates — hold rear wing

BASE TAB — tape to rear of car body


MARK LEGEND FOR THIS PIECE:

FOLD — score lightly, then fold at this line

NOTE: Vertical plates — hold rear wing

STEERING WHEEL (CIRCLE)

x2

**HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:**

A circle 8" across. Trace a dinner plate, or pin a string 4" from the centre and swing a pencil right round.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

8" × 8" (20 × 20 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Stack for thickness




ROAD WHEEL (DISC)

10" × 10" (25 × 25 cm) | Cut ×8

CUT
x8

ROAD WHEEL (DISC)

x8



HOW TO DRAW THIS SHAPE ON YOUR CARDBOARD:

A circle 10" across. Pin a string 5" from the centre and swing a pencil right round, or draw round a dinner plate and widen it to 10". Cut 8 and tape them in pairs — 2 discs make 1 wheel, and you need 4 wheels.

Cut along the GOLD dashed outline. The faint grey box is the flat piece of cardboard it comes from; the grid squares are 2".

10" × 10" (25 × 25 cm)
Circle

MARK LEGEND FOR THIS PIECE:

GOLD OUTLINE — this is the shape you cut. It is NOT a rectangle.

NOTE: Two discs taped together make one wheel — 4 wheels



WHEEL SPACER (ROLL)

12" x 3" (30 x 8 cm) | Cut x4

CUT
x4

WHEEL SPACER (ROLL)

x4

0"4"8"

ROLL

ROLL the long edge round into a tube 3" long, then tape the seam

12" x 3" (30 x 8 cm)

Rolls into a short tube — holds each wheel clear of the body

MARK LEGEND FOR THIS PIECE:

ROLL — roll the cardboard tightly in this direction

NOTE: Rolls into a short tube — holds each wheel clear of the body

PIÈCES EN CARTON — 8 AU TOTAL (3 à 4 grandes boîtes (au moins 24" x 36" (61 x 91 cm) chacune))

x1 Carrosserie (boîte entière) 36" x 24" <i>Couchez-la sur le côté — la longueur = longueur de la voiture</i>	x2 Dérive d'aileron arrière 6" x 8" <i>Plaques verticales — elles tiennent l'aileron arrière</i>
x1 Cône de nez 12" x 22" <i>Long effilage jusqu'à une pointe</i>	x2 Volant (cercle) 8" x 8" <i>Superposez pour l'épaisseur</i>
x2 Élément d'aileron avant 14" x 8" <i>Large et plat — fixez-le bas au niveau du nez</i>	x8 Roue (disque) 10" x 10" <i>Deux disques scotchés forment une roue — 4 roues</i>
x1 Élément d'aileron arrière 20" x 6" <i>Aileron horizontal à l'arrière</i>	x4 Entretoise de roue (rouleau) 12" x 3" <i>S'enroule en un tube court : écarte la roue de la carrosserie</i>

OUTILS ET MATÉRIEL

- + 3 à 4 grandes boîtes en carton
- + Un cutter — RÉSERVÉ AUX ADULTES
- + Du ruban adhésif d'emballage
- + Des couleurs de course vives (rouge, jaune, ou au choix)
- + Peinture noire pour les roues
- + Des marqueurs noir et blanc
- + Une règle

LE SAVIEZ-VOUS ?

Une vraie F1 passe de 0 à 100 km/h en moins de 2,5 secondes. La tienne passe de 0 à l'imagination instantanément. Même énergie.

DÉFI !


Jour de course : deux enfants, deux voitures en carton. Décorez-les différemment. Qui a la voiture qui a l'air la plus rapide ? On lance la course à 3... 2... 1... PARTEZ !

1

ÉTAPE 1: ORIENTER LA CARROSSERIE

Prenez une grande boîte scellée. Couchez-la sur le côté pour que la GRANDE dimension devienne la longueur de la voiture, et non la hauteur. Cette orientation basse et large est la clé pour ressembler à une F1 plutôt qu'à une boîte.

PIÈCES DE CETTE ÉTAPE



2


ÉTAPE 2: DÉCOUPER LE COCKPIT

! AIDE D'UN ADULTE

Sur le DESSUS de la boîte, découpez l'ovale du cockpit (repère ovale sur le gabarit). L'enfant doit pouvoir se glisser dedans et s'asseoir bas — seuls les épaules et la tête dépassent de la carrosserie. C'est la position du pilote de F1.

SÉCURITÉ : L'adulte découpe l'ovale du cockpit. Faites un essayage avec l'enfant avant de finir les bords.

PIÈCES DE CETTE ÉTAPE




3

ÉTAPE 3: FIXER LE CÔNE DE NEZ

Scotchez la pièce du cône de nez à l'avant de la carrosserie (repère de pli du bord arrière). Rainez la ligne verticale centrale (repère de rainage) et relevez légèrement la pointe vers le haut. Les coupes en effilage des deux côtés lui donnent le long nez agressif d'une F1.

PIÈCES DE CETTE ÉTAPE




4

ÉTAPE 4: AJOUTER LES AILERONS AVANT

Scotchez un élément d'aileron avant de chaque côté du cône de nez (repère de pli du bord intérieur), légèrement incliné vers le bas. Ils doivent dépasser PLUS LARGE que la carrosserie de chaque côté.

PIÈCES DE CETTE ÉTAPE




5

ÉTAPE 5: CONSTRUIRE L'AILERON ARRIÈRE

Scotchez les deux dérives d'aileron arrière à la verticale, tout à l'arrière de la voiture (repère de pli de la languette de base). Scotchez l'élément d'aileron arrière à l'horizontale entre les sommets des deux dérives. Cette forme en T est l'aileron arrière.

PIÈCES DE CETTE ÉTAPE



6


ÉTAPE 6: DÉCOUPER LES ROUES

! AIDE D'UN ADULTE

Découpez 8 disques de roue : des cercles de 10" (25 cm) de diamètre (repère de cercle sur le gabarit). Scotchez-les deux par deux pour obtenir 4 roues épaisses. Prenez ensuite chacune des 4 bandes d'entretoise de roue, enroulez le grand côté pour former un tube de 3" (8 cm) de long (repère d'enroulement) et scotchez la jointure. Une entretoise de roue par roue.

SÉCURITÉ : Un adulte découpe les 8 disques. Les cercles en carton se coupent au cutter, pas aux ciseaux : coupez sur une planche, jamais sur vos genoux.

PIÈCES DE CETTE ÉTAPE




7

ÉTAPE 7: MONTER LES ROUES

Sur chaque côté de la carrosserie, marquez deux points d'essieu : à 9" (23 cm) du bord avant et à 9" (23 cm) du bord arrière, tous deux à 2" (5 cm) du bord inférieur. Cela fait 4 repères en tout, 2 par côté. Scotchez un tube d'entretoise de roue à plat sur chaque repère, puis scotchez une roue sur l'extrémité extérieure ouverte de chaque tube. Le tube maintient la roue à 3" (8 cm) de la carrosserie pour qu'elle ressorte comme un vrai pneu au lieu d'être plaquée contre le flanc.

PIÈCES DE CETTE ÉTAPE




8

ÉTAPE 8: AJOUTER LE VOLANT

Découpez et superposez 2 cercles de volant (repère de cercle). Scotchez-les ensemble. Montez-le à l'intérieur du cockpit sur une courte colonne de ruban adhésif, à la bonne hauteur pour qu'un enfant assis puisse le tenir.


PIÈCES DE CETTE ÉTAPE



9

ÉTAPE 9: PEINDRE TA LIVRÉE


Choisissez des couleurs de course vives. Peignez le nez d'une couleur, la carrosserie d'une autre. Ajoutez des bandes de course, un grand numéro sur le nez, un nom d'écurie sur le côté. Faites en sorte qu'elle ait l'air RAPIDE. Peignez les quatre roues en noir, puis ajoutez un cercle gris clair ou argenté au centre de chacune pour le moyeu.

PIÈCES DE CETTE ÉTAPE

10

ÉTAPE 10: CONTRÔLE QUALITÉ

L'enfant est assis bas dans le cockpit. Le volant est à hauteur des mains. Le long nez est bien avancé. Les ailerons avant sont larges. L'aileron arrière est monté. Des couleurs de course vives. Comparez à la photo de couverture. C'est le niveau à atteindre. Quatre roues montées, deux de chaque côté, bien écartées de la carrosserie.

PIÈCES DE CETTE ÉTAPE**CONTRÔLE QUALITÉ !**

Votre construction ressemble-t-elle à la photo ? Comparez côte à côte avant de terminer.

"Build It. Own It." — Tatum & Kash Cardboard Creations