Secure Dev Labs | Draft Format

Ethical Hacking Demo Submission File

Sample format for weekly task submissions and final mini reports

Purpose of this file. This is a demo submission file for formatting guidance only. Interns should follow the structure, headings, evidence style, and reporting approach shown here, but must submit their own original work, screenshots, and analysis.

Student Information

Student Name	[Enter name]	**Batch**	[Batch 1]
Internship Track	[Enter track]	**Week / Task**	[Enter task title]
Submission Date	[DD/MM/YYYY]	**Instructor**	[Enter instructor name]
Tools Used	[List tools]	**File Name**	[YourName_TaskTitle.docx/PDF]

1. Task Overview

Task Title: Basic Network Scanning

Task Context: This demo shows how an intern should present a simple reconnaissance and service-identification task carried out inside an authorized lab environment.

2. Objective

The objective of this task is to identify accessible services on a lab target, record the command used, interpret the results, and explain the security significance of the findings in clear language.

3. Lab Environment and Tools

Item	Details
Operating System	Kali Linux (virtual machine)
Primary Tool	Nmap
Scan Command	nmap -sV 192.168.100.12
Target Type	Authorized internal lab target
Evidence Required	Command screenshot, output screenshot, and short analysis

4. Steps Performed

1. Confirmed that the Kali Linux virtual machine was running correctly and had network connectivity inside the lab.
2. Verified the target IP address before scanning to ensure that the assessment remained inside the approved practice environment.
3. Executed a service-version scan using the command nmap -sV 192.168.100.12.
4. Reviewed the open ports and identified the related services reported by Nmap.
5. Recorded the results and prepared a short risk-oriented summary of the exposed services.

5. Evidence Section

Interns should insert clean, relevant screenshots in the same order as the steps above. Do not submit random images without captions.

Figure 1. Command executed in Kali Linux terminal
Insert screenshot here

Figure 2. Nmap output showing open ports and services

Insert screenshot here

6. Findings and Analysis

Port	Service	Observation	Possible Risk
21/tcp	FTP	Service appears reachable from the scan host.	May allow weak or anonymous access if misconfigured.
22/tcp	SSH	Remote administration service identified.	Could be targeted for brute-force attempts if credentials are weak.
80/tcp	HTTP	Web service detected on the target.	May expose web application weaknesses if not secured.

Sample analysis: The scan shows that the target is exposing multiple services that could expand the attack surface of the host. This does not prove that the host is vulnerable, but it does show which services should be reviewed first. SSH should be checked for strong authentication, the web service should be reviewed for unnecessary exposure, and FTP should be assessed carefully because legacy configurations often introduce avoidable risk.

7. Short Conclusion

This task confirmed that the target host was reachable and that several network services were exposed. The most important outcome of the submission is not only listing the ports, but showing that the intern understands what the results mean and why service exposure matters from a security perspective.

8. Submission Checklist

Status	Checklist Item
☐	Student details completed correctly
☐	Task title and objective included
☐	Tool and target information listed clearly
☐	Commands documented accurately

☐	Screenshots inserted with meaningful captions
☐	Open ports and services explained in plain language
☐	Short conclusion written in the student’s own words