

Ethical Hacking Internship Batch 01 — Secure Dev Labs

Muhammad Saad



Week 02 – Web Application Mapping and Input Discovery

Muhammad Saad

Request and Response

Request (asking for something):

A request is when one device (like your phone or browser) asks another device (like a server) for something.

Example:

- You open Google Chrome and type a website.
- Your browser sends a **request** saying:
“Please give me this webpage.”

Request and Response basics


Response (getting the answer)

A response is what the server sends back after receiving the request.

Example:

- The website's server replies:
"Here is the webpage you asked for."
- Then your browser shows it on your screen.

Example: A Communication Process



Cookies

Cookies are small pieces of data stored in the browser (client-side).

- Created by the server and saved by the browser
- Sent back to the server with every request
- Used to identify users and remember information

✓ Examples:

- Remembering login state
- Saving preferences (language, theme)
- Tracking activity


Sessions

Sessions are stored on the server (backend).

- Created when a user logs in (authentication)
- Server keeps user data (like user ID, login status)
- Each session has a unique session ID

✓ Important:

- The session ID is usually stored in a cookie on the browser
- The server uses that ID to find the user's session



- You log in
- Server creates a session:
 - Example: `{ user_id: 123, logged_in: true }`
- Server generates a session ID:
 - Example: `ABC123`
- Server sends this ID to your browser as a cookie
- Browser stores the cookie and sends it with every request
- Server receives the cookie → finds matching session → knows who you are

“Best of Luck”



- *Muhammad Saad*