SQL Handbook (251–300 Commands with Before & After Tables - Exact Model)

251 JSON_KEYS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT JSON_KEYS('{"a":1,"b":2}');
```

```
After:
["a","b"]
```

252 JSON_DEPTH

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT JSON_DEPTH('{"a":1}');
```

```
After:
2
```

253 JSON_PRETTY

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT JSON_PRETTY('{"a":1}');
```

```
After:
Formatted JSON
```

254 JSON_REMOVE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT JSON_REMOVE('{"a":1,"b":2}', '$.b');
```

```
After:
{"a":1}
```

255 JSON_SET

```
Before Table (students):
```

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT JSON_SET('{"a":1}', '$.b',2);

After:
{"a":1,"b":2}

256 JSON_REPLACE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT JSON_REPLACE('{"a":1}', '$.a',5);

After:
{"a":5}

257 JSON_ARRAY_APPEND

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT JSON_ARRAY_APPEND('[1,2]', '$',3);

After:
[1,2,3]

258 JSON_ARRAY_INSERT

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT JSON_ARRAY_INSERT('[1,3]', '$[1]',2);

After:
[1,2,3]

259 JSON_MERGE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT JSON_MERGE('[1]','[2]');

After:
[1,2]

260 JSON_CONTAINS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT JSON_CONTAINS('[1,2,3]', '2');
```

```
After:
1
```

261 WITH CTE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
WITH cte AS (SELECT * FROM students) SELECT * FROM cte;
```

```
After:
Same data
```

262 RECURSIVE CTE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
WITH RECURSIVE t(n) AS (SELECT 1 UNION ALL SELECT n+1 FROM t WHERE n<3) SELECT * FROM t;
```

```
After:
1,2,3
```

263 WINDOW FRAME

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT SUM(age) OVER (ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) FROM students;
```

```
After:
Running sum
```

264 ROW_NUMBER PART

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT ROW_NUMBER() OVER (PARTITION BY city) FROM students;
```

```
After:
```

Partitioned numbering

265 LAG PART

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LAG(age) OVER (PARTITION BY city) FROM students;

After:
Prev value

266 LEAD PART

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LEAD(age) OVER (PARTITION BY city) FROM students;

After:
Next value

267 FIRST PART

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT FIRST_VALUE(age) OVER (PARTITION BY city) FROM students;

After:
First

268 LAST PART

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LAST_VALUE(age) OVER (PARTITION BY city) FROM students;

After:
Last

269 NTILE PART

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

```
SQL:
SELECT NTILE(2) OVER (PARTITION BY city) FROM students;
After:
Buckets
```

270 WINDOW ORDER

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
SELECT SUM(age) OVER (ORDER BY age) FROM students;
After:
Cumulative
```

271 CREATE TRIGGER

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
CREATE TRIGGER trg BEFORE INSERT ON students FOR EACH ROW SET NEW.age=NEW.age+1;
After:
Trigger created
```

272 DROP TRIGGER

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
DROP TRIGGER trg;
After:
Trigger removed
```

273 SHOW TRIGGERS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
SHOW TRIGGERS;
After:
Trigger list
```

274 CREATE FUNCTION

```
Before Table (students):
| id | name | age | city |
```

```
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
CREATE FUNCTION add1(x INT) RETURNS INT RETURN x+1;
```

```
After:
Function created
```

275 DROP FUNCTION

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
DROP FUNCTION add1;
```

```
After:
Function removed
```

276 CALL FUNCTION

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SELECT add1(5);
```

```
After:
6
```

277 CREATE EVENT

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
CREATE EVENT e ON SCHEDULE EVERY 1 DAY DO SELECT 1;
```

```
After:
Event created
```

278 DROP EVENT

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
DROP EVENT e;
```

```
After:
Event removed
```

279 SHOW EVENTS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SHOW EVENTS;
```

```
After:
Events list
```

280 PREPARE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
PREPARE stmt FROM 'SELECT * FROM students';
```

```
After:
Prepared
```

281 EXECUTE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
EXECUTE stmt;
```

```
After:
Executed
```

282 DEALLOCATE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
DEALLOCATE PREPARE stmt;
```

```
After:
Released
```

283 HANDLER OPEN

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
HANDLER students OPEN;
```

```
After:
```

```
Handler open
```

284 HANDLER READ

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
HANDLER students READ FIRST;
After:
First row
```

285 HANDLER CLOSE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
HANDLER students CLOSE;
After:
Handler closed
```

286 SHOW WARNINGS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
SHOW WARNINGS;
After:
Warnings
```

287 SHOW ERRORS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
SQL:
SHOW ERRORS;
After:
Errors
```

288 RESET MASTER

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
RESET MASTER;

After:
Logs cleared
```

289 SHOW MASTER STATUS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SHOW MASTER STATUS;

After:
Binlog info
```

290 SHOW SLAVE STATUS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SHOW SLAVE STATUS;

After:
Replication
```

291 CHANGE MASTER

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
CHANGE MASTER TO MASTER_HOST='host';

After:
Configured
```

292 START SLAVE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
START SLAVE;

After:
Replication started
```

293 STOP SLAVE

```
Before Table (students):
| id | name | age | city |
```

```
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
STOP SLAVE;
```

```
After:
Replication stopped
```

294 RESET SLAVE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
RESET SLAVE;
```

```
After:
Reset
```

295 PURGE BINARY LOGS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
PURGE BINARY LOGS TO 'log';
```

```
After:
Purged
```

296 SHOW BINARY LOGS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SHOW BINARY LOGS;
```

```
After:
Logs list
```

297 SHOW RELAYLOG EVENTS

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SHOW RELAYLOG EVENTS;
```

```
After:
Events
```

298 SHOW PROFILE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SHOW PROFILE;
```

```
After:
Profile
```

299 SET PROFILING

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SET PROFILING=1;
```

```
After:
Enabled
```

300 SHOW PROFILES

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:
SHOW PROFILES;
```

```
After:
Profiles list
```