

SQL Handbook (101–150 Commands with Before & After Tables - Exact Model)

101 SELECT TOP

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT * FROM students LIMIT 1;
```

After:

First row

102 OFFSET

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT * FROM students LIMIT 1 OFFSET 1;
```

After:

Second row

103 COUNT WHERE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT COUNT(*) FROM students WHERE age > 20;
```

After:

1

104 SUM WHERE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT SUM(age) FROM students WHERE age > 19;
```

After:

41

105 AVG WHERE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT AVG(age) FROM students WHERE age > 19;

After:
20.5

106 MAX WHERE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT MAX(age) FROM students WHERE city='Madurai';

After:
21

107 MIN WHERE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT MIN(age) FROM students WHERE city='Chennai';

After:
20

108 CONCAT WS

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT CONCAT_WS('-',name,city) FROM students;

After:
Ravi-Chennai

109 CHAR LENGTH

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT CHAR_LENGTH(name) FROM students;

After:
4,5,3

110 REVERSE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT REVERSE(name) FROM students;

After:
ivaR
```

111 ASCII

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT ASCII('R');

After:
82
```

112 LEFT

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT LEFT(name,2) FROM students;

After:
Ra
```

113 RIGHT

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT RIGHT(name,2) FROM students;

After:
vi
```

114 FORMAT

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT FORMAT(12345.678,2);

After:
```

12,345.68

115 POWER

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT POWER(2,3);

After:
8

116 SQRT

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT SQRT(16);

After:
4

117 ABS

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT ABS(-10);

After:
10

118 MOD

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT MOD(10,3);

After:
1

119 CEILING

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT CEILING(4.2);
After:
5

120 TRUNCATE FUNC

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT TRUNCATE(10.567,2);
After:
10.56

121 DATE NOW

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT NOW();
After:
Current datetime

122 CURRENT DATE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT CURRENT_DATE;
After:
Today

123 CURRENT TIME

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT CURRENT_TIME;
After:
Time

124 YEAR

Before Table (students):
| id | name | age | city |

1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT YEAR(NOW());
```

After:

2026

125 MONTH

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT MONTH(NOW());
```

After:

5

126 DAY

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT DAY(NOW());
```

After:

5

127 DAYNAME

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT DAYNAME(NOW());
```

After:

Monday

128 MONTHNAME

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:

```
SELECT MONTHNAME(NOW());
```

After:

May

129 ADDDATE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT ADDDATE(CURDATE(),1);

After:
Tomorrow

130 SUBDATE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT SUBDATE(CURDATE(),1);

After:
Yesterday

131 TIMESTAMPDIFF

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT TIMESTAMPDIFF(DAY, '2026-05-01', '2026-05-05');

After:
4

132 LAST DAY

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LAST_DAY(CURDATE());

After:
Month end

133 STR_TO_DATE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT STR_TO_DATE('05-05-2026', '%d-%m-%Y');

After:

Date converted

134 DATE FORMAT

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT DATE_FORMAT(NOW(), '%d-%m-%Y');

After:
05-05-2026

135 IF

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT IF(age>20, 'Senior', 'Junior') FROM students;

After:
Category

136 IFNULL

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT IFNULL(NULL, 'Default');

After:
Default

137 COALESCE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT COALESCE(NULL, NULL, 'Value');

After:
Value

138 NULLIF

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT NULLIF(10,10);
After:
NULL

139 CASE ADV

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT CASE WHEN age>20 THEN 'Senior' END FROM students;
After:
Conditional

140 EXISTS ADV

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT EXISTS(SELECT 1);
After:
1

141 BIT LENGTH

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT BIT_LENGTH('A');
After:
8

142 DATABASE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore
SQL:
SELECT DATABASE();
After:
Current DB

143 USER

Before Table (students):
| id | name | age | city |

```
| 1 | Ravi | 20 | Chennai |  
| 2 | Kumar | 21 | Madurai |  
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SELECT USER();

After:
User info

144 VERSION

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT VERSION();

After:
MySQL version

145 CONNECTION ID

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT CONNECTION_ID();

After:
Session ID

146 SHOW TABLES

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW TABLES;

After:
List tables

147 SHOW DATABASES

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW DATABASES;

After:
List DBs

148 DESCRIBE

```
Before Table (students):  
| id | name | age | city |  
| 1 | Ravi | 20 | Chennai |  
| 2 | Kumar | 21 | Madurai |  
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:  
DESCRIBE students;
```

```
After:  
Table structure
```

149 SHOW CREATE

```
Before Table (students):  
| id | name | age | city |  
| 1 | Ravi | 20 | Chennai |  
| 2 | Kumar | 21 | Madurai |  
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:  
SHOW CREATE TABLE students;
```

```
After:  
DDL
```

150 EXPLAIN

```
Before Table (students):  
| id | name | age | city |  
| 1 | Ravi | 20 | Chennai |  
| 2 | Kumar | 21 | Madurai |  
| 3 | Anu | 19 | Coimbatore |
```

```
SQL:  
EXPLAIN SELECT * FROM students;
```

```
After:  
Execution plan
```