

SQL Handbook (451–500 Commands with Before & After Tables - Exact Model)

451 SHOW CREATE TRIGGER

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW CREATE TRIGGER trg;

After:
Trigger DDL

452 SHOW CREATE EVENT

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW CREATE EVENT e;

After:
Event DDL

453 SHOW CREATE FUNCTION

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW CREATE FUNCTION add1;

After:
Function DDL

454 SHOW CREATE PROCEDURE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SHOW CREATE PROCEDURE GetStudents;

After:
Procedure DDL

455 SHOW STATUS SESSION

Before Table (students):

```
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SHOW SESSION STATUS;

After:
Session stats

456 SHOW STATUS GLOBAL LIKE

Before Table (students):

```
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SHOW GLOBAL STATUS LIKE 'Connections';

After:
Connections count

457 SHOW VARIABLES SESSION

Before Table (students):

```
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SHOW SESSION VARIABLES;

After:
Session variables

458 SHOW VARIABLES GLOBAL LIKE

Before Table (students):

```
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SHOW GLOBAL VARIABLES LIKE 'max%';

After:
Filtered vars

459 SET NAMES

Before Table (students):

```
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |
```

SQL:
SET NAMES 'utf8';

After:
Charset set

460 SET CHARACTER SET

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SET CHARACTER SET utf8;

After:
Charset set

461 SET TIME_ZONE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SET time_zone='+05:30';

After:
Timezone set

462 SELECT CURRENT_TIMESTAMP

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT CURRENT_TIMESTAMP;

After:
Current timestamp

463 SELECT UTC_TIMESTAMP

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT UTC_TIMESTAMP();

After:
UTC time

464 SELECT LOCALTIME

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LOCALTIME();

After:

Local time

465 SELECT LOCALTIMESTAMP

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT LOCALTIMESTAMP();

After:
Local timestamp

466 SELECT MICROSECOND

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT MICROSECOND(NOW());

After:
Microseconds

467 SELECT SECOND

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT SECOND(NOW());

After:
Seconds

468 SELECT MINUTE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT MINUTE(NOW());

After:
Minutes

469 SELECT HOUR

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT HOUR(NOW());

After:
Hours

470 SELECT WEEK

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT WEEK(NOW());

After:
Week number

471 SELECT QUARTER

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT QUARTER(NOW());

After:
Quarter

472 SELECT DAYOFWEEK

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT DAYOFWEEK(NOW());

After:
Day index

473 SELECT DAYOFYEAR

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT DAYOFYEAR(NOW());

After:
Day of year

474 SELECT WEEKDAY

Before Table (students):
| id | name | age | city |

	1		Ravi		20		Chennai	
	2		Kumar		21		Madurai	
	3		Anu		19		Coimbatore	

SQL:

```
SELECT WEEKDAY(NOW());
```

After:

Weekday index

475 SELECT TIME_FORMAT

Before Table (students):

	id		name		age		city	
	1		Ravi		20		Chennai	
	2		Kumar		21		Madurai	
	3		Anu		19		Coimbatore	

SQL:

```
SELECT TIME_FORMAT(NOW(), '%H:%i');
```

After:

Formatted time

476 SELECT DATE_FORMAT ADV

Before Table (students):

	id		name		age		city	
	1		Ravi		20		Chennai	
	2		Kumar		21		Madurai	
	3		Anu		19		Coimbatore	

SQL:

```
SELECT DATE_FORMAT(NOW(), '%W %M %Y');
```

After:

Formatted date

477 SELECT FROM_UNIXTIME

Before Table (students):

	id		name		age		city	
	1		Ravi		20		Chennai	
	2		Kumar		21		Madurai	
	3		Anu		19		Coimbatore	

SQL:

```
SELECT FROM_UNIXTIME(1700000000);
```

After:

Date

478 SELECT UNIX_TIMESTAMP

Before Table (students):

	id		name		age		city	
	1		Ravi		20		Chennai	
	2		Kumar		21		Madurai	
	3		Anu		19		Coimbatore	

SQL:

```
SELECT UNIX_TIMESTAMP(NOW());
```

After:

Unix time

479 SELECT TIMEDIFF

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT TIMEDIFF('10:00:00','08:00:00');

After:
02:00:00
```

480 SELECT ADDTIME

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT ADDTIME('08:00:00','02:00:00');

After:
10:00:00
```

481 SELECT SUBTIME

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT SUBTIME('10:00:00','02:00:00');

After:
08:00:00
```

482 SELECT MAKEDATE

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT MAKEDATE(2026,100);

After:
Date
```

483 SELECT MAKETIME

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT MAKETIME(10,20,30);

After:
```

10:20:30

484 SELECT PERIOD_ADD

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT PERIOD_ADD(202601,2);

After:
202603

485 SELECT PERIOD_DIFF

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT PERIOD_DIFF(202603,202601);

After:
2

486 SELECT TO_DAYS

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT TO_DAYS(NOW());

After:
Days count

487 SELECT FROM_DAYS

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT FROM_DAYS(738000);

After:
Date

488 SELECT STRCMP

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT STRCMP('a','b');
After:
-1

489 SELECT SOUNDEX

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT SOUNDEX('Ravi');

After:
Sound code

490 SELECT DIFFERENCE

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT DIFFERENCE('Ravi','Rave');

After:
Similarity

491 SELECT UUID_SHORT

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT UUID_SHORT();

After:
Short ID

492 SELECT PASSWORD

Before Table (students):
id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT PASSWORD('test');

After:
Hash

493 SELECT ENCODE

Before Table (students):
| id | name | age | city |

1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT ENCODE('text','key');

After:
Encoded

494 SELECT DECODE

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT DECODE(ENCODE('text','key'),'key');

After:
Decoded

495 SELECT COMPRESS

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT COMPRESS('text');

After:
Compressed

496 SELECT UNCOMPRESS

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT UNCOMPRESS(COMPRESS('text'));

After:
text

497 SELECT UNCOMPRESSED_LENGTH

Before Table (students):

id	name	age	city
1	Ravi	20	Chennai
2	Kumar	21	Madurai
3	Anu	19	Coimbatore

SQL:
SELECT UNCOMPRESSED_LENGTH(COMPRESS('text'));

After:
Length

498 SELECT INET_ATON

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT INET_ATON('127.0.0.1');

After:
Integer IP
```

499 SELECT INET_NTOA

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT INET_NTOA(2130706433);

After:
127.0.0.1
```

500 SELECT BENCHMARK ADV

```
Before Table (students):
| id | name | age | city |
| 1 | Ravi | 20 | Chennai |
| 2 | Kumar | 21 | Madurai |
| 3 | Anu | 19 | Coimbatore |

SQL:
SELECT BENCHMARK(100000,MD5('a'));

After:
Performance test
```