

# Optimal Hyper-parametrization for efficient Video Compression



## **Video Compression Hackathon - SBI** Powered by Microsoft Corporation Pvt. Ltd.

# Problem

- With the advent of Video based Customer Identification, multiple use-cases have emerged for customer onboarding in a secure, paperless, cost-effective and friendly manner.

# Problem

- With the advent of Video based Customer Identification, multiple use-cases have emerged for customer onboarding in a secure, paperless, cost-effective and friendly manner.
- Storage and retrieval of these video files is a challenge especially given the expected tsunami of video files that are expected to be generated on extending more use-cases to our client base of over 45 crore customers.

# Approach

- Reinforcement Learning Models provide great methods for getting optimal hyperparameters for other methods/models.

# Approach

- Reinforcement Learning Models provide great methods for getting optimal hyperparameters for other methods/models.
- These methods have been used heavily in all domains.

# Approach

- Reinforcement Learning Models provide great methods for getting optimal hyperparameters for other methods/models.
- These methods have been used heavily in all domains.
- I made use of the same to learn optimal parameters for a vast array of these.

# Approach

- These included (among others!) : Maximum Reference to L0, Early Skipping etc.

# Approach

- These included (among others!) : Maximum Reference to L0, Early Skipping etc.
- These methods were tabulated into 4 optimal settings in `vals.txt`



# Approach

- These included (among others!) : Maximum Reference to L0, Early Skipping etc.
- These methods were tabulated into 4 optimal settings in `vals.txt`
- Then, these were made use of for encoding using x265.

# Approach

- The RL part was done using Feedback Networks' Architecture in TensorFlow.

# Approach

- The RL part was done using Feedback Networks' Architecture in TensorFlow.
- The Encryption Algorithm used was AES.

# Approach

- The RL part was done using Feedback Networks' Architecture in TensorFlow.
- The Encryption Algorithm used was AES.
- We also used zlib for further compression.

## Video used

- phase3.mp4
- Profile : H.264
- Dimensions :  $1920 \times 1080$
- FPS : 30.0
- Bit-Rate : 17036 kbps
- Size : 127.8 MB
- The file may be found [here](#).

# Decompressed Video

- phase31.mp4
- Profile (Main) : H.265
- Dimensions :  $1920 \times 1080$
- FPS : 30.0 (as expected)
- Bit-Rate : 1381 kbps
- Size (compressed) : 9.5 MB

# Hardware Details

- CPU : Intel(R) Core(TM) i5-1035G1 CPU 1.00GHz
- Memory : 8 GB
- Memory Clock : 3200 MHz
- L1 Cache : 128 kB
- L2 Cache : 2 MiB
- L3 Cache : 6 MiB

# Why this model?

- Different Types of applications provide scope for different types of compression shorthands.



# Why this model?

- Different Types of applications provide scope for different types of compression shorthands.
- Our approach enables us to learn these shorthands

# Functional Requirements

- x265
- opencv4
- Python's cryptography
- Python's zlib
- ffmpeg

# Non-functional Requirements

- The Video isn't recorded in camcorders which make use of Compressed Sensing.
- The Noise is minimal and patterns in the images remain consistent.
- The Machine on which the Application is used has  $\geq 8\text{GB}$  RAM.
- This would enable greater compression due to easier Identification of Generic features.

# Our Edge

- HEVC is known to better than state-of-the-art Deep Learning Methods (*DeepCoder*) by an additional 50 %.

# Our Edge

- HEVC is known to be better than state-of-the-art Deep Learning Methods (*DeepCoder*) by an additional 50 %.
- Use-case specific optimization in *HEVC* is generically obtained by making use of hyperparameter optimization.

# Our Edge

- HEVC is known to better than state-of-the-art Deep Learning Methods (*DeepCoder*) by an additional 50 %.
- Use-case specific optimization in *HEVC* is generically obtained by making use of hyperparameter optimization.
- Feedback functions could also be tinkered to better reflect our Requirements (should they ever change!)

# Github Repository

My Actual Github ID is thevaliantthird

I've kept the Video Hackathon submission Repository via another profile,  
SBI-Video-Hackathon

# Video Demonstration

I have demonstrated usage of my application here.



Thank You!

Name : Shubh Kumar

Email : shubh5796@gmail.com

Phone Number : 9470434205

Github ID (original) : thevaliantthird

Website : thevaliantthird