
§G.1 — mtDNA OXPHOS Δα sign-flip across phylogenetic depth
Negative on deep-split liver panels (mtDNA fast clock; prior overestimates conservation); positive on primate-tight testis panels (~93 % H+Mac mtDNA identity; prior underestimates conservation).
Δα — MT-ND1
mtDNA Complex-I subunit 1
Δα — MT-ND2
-0.183
-0.338
+0.021
-0.368
+0.198
+0.237
+0.237
mtDNA Complex-I subunit 2
Δα — MT-ND4
-0.013
-0.332
+0.030
-0.430
+0.167
+0.198
+0.198
mtDNA Complex-I subunit 4
Δα — MT-CO1
-0.722
-0.027
+0.047
-0.398
+0.101
+0.117
+0.117
mtDNA Complex-IV subunit 1
Δα — MT-CO2
-0.114
-0.352
+0.088
-0.508
+0.126
+0.149
+0.148
mtDNA Complex-IV subunit 2
Δα — MT-CO3
-0.036
+0.001
+0.043
-0.454
+0.102
+0.117
+0.118
mtDNA Complex-IV subunit 3
Δα — MT-CYB
+0.011
-0.118
+0.032
-0.439
+0.134
+0.155
+0.156
mtDNA Complex-III cytochrome b
Δα — MT-ATP6
-0.128
-0.244
+0.053
-0.485
+0.104
+0.137
+0.131
mtDNA Complex-V subunit 6
liver H+Monkey
liver H+Mouse
liver H+Zeb
liver 4-sp
testis H+Mac
testis H+Mouse
testis 3-sp