BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
42B1035	ONE			BEAM				347	347
	1	42B1035	1	W12x19	16	9	A992	318	318
	2	a216	2	L6x6x1/2	0	6	A36	12	23
	1	pl782	1	PL3/8x3 1/2	0	6	A36	2	2
	2	pl1520	2	PL3/8x3 1/2	0	5	A36	2	4
				FIELD BOLTS					
	4			3/4 Dia F1852N	0	1 3/4			

Total weight : 347



ONE BEAM 42B1035

W	12 3/16x1/4
F	4x3/8
K	7/8x5/8

FIELD BOLTS:
4-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 20.0 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 29.2 KIPS

RIGHT END LOADS:
SHEAR: 20.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 29.2 KIPS



Section B-B
42B1035



Section A-A
42B1035

Q1

Please confirm the yellow clouded weld.

APPROVER,
PLEASE CONFIRM THE CLOUDED WELD
IS OK TO PROCEED?

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB

SK#24
11 pages
11 **Queries**
Date: 07-14-2025

PROJECT OWNER
PROJECT DESCR
PROJECT ADDRE
CONTRACTOR : I

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 42B1035	
DWG DESCRIPTION : BEAM DETAIL			

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
44B1057	ONE			BEAM				602	602
	1	44B1057	1	W12x16	10	3	A992	164	164
	1	hss505	1	HSS2 1/2x2 1/2x3/16	2	7 1/2	A500C	15	15
	1	hss748	1	HSS2 1/2x2 1/2x3/16	1	9 1/2	A500C	10	10
	1	hss742	1	HSS2 1/2x2 1/2x3/16	1	6 1/4	A500C	9	9
	1	hss324	1	HSS2 1/2x2 1/2x3/16	0	4	A500C	2	2
	1	wt168	1	WT9x87.5	4	1 1/2	A992	361	361
	4	pl4900	4	PL 1/2x5 1/4	0	8 3/8	A36	6	25
	4	pl4905	4	PL 1/2x1 7/8	0	11 3/8	A36	3	12
	2	pl5685	2	PL 3/8x1 7/8	0	11 1/2	A36	2	5
				FIELD BOLTS					
	4			3/4 Dia F1852N	0	3 3/4			
	4			3/4 Dia F1852N	0	1 3/4			

Total weight : 602



ONE BEAM 44B1057

W	12x1/4
F	4x1/4
K	13/16x11/16

FIELD BOLTS:
4-3/4Diax3 3/4 F1852N
4-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 20.0 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 29.2 KIPS

RIGHT END LOADS:
SHEAR: 20.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 29.2 KIPS

Q2

Please confirm the all yellow clouded welds.

APPROVER,
PLEASE CONFIRM THE CLOUDED WELD IS OK TO PROCEED?



Section A-A
44B1057

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS ⊕
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 44B1057	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
45B1061	ONE			BEAM				306	306
	1	45B1061	1	W12x14	21	7 3/4	A992	303	303
	1	pl2298	1	PL 1/4x4 1/2	0	9	A36	3	3
				FIELD BOLTS					
	4			3/4 Dia A325N	0	1 3/4	+1HD WASH		



Q3

Please confirm the yellow clouded weld.



APPROVER,
PLEASE CONFIRM THE CLOUDED WELD
IS OK TO PROCEED?

Section B-B
45B1061

A

LEFT END LOADS:
SHEAR: 15.0 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 22.8 KIPS

RIGHT END LOADS:
SHEAR: 15.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 21.5 KIPS

ONE BEAM 45B1061

W	11 7/8x3/16
F	4x1/4
K	3/4x5/8

FIELD BOLTS:
4-3/4Diax1 3/4 A325N

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS ⌖
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV#	DWN BY	DESCRIPTION	DATE
A	MNK	ISSUED FOR APPROVAL	Apr 22 2025

FOR SHOP USE :

	INITIAL	HOURS	DATE
CUT			
VISUAL			
DATE			
DATE			

QUALITY CONTROL CHECK
DIMENSIONAL
VISUAL
DATE

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : MNK	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : KMA	DATE : 02-27-2025	DWG NO. : 45B1061	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
45B1064	ONE			BEAM				671	671
	1	45B1064	1	W12x30	17	9 9/16	A992	534	534
	1	hss908	1	HSS2 1/2x2 1/2x3/16	5	4	A500C	30	30
	1	hss654	1	HSS2 1/2x2 1/2x3/16	2	10	A500C	16	16
	1	hss601	1	HSS2 1/2x2 1/2x3/16	2	2	A500C	12	12
	1	hss212	1	HSS2 1/2x2 1/2x3/16	1	10 1/2	A500C	10	10
	1	wt192	1	WT7x19	2	2 3/8	A992	42	42
	4	pl4586	4	PL5/8x3	0	9 1/2	A36	5	20
	1	pl1129	1	PL3/8x3 1/2	0	5	A36	2	2
	1	pl5359	1	PL1/8x7 1/2	0	9 1/2	A572-50	3	3
	1	pl5356	1	PL1/8x7 1/2	0	9	A572-50	2	2
				FIELD BOLTS					
	12			3/4 Dia F1852N	0	2 1/4			
	12			3/4 Dia F1852N	0	2			
	6			3/4 Dia F1852N	0	1 3/4			

Total weight : 671

Q4

Please confirm the all yellow clouded welds.



Section A-A
45B1064



APPROVER,
PLEASE CONFIRM THE CLOUDED WELD IS OK TO PROCEED?

Section B-B
45B1064



Section C-C
45B1064

ONE BEAM 45B1064

W	12 5/16x1/4
F	6 1/2x7/16
K	11/8x13/16

FIELD BOLTS:
12-3/4Diax2 1/4 F1852N
12-3/4Diax2 F1852N
6-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 34.7 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 48.9 KIPS

RIGHT END LOADS:
SHEAR: 34.7 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 48.7 KIPS

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

AISC CERTIFIED FABRICATOR AND ERECTOR

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 45B1064	
DWG DESCRIPTION : BEAM DETAIL			

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
47B1008	ONE			BEAM				345	345
	1	47B1008	1	W12x16	19	4 3/4	A992	310	310
	1	a225	1	L6x6x1/2	0	8 11/16	A36	17	17
	1	a224	1	L6x6x1/2	0	7	A36	13	13
	1	pl4540	1	PL3/8x4	0	6	A36	3	3
	1	pl431	1	PL3/8x3 1/2	0	6	A36	2	2
				FIELD BOLTS					
	2			3/4 Dia A325N	0	1 3/4	+1HD WASH		
	2			3/4 Dia F1852N	0	1 3/4			

Total weight : 345





ONE BEAM 47B1008

W	12x1/4
F	4x1/4
K	13/16x11/16

FIELD BOLTS:
2-3/4Diax3/4 A325N
2-3/4Diax3/4 F1852N

LEFT END LOADS:
SHEAR: 15.1 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 28.2 KIPS

RIGHT END LOADS:
SHEAR: 15.1 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 29.4 KIPS

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 47B1008	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
47B1011	ONE			BEAM				137	137
	1	47B1011	1	W10x12	8	11 13/16	A992	108	108
	1	w4747	1	W10x12	1	0 7/8	A992	13	13
	1	w4749	1	W10x12	1	0 7/8	A992	13	13
	2	pl2835	2	PL 3/8x3 1/2	0	5	A36	2	4
				FIELD BOLTS					
	2			3/4 Dia A325N	0	1 3/4	+1HD WASH		
	2			3/4 Dia F1852N	0	1 3/4			

Total weight : 137



ONE BEAM 47B1011

W	9 7/8x3/16
F	3 15/16x3/16
K	3/4x5/8

FIELD BOLTS:
2-3/4Diax1 3/4 A325N
2-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 15.0 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 17.9 KIPS



Section B-B
47B1011

Q6

Please confirm the yellow clouded weld.



Section A-A
47B1011

RIGHT END LOADS:
SHEAR: 15.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 25.7 KIPS

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS ⊠
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

AISC CERTIFIED FABRICATOR AND ERECTOR

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 47B1011	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
48B1005	ONE			BEAM				278	278
	1	48B1005	1	W10x12	20	11 3/4	A992	252	252
	2	a275	2	L6x6x1/2	0	5	A36	10	19
	3	pl867	3	PL3/8x3 1/2	0	6	A36	2	7
				FIELD BOLTS					
	4			3/4 Dia F1852N	0	13/4			

Total weight : 278

Q7

Please confirm the yellow clouded weld.



ONE BEAM 48B1005

W	9 7/8x3/16
F	3 15/16x3/16
K	3/4x5/8

FIELD BOLTS:
4-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 15.0 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 21.0 KIPS

RIGHT END LOADS:
SHEAR: 15.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 22.1 KIPS



Section B-B
48B1005



Section A-A
48B1005

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 48B1005	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
49B1031	ONE			BEAM				2196	2196
	1	49B1031	1	W12x26	21	3 9/16	A992	554	554
	1	wt158	1	WT9x87.5	18	0	A992	1575	1575
	1	ch19	1	C10x20	2	0 1/2	A36	41	41
	1	pl3235	1	PL 3/8x3 1/8	0	11 7/16	A36	4	4
	1	bpl924	1	PL 1/4x24 3/8	1	1 1/16	BENT A36	23	23
				FIELD BOLTS					
	2			3/4 Dia F1852N	0	1 3/4			
	3			3/4 Dia F1852N	0	1 1/2			

Total weight : 2196



ONE BEAM 49B1031

W	12 3/16x1/4
F	6 1/2x3/8
K	1 1/16x13/16

FIELD BOLTS:
3-3/4Diax1 1/2 F1852N
2-3/4Diax1 3/4 F1852N

LEFT END LOADS:
SHEAR: 25.9 KIPS



RIGHT END LOADS:
SHEAR: 20.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 28.5 KIPS

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS ⊕
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 49B1031	

DWG DESCRIPTION : BEAM DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
51C1024	ONE			COLUMN				801	801
	1	51C1024	1	W8x31	21	11	S1E A992	679	679
	1	a785	1	L4x4x3/8	0	11 1/8	A36	9	9
	1	a731	1	L3x3x1/4	0	10	A36	4	4
	1	pl626	1	PL1x9 1/2	1	3	A572-50	40	40
	3	pl823	3	PL3/8x7 3/8	0	9 7/16	A36	7	22
	1	pl834	1	PL3/8x7 3/8	0	9 1/8	A36	7	7
	2	pl829	2	PL3/8x3 7/8	0	9	A36	4	7
	8	pl430	8	PL3/8x3 3/4	0	7	A36	3	22
	1	bpl1667	1	PL1/4x14	0	8 1/2	BENT A36	8	8
				FIELD BOLTS					
	4			3/4 Dia F1852N	0	2 3/4			







Q9

Please confirm the yellow clouded weld.

ONE COLUMN 51C1024

W	8x5/16
F	8x7/16
K	1 1/8x13/16

FIELD BOLTS: 4-3/4Diax2 3/4 F1852N

AT GRID: E' & BB.3

SHOP NOTES:
1. ALL RUNNING DIMENSIONS ARE MEASURED FROM TOP OF BASE PLATE INDICATED THUS ⊕
2. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOT BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB ENTERPRISES, LLC
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

AISC CERTIFIED FABRICATOR AND ERECTOR

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 51C1024	

DWG DESCRIPTION : COLUMN DETAIL

BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
52B1010	ONE			BEAM				285	285
	1	52B1010	1	W12x14	19	3 1/2	A992	270	270
	1	hss913	1	HSS3 1/2x3 1/2x3/8	0	8	A500C	10	10
	1	pl3152	1	PL3/8x4 1/8	0	9	A36	4	4
	1	pl3151	1	PL 1/4x3 1/2	0	3 1/2	A36	1	1
				FIELD BOLTS					
	5			3/4 Dia F1852N	0	1 3/4			

Total weight : 285





Q10

Please confirm the yellow clouded weld.

APPROVER,
PLEASE CONFIRM THE CLOUDED WELD
IS OK TO PROCEED?

ONE BEAM 52B1010

LEFT END LOADS:
SHEAR: 12.8 KIPS

LEFT END LOAD CAPACITIES:
SHEAR: 28.8 KIPS

W	11 7/8x3/16
F	4x1/4
K	3/4x5/8

FIELD BOLTS:
5-3/4Diax1 3/4 F1852N

RIGHT END LOADS:
SHEAR: 35.0 KIPS

RIGHT END LOAD CAPACITIES:
SHEAR: 11.4 KIPS

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

AISC CERTIFIED FABRICATOR AND ERECTOR

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 52B1010	

DWG DESCRIPTION : BEAM DETAIL





BILL OF MATERIAL

ASSEMBLY MARK	TOTAL QTY	SUB-PIECE MARK	UNIT QTY	MATERIAL DESCRIPTION	LENGTH FT	LENGTH IN	REMARKS	UNIT WEIGHT	TOTAL WEIGHT
54B1004	ONE			BEAM				2719	2719
	1	54B1004	1	W12x106	19	07/8	A992	2022	2022
	7	a259	7	L5x5x5/16	1	95/8	A36	19	130
	7	a260	7	L3x3x5/16	1	63/16	A36	9	65
	4	pl3190	4	PL3/8x53/4	0	107/8	A36	7	27
	7	pl3191	7	PL3/8x41/2	0	57/8	A36	3	20
	4	pl3194	4	PL3/8x311/16	0	9	A36	4	14
	1	bpl1164	1	PL1/4x261/2	7	07/8	BENT A36	159	159
	1	bpl870	1	PL1/4x261/2	6	0	BENT A36	135	135
	1	bpl1165	1	PL1/4x261/2	6	0	BENT A36	135	135
	2	pl4187	2	PL1/8x10	1	5	A572-50	6	12
				FIELD BOLTS					
	30			1 Dia F2280N	0	31/2			
	6			1 Dia F1852N	0	21/2			
	10			3/4 Dia F1852N	0	31/4			

Total weight : 2719

ONE BEAM 54B1004

W	127/8x5/8
F	123/16x1
K	17/8x13/16

FIELD BOLTS:
30-1Diax31/2 F2280N
10-3/4Diax31/4 F1852N
6-1Diax21/2 F1852N

LEFT END LOADS:
SHEAR: 55.0 KIPS
MOMENT: 255.0 KIP-FT

LEFT END LOAD CAPACITIES:
SHEAR: 73.4 KIPS
MOMENT: 80.0 KIP-FT

RIGHT END LOADS:
SHEAR: 55.0 KIPS
MOMENT: 255.0 KIP-FT

RIGHT END LOAD CAPACITIES:
SHEAR: 73.4 KIPS
MOMENT: 290.2 KIP-FT

SHOP NOTES:
1. ALL PLATES AND ANGLES ATTACHED SHALL BE CENTERED TO MAIN MEMBER U.N.O.
2. ALL RUNNING DIMENSIONS ARE MEASURED FROM LEFT END OF BEAM INDICATED THUS
3. ⊠ INDICATES FRAMING SIDE OF BEAM.

ALL RE-ENTRANT CUT TO BE 1/2" RADIUSED (U.N.O)
WELDS : E70XX
HOLES : 13/16" DIA (U.N.O)
MAT'L : A36 (U.N.O)
CLEAN : SSPC-SP2
PAINT : SHOP PRIMER

REVISIONS

REV	DWN BY	DATE	DESCRIPTION
A	MNK	Apr 22 2025	ISSUED FOR APPROVAL

THE INFORMATION NOTED HEREON THIS DRAWING IS THE PROPERTY OF STEEL FAB ENTERPRISES, INC. AND SHALL NOTED BE USED WITHOUT WRITTEN CONSENT.

STEEL FAB
ENTERPRISES, LLC
AISC CERTIFIED FABRICATOR AND ERECTOR
MISCELLANEOUS METALS FABRICATOR AND ERECTORS
623 BAUMGARDNER ROAD, LANCASTER, PA 17603
TEL. (717)464-0330 FAX (717)464-9464
WWW.STEELFABENTERPRISES.COM

PROJECT OWNER : HP NAREF, 1250 MARYLAND HOLDINGS 1 LP.
PROJECT DESCRIPTION : 1250 MARYLAND AVENUE
PROJECT ADDRESS : 1250 MARYLAND AVENUE, WASHINGTON, DC 20024
CONTRACTOR : IRON FABRICATION SERVICES, INC.

DRAWN BY : BMV	DATE : 02-27-2025	PROJ. NO. : 25001	REV # A
CHECKED BY : MNK	DATE : 02-27-2025	DWG NO. : 54B1004	

DWG DESCRIPTION : BEAM DETAIL