

# U.S POLLUTION

Carbon Monoxide (C0)

Nitrogen Dioxide (NO2)

Sulphur Dioxide (SO2)

Ozone (O3)

State

City

Search

Alexandria

Boston

Altoona

Bristol

Annandale

Burbank

Arden-Arcade

Calexico

Athens

Camden

Baton Rouge

Capitan

Beaver Falls

Charleroi

Beltsville

Charlotte

Benicia

Cherry Tree

Berkeley

Chula Vista

Bethel Island

Cicero

County Code County

1 Ada

1 Adair

1 Adams

1 Alameda

1 District of Columbia

1 Fairfield

2 BAJA CALIFORNIA NORTE

3 Allegheny

3 Aroostook

3 Hartford

5 Baltimore

5 Bronx

5 Cumberland

5 Litchfield

7 Beaver

7 Camden

9 Athens

9 Blount

9 New Haven

11 Berks

11 Hillsborough

13 Blair

13 Contra Costa

13 Maricopa

17 Bucks

17 Cass

19 Charleston

19 Fresno

19 Pima

21 Cambria

County

Search

Ada

Adair

Adams

Alameda

Alexandria City

Allegheny

State

Search

Arizona

Arkansas

California


Colorado

Connecticut

Country Of Mexico



Quarter-wise bifurcation of pollutants



01-01-2006

31-12-2010

1st Max hour CO affected

23

1st Max value of CO

16.50

City with highest CO

Mexicali

CO Units


Parts per million

First State

Country Of Mexico

Max of CO AQI


150.00



01-01-2006

31-12-2010

State Code	CO AQI
80	150.00
80	143.00
80	135.00
80	118.00
6	106.00
80	106.00
80	103.00
80	101.00
80	91.00
80	90.00
80	89.00
80	88.00
80	86.00
80	84.00
6	81.00
80	81.00
80	80.00
80	79.00
80	78.00
80	77.00
80	76.00
80	75.00



1st Max hour NO2 affected

23

1st Max value of NO2

176


City with highest NO2

Tijuana


NO2 Units

Parts per billion

First State	Max of NO2 AQI
Country Of Mexico	115



State Code	NO2 AQI
80	115
8	114
80	112
22	111
6	110
80	110
8	108
80	108
6	107
17	107
80	107
6	106
17	106
80	106
6	105
80	105
6	104
8	104
11	104
80	104
6	103
8	103



1st Max hour S02 affected

23

1st Max value of S02

351.00

City with highest S02

Park Hill

S02 Units


Parts per billi...

First State

Max of S02 AQI

Oklahoma


200.00



01-01-2006

31-12-2010

State Code	S02 AQI
40	200.00
8	176.00
6	153.00
42	152.00
42	148.00
24	145.00
42	138.00
24	135.00
80	132.00
24	131.00
42	129.00
42	128.00
37	127.00
24	125.00
42	125.00
48	125.00
24	124.00
24	123.00
42	123.00
42	122.00
24	121.00
33	120.00



1st Max hour O3 affected

23

1st Max value of O3

0.14

City with highest O3


Mexicali

O3 Units

Parts per million

First State

Country Of Mexico



01-01-2006

31-12-2010

State Code	O3 AQI
80	211
6	207
6	206
37	205
6	204
42	203
42	202
48	202
51	202
6	201
36	201
6	200
24	200
36	200
6	197
6	195
29	195
6	192
48	192
6	190
6	187
24	187

