One system. Every app.

Kozu brings expressive hierarchy, calm frosted controls and adaptive layouts to your app family.

Expressive content
Strong type. Useful color. Soft geometry.

Frosted controls
Circular top actions. Floating icon toolbars.

Adaptive by default
Phone, tablet and laptop. Touch and keyboard.

Planner



Kitchen



Community



A shared foundation, with room for each app’s identity.

The foundations

Semantic roles separate app branding from surfaces, typography, spacing and interaction.

Color roles

Light and dark values are stored as editable native variables.

Canvas
#FCFCFC / #020617

Container
#FFFFFF / #0F172A

Primary ink
#0F172A / #F8FAFC

Secondary ink
#475569 / #CBD5E1

Accent
#1D4ED8 / #93C5FD

Outline
#E2E8F0 / #334155

Type with clear hierarchy

Default pairing: Source Serif 4 headings, Inter body and controls.

DISPLAY / 56 — Make room.

HEADLINE / 32 — Your day, at your pace.

TITLE / 22 — A little progress

BODY / 16 — Readable at every window size.

LABEL / 14 — SAVE CHANGES

Space and shape

4 dp base unit. Content and controls use distinct shape roles.



12 / small

24 / control

28 / card

App theme overrides

Brand color changes at the app boundary. The component structure stays shared.

Violet
Violet accent · content and planning

Orange
Orange accent · editorial and tools

Teal
Teal accent · communication and utility

Token architecture

Primitive → semantic → component → app override

Primitives
Spacing, radii, timing

Semantic
Surface, content, action

Component
Button, field, toolbar

App theme
Accent, typeface, density

Frost, with purpose

Blur belongs to controls, selections and overlays. Content remains stable, readable and mostly opaque.





Three material roles

Start with these recipes. Increase opacity before increasing blur when content becomes hard to read.

Control

28 dp blur / 58% light · 65% dark

Buttons · top actions · chips

Toolbar

28 dp blur / 62% light · 70% dark

Navigation · floating action groups

Overlay

40 dp blur / 84% light · 84% dark

Menus · sheets · transient panels

Solid fallback is part of the system

Frosted 28 dp blur, with grain omitted in the kit. For reduced transparency or unknown image backgrounds, raise backing opacity or use an opaque surface. Preserve selection tint.

Controls that say what they do

Reusable native components include primary, frosted, tonal, quiet and destructive actions with explicit states.

REST	HOVER	PRESSED	FOCUS	DISABLED
Save changes	Save changes	Save changes	Save changes	Save changes
View details	View details	View details	View details	View details
Add to list	Add to list	Add to list	Add to list	Add to list
Cancel	Cancel	Cancel	Cancel	Cancel
Delete item	Delete item	Delete item	Delete item	Delete item

Circular icon buttons

48 dp touch targets. Visible labels are optional; accessible names are required.

Back · Create · Search · More · Close

Create item

Saved

State rules

Every state keeps its shape, label and contrast. Feedback is additive.

Hover: 4% layer; filled primary darkens to retain contrast.

Pressed: 12% layer; stronger darkening on filled primary.

Focus: tonal change, elevation and stronger label weight. No state border.

Disabled: no action; explain why when it is unclear.

Navigation that adapts

Apple-like separated circular top actions, with icon-only floating toolbars and larger-window side navigation.

Top bar / compact

Your workspace

Top bar / contextual

3 selected

Navigation and contextual actions

First row: destinations. Second row: actions on selected content.

Separate primary action

Tabs and filters

Selected labels remain readable without relying on color alone.

Overview | Activity | People

All items | Today | This week | Shared

Breadcrumb and toolbar / expanded

Workspace / Projects / Kozu

New project

Keep the title and context visible as controls collapse.

Destination, action, selection

Navigation changes place. Actions change content. Selection changes scope.

Phone

Bottom navigation + separate create action.
Maximum 4 primary destinations by default.

Tablet

Side rail for destinations.
Floating bottom toolbar for contextual actions.

Laptop

Sidebar and breadcrumbs for destinations.
Floating actions stay near the selected content.

Forms that keep context

Persistent labels, clear validation, generous touch targets and frosted selection backgrounds.

Text fields and search

Display name

Alex Morgan

Project name

Kozu UI kit

Email address

michael@

Enter a valid email address.

Optional note

Enter a value

Search your workspace

Select menu and segmented choice

Sort items

Recently added

Recently added

Name

Last updated

Manual order

Day

Week

Month

Toggles, checkbox and radio

The control and its label form one target. State is not communicated by color alone.

Notifications off

Notifications on

Remember choice

Include completed

Sliders and progress

VOLUME 28%

PROGRESS 68%

Input behavior across platforms

Touch: 48 dp minimum target. Pointer: 32 dp visual controls may use compact density. Keyboard: Tab order follows reading order; arrows operate composite controls.

Text scaling: support 200% without losing labels, actions or errors. Form columns collapse before values are truncated.

Content and feedback

Lists, cards, notices, dialogs and sheets share one hierarchy while keeping each app's content distinctive.

Lists and cards

Design review
Today · 10:00–10:45

Weekend with friends
4 people · Saturday

Saved inspiration
12 items

Feedback banners and toast

Saved successfully
Changes are available on this device.

Check your connection
Your draft is saved. Try again when online.

Could not save
Your changes are still here. Retry.

Confirmation dialog

Use a focused task, a concrete consequence and an explicit primary action.

Delete this item?

This item will be removed from your workspace.
This action cannot be undone.

Cancel | Delete item

Bottom sheet / compact

Becomes an anchored popover or side panel when there is room.

What would you like to add?

- New event
- New task
- New conversation

Empty, loading and error states

No saved items. Save something to find it here.

Loading: announce once; keep layout stable.

Offline: keep local data and offer retry.

One app, three window classes

Respond to available window width, input method and content. Device names never determine the layout.

Compact / 0–599 dp

1 pane · 16–24 dp margins · bottom navigation

Medium / 600–839 dp

1–2 panes · 24 dp margins · side rail

Expanded / 840+ dp

2–3 panes · 24–32 dp margins · sidebar



COMPACT / 352 × 744



EXPANDED / 1117 × 744 · RESIZABLE MASTER–DETAIL

More space. The same task.

Medium-width Android and Googlebook use a side rail, persistent context and touch-friendly floating actions.



Tablet rules

Available width and input capability determine density.

Keep touch comfortable

48 dp targets remain the default.

Use a rail, not a phone stretched wide

Expose destinations at the leading edge.

Add a detail pane only when it fits

Minimum useful pane width: 280 dp.

Googlebook / Android laptop

Keyboard and trackpad are first-class input.

Respect system window chrome and captions.

Show tooltips and visible keyboard focus.

Keep floating controls away from IME insets.

External displays may change density and size.

Support window resize without losing edits.

Orientation and foldable posture

Preserve selection, scroll position and unsaved input. Avoid hinges and system occlusions.

A desktop system, too.

macOS and Linux share the app system while keeping native window behavior, menu conventions and keyboard shortcuts.



Platform chrome stays native

macOS traffic lights; Linux decoration follows the host.

Keyboard follows the platform

Command on macOS; Control on Linux and Android.

Density follows the user

Touch 48 dp by default; opt-in pointer mode at 32–36 dp.

Make it yours

The same components support different app categories with configurable accent families, content and density.

Planner / DARK



Kitchen / DARK



Community / DARK



Customize the theme, preserve the behavior

App accent · optional font family · content imagery · semantic categories · density. Keep focus, target sizes, navigation behavior and accessibility consistent.

Access is part of the base

Defaults must work with keyboard, touch, screen readers, larger text, reduced motion and reduced transparency.

Accessibility contract

Contrast	Body text 4.5:1; large type 3:1; meaningful boundaries 3:1.
Targets	48 dp touch; pointer mode 32 dp minimum; no overlapping targets.
Focus	Use a clear tonal focus change with elevation; never clipped or obscured.
Screen readers	Name, role, state and value. Announce async status politely.
Scaling	200% text; 320 dp window; no loss of primary actions.

Keyboard and pointer

Tab / Shift+Tab	Move focus in reading order
Enter / Space	Activate the focused control
Arrow keys	Move within tabs, menu and radio groups
Escape	Close transient UI; restore trigger focus
⌘K / Ctrl+K	Open app search when available

Motion tokens

Use motion to explain state, position and continuity.

Feedback · 120 ms	Press and hover; subtle scale to 0.98.
State · 200 ms	Selection and small component changes.
Transition · 320 ms	Sheets and pane changes; gentle spring.
Reduced motion · 0–80 ms	Immediate change or short crossfade; no scale or travel.

Overlay behavior

One modal focus scope at a time.

Focus moves to a meaningful first element.

Escape and explicit close are both available.

Close returns focus to the original trigger.

A keyboard never covers the active field.

Scroll content clears all floating controls.

Implementation boundary

This kit defines intended behavior. Native prototypes and static exports cannot prove screen-reader output, hardware blur performance or real text scaling; verify these in each app.

A useful starting point

Use the native components and variables, then validate the implementation on each platform.

How to customize

1 Duplicate the component you need as an instance.

2 Set semantic Light/Dark mode at the app frame.

3 Set the app theme accent; keep contrast pairs together.

4 Adjust content and density before changing geometry.

5 Preserve state, focus and target-size contracts.

How to review and comment

Open the .figcraft file in FigCraft.

Press C or choose the Comment tool.

Pin a comment directly to a component or screen.

Use pages 02, 07–10 for material and adaptive review.

Ask for changes by page, component name and state.

Before shipping an app

Visual	Check theme pairings, large text and every interaction state.
Behavior	Validate keyboard, pointer, touch, focus return and resizing.
Performance	Measure native backdrop blur; use solid fallback when needed.
Platform	Respect safe areas, IME, menu bars and window decorations.

Source grounding and delivery

Project-agnostic standards: typography, color roles, geometry, adaptive layout, platform behavior and accessibility.

Native file · 37 review boards · editable components and variants · semantic variables · app themes · PDF reference · PNG previews · JSON tokens

Built to be reused

Auto layout, exposed properties and real instances turn examples into a customizable library.

Master components

Edit Label or Value on an instance. Shared changes propagate from the master.

+ Create item

Project name

Kozu workspace

Instances with overrides

Each example remains linked to the master, with content overrides.

+ New recipe

+ Start conversation

+ Create project

A complete list-row master

Title, supporting text and optional trailing affordance are inside the component.

Design system review
Today · 10:00–10:45 · Studio

A longer title grows with the content instead of being clipped
Try a longer localized string or a narrower window.

What is shared, what can change

Shared behavior
State, focus, selection, touch target and inset rules.

Exposed content
Labels, values, helper text and optional trailing actions.

Theme-level overrides
Accent, semantic surfaces, typeface and content imagery.

Layout-level overrides
Available width, panes, density and navigation placement.

WRAPPED LABEL / RESIZABLE STATE TREATMENTS

Save changes to workspace

Save changes to workspace

Save changes to workspace

Save changes to workspace

More complete forms

Full selection rows, searchable choice, date selection, multiline input, validation and read-only states.

Selection rows / complete 48 dp targets

- ○ Personal workspace
- ● Team workspace
- ▬ Some items selected
- ☑ Include completed items
- ☐ Send a weekly summary
- Managed by your workspace

Searchable combobox and date choice

Assign to

Search people...

- Alex Morgan ✓
- Jordan Lee +
- Sam Rivera +

November 2026

M	T	W	T	F	S	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

Multiline and password

Notes

Keep the task, selected record and unsaved input
when the window changes size.

94 / 500

Password

••••••••••••

Read-only, disabled and validation

Workspace ID · read-only

kozu-workspace-01

Billing contact · unavailable

Set up a workspace first

Explain unavailable controls. Preserve user input on failure.
Error messages explain the correction, not only the failure.

Form layout and validation timing

Validate on blur or submit, then update after correction. Use a single column on compact windows; related fields may form two columns when each retains a useful width.

Designed for productive apps

Tables, sorting, bulk selection, pagination and optional pointer density share the same visual language.

Data table / touch-comfortable

56 dp rows. Column headings remain visible; long values truncate with a full-value tooltip.

Project	Owner	Status	Updated
✓ **Kozu universal system**	Alex Morgan	In review	Today
Kitchen collection	Alex Morgan	Ready	Yesterday
Community connection flow	Jordan Lee	Draft	Nov 4
Planner planning view	Alex Morgan	In progress	Nov 3

1–4 OF 24

Density / touch and pointer

Compact is an explicit user preference; input changes never silently shrink targets.

Touch action	48 DP / DEFAULT
Pointer action	36 DP / POINTER COMPACT

Touch, trackpad and keyboard can coexist on Googlebook.

Responsive data and bulk selection

Compact: convert rows into labeled record cards.

Keep primary fields visible; move secondary fields to details.

Bulk toolbar shows selected count and clear selection.

Sort persists when changing layout or density.

Numeric columns use tabular figures and align right.

Pagination is predictable

Use explicit next/previous controls and result counts. Preserve position after edits.

Feedback that helps people recover

Actionable empty and error states, undo, progress, tooltips and a keyboard-first command menu.

Empty and failed states

Nothing saved yet

Save an item to find it here later.

Browse items

You're offline

Your changes are saved locally.
Reconnect to sync.

Try again

Command menu / keyboard

Search commands... ESC

Create new item ⌘N

Search workspace ⌘K

Open settings ⌘,

Undo snackbar, loading and progress

Item removed Undo

Progress: show a value when measurable; use indeterminate status when it is not. Keep a cancel action for long operations.

Tooltips and contextual help

Create new item · ⌘N

Show on hover and keyboard focus. Escape dismisses.
Touch users use familiar icons or contextual help.

Popover, sheet and focus return

Compact: bottom sheet within the safe area.

Larger windows: anchor a popover near its trigger.

Persistent tools: use the detail pane instead of a modal.

On dismissal, restore focus to the trigger.

The task survives the resize

The same record, selection and actions move between phone, tablet and laptop. No duplicated destination controls.





Compact

352 dp
Detail replaces the list.
Back returns to the
same selection.

Medium

776 dp
Rail + master/detail.
Context stays visible.



EXPANDED / 1504 DP · SIDEBAR + MASTER LIST + DETAIL · CONTEXTUAL ACTIONS STAY WITH THE RECORD

Adaptation at the boundaries

At 600 dp, collapse the list before compressing details. At 840 dp, introduce a sidebar without losing the selected record.



600 DP / RAIL + DETAIL



840 DP / SIDEBAR + MASTER + DETAIL

Collapse rule and action scope

600–719 dp: rail + one content pane. 720–839 dp: rail + 240 dp master + at least 280 dp detail. 840+ dp: sidebar; show extra panes only when they fit.

Top-right menu: workspace actions. Record toolbar: Mark complete · Export record · More record actions. Names are stored as native annotations.

Active color follows the icon

Choose one app accent or separate tab colors. In both modes, the selected background uses the icon’s color.

One app accent

Orange theme: Recipes and Schedule both use orange.



Recipes active



Schedule active

Separate tab accents

Recipes stays orange; Schedule uses purple.



Recipes active



Schedule active

Shared accent / dark

Frost and selected hue remain linked in both themes.

Per-tab accents / dark



Frost and selected hue remain linked in both themes.

Configure once per app

1 App frame → Kozu / navigation policy → Shared accent or Per tab.

2 Each tab → Kozu / navigation destination → Recipes, Schedule, Messages, Saved...

3 Accent theme mode → edit tab/<destination>Light and tab/<destination>Dark to customize that app.

4 Icon and selected tint share navigation/activeIcon. Keep keyboard focus separate from selection.

Concentric by construction

Nested curved edges share a corner center. Derive the inner radius from the outer radius and the inset.

Cards and nested surfaces

Outer radius 40

Inset 16 · Inner radius 24

40 − 16 = 24

Capsules, targets and icons

Toolbar R32 · target R24 · selection R22

8 + 24 = 32; 10 + 22 = 32.

Equal left/right padding. Every icon is centered inside its touch target.

Enforce the relationship

Inner radius = max(0, outer radius − uniform inset).

Capsules use half their height; circular controls keep equal width and height.

Keep selected shapes and icons centered within their targets, including the last toolbar item.

Keep focus elevation aligned with the control's shape; do not add an outer border.

Validate adjacent nested curves after changing padding, density or component size.

Sketching on a tablet

A drawing-first workspace: editable app chrome, unobtrusive tools, layers and a large artwork canvas.



Pattern: protect the canvas, keep layers persistent on larger windows, and use a compact tool palette on touch.

Vector illustration workspace

A precise desktop canvas with editable artwork, object selection, properties and a frosted tool palette.



Pattern: separate document selection, tool selection and keyboard focus; keep object properties close to the canvas.

More app patterns

The same standards support documents, planning, analytics and information-heavy workflows.

Notes and documents

PROJECT NOTES

A clear starting point

Shared decisions

Keep structure consistent. Let the content and accent theme give each app its character.

- [x] Define the primary task
- [ ] Choose the right window layout
- [ ] Review keyboard and touch behavior

Consistency makes the next action easier to find.

Analytics overview

THIS WEEK

A steady week

ACTIVE PROJECTS

12

COMPLETED

28

Completed tasks

Selected Thu · 6 tasks

Tasks completed per day · illustrative week



All data is up to date

Color roles and states

Tailwind-inspired families are separate from semantic meaning. Use colors by role, then validate the pair.

Accent families / light and dark

Blue	Violet	Orange	Teal	Rose	Amber	Sky	Emerald
#1D4ED8 #93C5FD	#7C3AED #C4B5FD	#9A3412 #FDBA74	#0F766E #5EEAD4	#BE123C #FDA4AF	#92400E #FCD34D	#0369A1 #7DD3FC	#047857 #6EE7B7

RGB tokens are canonical; family and step conventions are inspired by Tailwind CSS. Choose accents independently from status roles.

Semantic status / explicit meaning

Success

Completed, saved, connected

Success message

Warning

Needs attention; can continue

Warning message

Error

Failed or invalid; explain recovery

Error message

Information

Neutral guidance or progress

Information message

Interaction state / separate from status

Rest	Use the base semantic surface.
Hover	Use a subtle tonal change; preserve text contrast.
Pressed	Increase tint without adding an active border.
Selected	Icon, label and fill share one resolved accent.
Focus	Keep a distinct keyboard/remote focus indicator.
Disabled	Retain a readable label and explain unavailable actions.

Color rules

Use red for destructive actions or errors, with a clear label.

Use amber warnings only when attention is needed.

A green tab accent does not imply a successful operation.

Selected state must also expose name, role and state.

Never communicate a result with color alone.

Default: one accent per app. Per-tab colors are opt-in.

Visibility in light and dark

Keep the same information hierarchy, preserve semantic meaning, and adapt the material to the background.

Light mode

Primary content

Secondary content stays readable.

Surface hierarchy

Canvas → container → raised/inset content



Heavy blur, with backing reduced by 10 percentage points.

Dark mode

Primary content

Secondary content stays readable.

Surface hierarchy

Canvas → container → raised/inset content



Heavy blur, with backing reduced by 10 percentage points.

Visibility requirements

Normal text: at least 4.5:1 contrast.

Large text and meaningful icon/control cues: at least 3:1.

Check rest, hover, pressed, selected and focus states.

Keep error, helper and selected labels visible.

Hide decorative detail before hiding meaningful content.

Use a solid semantic surface when blur cannot be reliable.

Dark-mode handling

Use lighter accent foregrounds on dark surfaces.

Derive selected tint from that exact foreground hue.

Use a neutral dark backing to avoid blue-gray color shifts.

Avoid pale low-contrast outlines as the only control cue.

Do not invert photos, video, artwork or semantic status.

Respect Reduce Transparency, contrast and motion settings.

Core components sheet

A consolidated, editable inventory of the shared controls, states, feedback and composition primitives.

Actions / primary, secondary, destructive

Save changes

View details

Delete item

Icon buttons and chips

Overview

Activity

Activity

Complete fields / labels, values, errors

Display name

Alex Morgan

Email address

michael@

Enter a valid email address.

Selection / single, multiple, mixed

Team workspace

Include completed items

Some items selected

Floating toolbar / contextual actions

Status and feedback

Saved

Needs attention

Could not save

Rows, content cards and growing text

Design system review

Today · 10:00–10:45 · Studio

Dialog / explicit consequence and action

Delete this item?

This item will be removed from your workspace.
This action cannot be undone.

Cancel

Delete item

Sheet / compact contextual actions

What would you like to add?

New event

New task

New conversation

Async / recovery and undo

Item removed

Undo

Theme and geometry contracts

Source Serif 4 headings; Inter body and controls.

Shared accent or per-tab colors, configured at app scope.

Frosted controls; stable, readable content surfaces.

Inner radius follows outer radius minus inset.

Button text and chip/icon content stay centered.

Circular rail targets and centered avatars

A J S

56-unit circular targets, 24-unit icons at (16,16), and 8-unit spacing. Initial is an exposed avatar property.

Selected states use a pale tint with an accent-colored mark. A different tab palette is opt-in; the base stays consistent per app.

KOZU / MUSIC STUDIO

Late summer, take 04

Electronic / downtempo · 108 BPM · D minor · 4/4 · 48 kHz / 24-bit

Workspace

- Arrange
- Sounds
- Files

SOUND LIBRARY

Instruments	24
Drum kits	18
Loops	128
One-shots	64

FAVORITES

Soft signal
Wavetable · Keys

Round sub
Analog · Bass

Dust kit
Sampler · Drums

Project notes

Keep the first eight bars open. Bring the field recording in under the keys.

✓ All changes saved

009 : 01 : 000 | 108.00 BPM | 4 / 4 | D minor | Loop 9–17

Arrangement

Snap 1/16 | Loop 9–17

5 TRACKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
01 Dust kit — Drum sampler	Dust kit				Dust kit				Dust kit				Dust kit			
02 Round sub — Analog bass	Round sub				Round sub				Round sub				Round sub			
03 Soft signal — Wavetable keys	Dm9				Bbmaj7				Fmaj7				Cadd9			
04 Coastal air — Field recording					Coastal air								Coastal air			
05 Reverse swell — Texture / FX								Reverse swell								Reverse swell

Selected: Soft signal / Fmaj7 · 4 bars · 12 notes

00:17.778 / 00:35.556

Soft signal

Wavetable instrument · Track 03

WARM / SINE + TRIANGLE

Cutoff	2.40 kHz
Resonance	18%
Attack	32 ms
Reverb	24%
Delay	1/8

Piano roll

Notes | 1/16 grid

Soft signal / Fmaj7 · Bars 9–13



12 notes · Velocity 78–96 · Humanize 8% · Scale: D natural minor

Mixer

Post-fader metering · Peak −1.2 dB

Drums	Bass	Keys	Air	Main
CENTER	CENTER	CENTER	CENTER	CENTER
−6.0 dB	−8.5 dB	−4.0 dB	−16.2 dB	−1.2 dB
M S	M S	M S	M S	STEREO

Output 1–2 · Limiter ceiling −1.0 dBTP

Soft signal selected · Arrange / Piano roll / Mixer

Compact pointer density · 32 pt minimum for dense editor controls

Static editable mock project · No runtime state

KOZU / VIDEO STUDIO

The quiet hours

Short film · 3840 × 2160 · 24 fps · Stereo · Sequence 00:00:48:00

Media

Search media

All media 13
Footage 8
Audio 2

PROJECT ASSETS

Coast / wide
4K · 00:00:16:00

Mountain / detail
4K · 00:00:12:00

The quiet hours

Opening title
Graphic · 00:00:08:00

Ambient piano.wav

48 kHz · Stereo · 00:01:24

✓ All source media online

Program

Fit 68% | Full quality



00:00:24:00 / 00:00:48:00 · 24 fps

Inspector

Coast / hold · Selected clip

Video | Audio

Transform

Position X / Y	1920 / 1080
Scale	100.0%
Rotation	0.0°
Anchor X / Y	1920 / 1080

Color

Exposure +0.15
Contrast +8
Saturation 92%

i Source color space: Rec. 709

Timeline

Sequence 01 | Snap On | Zoom 80%

00:00 00:06 00:12 00:18 00:24 00:30 00:36 00:42

V2 Titles — Visible
- Opening title
- The quiet hours / title
- End credits

V1 Landscape — Visible
- Coast / wide — 4K · 12.0 s
- Ridge / detail — 4K · 12.0 s
- Coast / hold — 4K · 12.0 s ✓
- Evening / out — 4K · 12.0 s

A1 Music — M S
- Ambient piano.wav

A2 Ambience — M S
- Coastal air.wav
- Coastal air / fade out

Linked selection · Coast / hold · In 00:00:24:00 · Duration 00:00:12:00

4 tracks / 10 clips

Coast / hold selected · Program / Media / Inspector

Compact pointer density · 32 pt minimum for dense editor controls

Static editable mock project · No runtime state

Android widget sizes

Standard grid footprints, responsive content and explicit host sizing. Android is the primary design target.

1 design unit = 1 dp here · illustrative 82 dp cells + 16 dp gaps · actual bounds come from the launcher

2 × 2 · glance

180 × 180 dp
1:1 example

One metric and context.
Keep detail concise.

4 × 2 · overview



376 × 180 dp · 2.09:1 example
Use two information groups or a short list.
Keep controls on the same action, not navigation.

4 × 4 · expanded



376 × 376 dp · 1:1 example
Add a full month, more rows or a large preview.
Reflow when the host supplies a different ratio.

4 × 1 · compact actions



376 × 82 dp · 4.59:1 example
One action, short title and one metadata line.
At low heights use 8 dp insets around 48 dp targets.

Adapt to available bounds

Kozu content floors · layout choices, not Android grid guarantees

Width ≥	Height ≥	Content to retain
240 dp	64 dp	Compact strip · title + one 48 dp action
144 dp	144 dp	Glance · one metric and essential context
280 dp	160 dp	Overview · short list or two information groups
300 dp	300 dp	Expanded · calendar or creative preview

Below a floor, switch layout before shrinking text or targets.
Use host size options or Glance SizeMode.Responsive; preserve meaningful state.

Native implementation

Fill the host allocation; add content insets only.

Use the system radius; preview outer R28 / inner R12.

Stable, opaque content keeps text legible.

Native tonal controls; no backdrop blur.

48-unit touch targets; separate keyboard focus.

Design fonts: RR Serif + Inter. Glance currently uses system fonts; validate a native fallback in the app.

https://developer.android.com/design/ui/mobile/guides/widgets/sizing

Android widget content

Eight reusable examples at representative 1× footprints. Sample content shows hierarchy, actions and light/dark visibility.

Blue · calendar and tasks Violet · media and creative work Teal · activity Amber · weather and recipes

Weather · 2 × 2

Brooklyn

72°

Mostly sunny

H 75° · L 64°

Activity · 2 × 2

Daily activity

6,420

steps today

64% of 10,000

Tasks · 4 × 2

Today's tasks 1 left

- [ ] Send design notes
- [x] Review sample screens

Calendar · 4 × 4

November 2026

M	T	W	T	F	S	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

Today · Design review at 10:30

Music · 4 × 1

Quiet mornings

Piano collection

Agenda · 4 × 2

Friday, November 6

Next event

Design review

10:30–11:00 · Studio

Recipe · 4 × 2

Cook tonight

Lemon herb pasta

25 min · 2 servings · Vegetarian

Open recipe

Action labels and icons are physically centered.
Filled selection follows the icon hue.
A checkmark or text weight also conveys state.

Transient and data states

Saved offline

Show the last saved time.

No tasks today

Open the app to add a task.

State specimens are content patterns,
not extra launcher sizes.

Refresh failed Open the app to retry.

Creative project · 4 × 4

Coastal study

Painting project · Saved 9:41

Continue project

Glance first. Act in context.

Root activation opens the displayed object. Independent Play, task and recipe actions have 48-unit targets.
No app navigation bars inside widgets. Replace stale data honestly; keep content useful before opening the app.

https://developer.android.com/design/ui/mobile/guides/widgets/sizing

Apple widget families

System small, medium, large and extra large. Keep family hierarchy consistent across iOS, iPadOS and macOS.

Top row: iOS 390 × 844 pt table example. Actual dimensions, margins, clipping and rendering remain system supplied.

Small

FRIDAY

6

Design review

10:30 · Studio

158 × 158 pt
One essential item.

Medium

Friday

6

November

UP NEXT

Design review

10:30–11:00

Studio · 2 more today

338 × 158 pt
Two groups; same compact height.

Large

Friday, November 6

3 events

10:30 **Design review**
Studio · 30 minutes

13:00 **Lunch with Maya**
Garden café · 1 hour

16:00 **Project check-in**
Video call · 30 minutes

Today's agenda

338 × 354 pt
More rows, not enlarged small content.

Family availability

Family	iPhone	iPad	Mac
Small	Yes	Yes	Yes
Medium	Yes	Yes	Yes
Large	Yes	Yes	Yes
Extra large	—	Yes	Yes

macOS: desktop + Notification Center.
Support and appearance depend on OS and host.
No single fixed macOS point size is assumed.

Extra large · iPad example

Your next four days

Today	Saturday	Sunday	Monday
6	7	8	9
10:30 Design review	09:00 Farmers market	11:00 Family brunch	10:00 Weekly planning
13:00 Lunch with Maya	14:00 Coastal walk		15:00 Draft feedback
16:00 Project check-in			

726 × 350 pt · 2.07:1 · selected iPad table example for a 954 × 1373 pt screen.
In that table row, canvas and device values match. Other iPad rows use different values.

macOS · shared hierarchy, system bounds

Friday

6

November

UP NEXT

Design review

10:30–11:00

Studio · 2 more today

FRIDAY

6

Design review

10:30 · Studio

Use system margins and rendering

Read WidgetFamily and widgetContentMargins.
Let WidgetKit supply clipping and container background.
Handle full-color, accented and vibrant rendering.
Use App Intents for supported in-widget controls;
open the relevant content from other regions.

Implementation scope: system-family widgets only. Lock Screen accessory widgets, watchOS, visionOS and live activities are outside this sheet.

https://developer.apple.com/design/human-interface-guidelines/widgets

TV components

Remote states, reusable controls and a stock content grid. A shared foundation for any TV app.

Designed for the remote

Focus moves. Selection stays. Every state has one clear meaning.

Default

Open

Neutral surface

Remote focus

Open

Lighter fill + lift

Selected

Saved

Blue tint + check

Selected + focus

Saved

Both remain visible

Pressed

Open

Fill response on press

STANDARD CARD



FOCUSED CARD

SELECTED CARD



Stock grid

4 columns · 16:9
300-unit images
24-unit gutters
72-unit safe sides

Single focus target
in a live screen.

Home

CIRCULAR ACTIONS

CONTEXTUAL ACTIONS · BLUR 28

Downloaded

Unavailable

STATUS = TEXT + ICON + COLOR

01 / Remote contract

D-pad moves spatially; Select activates.
Back restores the previous target.
No hover requirement or focus traps. [S2, S3]

02 / 10-foot typography

At this preview scale: labels 24–26, metadata 16.
Use native TV text styles at runtime.
Serif headings; Inter controls. [S1, S4]

03 / Surface geometry

Full-bleed image and card share radius 20.
Nested bar: 42 − 12 = 30.
Focus uses tone, lift and scale; no border.

TV media home

tvOS-inspired navigation, a cinematic hero and horizontal shelves. Focus uses lift, scale and tone; selection remains persistent.



01 / Predictable D-pad paths

Left/right stays within a shelf.
Up/down finds the nearest meaningful target.
Back restores the previous location.

02 / Selection is persistent

Home retains the app's blue selection tint.
The focused card grows and lifts, without a border.
Select opens it; Back restores focus.

03 / TV-safe layout

Keep focus growth inside host safe areas.
Allow generous gutters around enlarged artwork.
Actual OS insets override these example pixels.

Browsing / focus across shelves



Horizontal focus groups

Keep left/right movement within each shelf.
Move vertically to the nearest item.

One focus target

Persistent tab selection is not keyboard focus.
Use scale, tone and elevation to distinguish it.

Content stays primary

Let artwork lead. Keep controls quiet and reveal contextual actions only when useful.

NATIVE DESIGN REFERENCE · tvOS-inspired layout; remote paths, accessibility, safe areas and material performance require platform tests.

Wear OS / Round faces & components

Round-screen references with a shared type, color and control system. All example data is illustrative.

Digital / glance

320 × 320 logical · active face

Analog / complications

320 × 320 logical · concentric center

Always On / reduced



320 × 320 logical · reduced-detail concept

Aria / Lucide · editable vectors · 24 / 1.8

Representative bounds

320 logical units

A working canvas, not universal physical pixels or a device size.

Shape before density

Keep controls inside the circle.
Use proportional insets. [A3, A5]

Typeface rule

RR Serif headings; Inter body.
Inter for compact watch labels.

Accent roles

Blue actions and selection.
Data and status retain their colors.

Reusable controls

Native masters below; linked instances appear in the app and watch mockups.



Sources: A1–A5 · Android Developers. Complete links and decisions: Platform references.json.

Near-white canvas / dark displays · editable design reference

Wear OS / App tiles, lists & media

320 × 320 logical watch mockups. Tile examples do not scroll; app layouts adapt to actual device bounds.

Tile / weather

Title + main + bottom action · no scrolling

App / saved list



Central rows stay wide; edge content recedes

App / media

Three centered actions · primary play

App / activity

Ongoing state · pause and explicit end

Tile / next event



One event, one action · illustrative values

App / offline recovery



Words + status icon · explicit retry action

Interaction rules

48-unit minimum
App controls use 48–64-unit targets. Keep the icon centered. [A1]

Selected is explicit
Use matching Blue icon and tint, plus a checkmark or text weight.

Focus stays separate
Focus uses tone and elevation, independent of selection or press.

Native tonal control surfaces
Portable backdrop frost excluded

Runtime handoff

Tiles and apps differ
Tiles: concise, fixed-height slots. Lists and media live in the app. [A2, A4]

Adapt, do not shrink
Actual dp bounds may be smaller. Reflow content; preserve targets.

Native navigation
Support swipe dismissal and rotary scrolling; preserve state. [A1]

Validate on hardware
Test larger text, TalkBack, focus, insets, Always On and power use.

Sources: A1–A5 · Android Developers. Data and interaction states are examples.

Static design reference · runtime untested

Apple Watch / Faces, complications & controls

Representative 280 × 352 logical displays. Face compositions are concepts; complication masks and bounds are system-owned.

Modular face / concept

280 × 352 logical · representative only

Analog face / concept

Same center · nested circular insets

App / timer controls



Wide capsule actions · few controls per row

Built for rectangles

280 × 352 logical
A representative composition, not a model or physical pixel map.

Concentric insets
Outer radius 52; a 12-unit inset uses radius 40, sharing the center.

Watch label rule
Compact labels use Inter. RR Serif remains the heading default.

Generous shared target
48+ units in this reference. Apple recommends 44 pt defaults. [H5]

Complication families

Representative slots; adapt to each family.



Smart Stack / mockup



Rectangular widget · timely information

App control masters

Linked controls on the timer above.



Implementation limits

Face concepts only
App deliverables are complications and app UI, not custom face installs.

System renders widgets
Support circular, inline, rectangular and tinted appearances. [H3, H4]

Use platform behavior
Map actions to native controls. Check Crown scrolling and VoiceOver.

Material is conditional
28-unit blur is a design setting. Test contrast and reduced transparency.

Sources: H1–H6 · Apple Human Interface Guidelines. Face layouts are illustrative, not Apple assets.

No device pixel or runtime certification

Native Wear OS edge and scroll

One screen, three scroll positions. Bezel-aware controls follow the round display instead of a fixed horizontal capsule.

Browsing

Peripheral rows compress, narrow and fade.
The edge action stays hidden away from the end.

Approaching the end

The same action reveals as space becomes available.
Rows transform together with scroll position.

End reached



The full action follows the lower bezel.
Keep native spacing below the final item.

200 dp circular reference · displayed at 1.6× · illustrative scroll snapshots, not a Pixel Watch device specification

Use the native geometry and scroll transformation

AppScaffold → ScreenScaffold → TransformingLazyColumn. Share scroll state and pass scaffold contentPadding to the list.

Use transformedHeight + SurfaceTransformation on list items. Put EdgeButton in ScreenScaffold.edgeButton, with its native overscroll behavior.

This reference uses EdgeButtonSize.Small (56 dp maximum). Preserve component defaults, TimeText, scroll indication and native touch/rotary behavior.

Reusable edge-control illustrations



Expanded · label property

Revealing · scroll state

Native tonal materials by default

Wear OS apps and Tiles use native tonal surfaces here. Backdrop frost is excluded from the portable default. A blur of content is not a backdrop material.

Tiles do not scroll. Use native textEdgeButton/iconEdgeButton in primaryLayout.bottomSlot for a static Tile.

Text fades and scales with the native control. Row labels share SurfaceTransformation; EdgeButton text follows its revealed height. No independent entrance delay. Respect reduced motion and system font scale.

Motion preview: present “Wear OS / Scroll and text motion”. Drag or press Down/Up; R resets. Simulated transition, Wear runtime untested.

Native behavior reference · three illustrative scroll states · runtime untested

Accent and material defaults

Near-white canvas. One accent per app. Lighter frost where supported; native tonal surfaces where it is not.

Default · one accent family

Cards, chips, marks and actions inherit one app accent.

Design review

The card tint and selected action share the same hue.

Blue is the base default. Apps may choose another family without changing geometry, semantics or interaction rules.

Opt-in · local accents

Use a neutral card when an action deliberately uses another hue.

An intentionally different destination

Its selected icon and tint still match each other.

Never pair an unrelated tinted card with a different decorative accent. Status colors and data categories keep explicit meanings.

Material follows platform capability

App surfaces	Use sampled backdrop blur only when the application controls the backing and meets contrast and performance requirements.
Wear OS apps and Tiles	Native solid/tonal surfaces by default. No portable frosted EdgeButton backdrop is assumed. Ambient mode stays conservative.
Android home widgets	Opaque themed surfaces and tonal controls. Glance / RemoteViews has no portable application-style backdrop blur.
Apple home widgets	Use the host's supported Liquid Glass appearance and rendering modes. Preserve full-color, tinted and reduced-transparency fallbacks.

Centered controls · light state fills

- Team workspace
- Include completed items
- Some items selected

A J S

Initials share one tint and stay centered in a 56 × 56 circle.

Heavy blur · lighter backing

Canvas #FCFCFC · containers #FFFFFF.

Control backing: 58% light / 65% dark.

Toolbar backing: 62% light / 70% dark.

Overlay backing: 84% in both modes.

Selection: 16% accent in light / 32% in dark.

Blur: 28 units for controls; 40 for overlays.

Use solid fallbacks for accessibility and unsupported hosts.

Decorative accents never replace status semantics. Shared accent is the base policy; per-tab colors are an explicit app-level choice.