

5.9 Demo Code

modal, offcanvas, etc.

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link
      rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/css/bootstrap.min.css"
    />
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js">
  </script>
    <title>Document</title>
  </head>
  <body>
    <button
      class="btn btn-primary"
      type="button"
      data-bs-toggle="offcanvas"
      data-bs-target="#history"
    >
      View booked rooms
    </button>

    <div class="offcanvas offcanvas-start" tabindex="-1" id="history">
      <div class="offcanvas-header">
        <h1 class="offcanvas-title">Booking History</h1>
        <button
          type="button"
          class="btn-close"
          data-bs-dismiss="offcanvas"
        ></button>
      </div>
      <div class="offcanvas-body">
        <div>
```

```
<div class="card">
  <div class="row">
    <div class="col-lg-4">
      
    </div>
    <div class="col-lg-8">
      <h2>Deluxe Room</h2>
      <p>January 4, 2023</p>
      <p><strong>PHP 2,400</strong></p>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
```

```
<ul class="nav nav-tabs">
  <li class="nav-item">
    <button
      class="nav-link active"
      data-bs-toggle="tab"
      data-bs-target="#vision"
    >
      Vision
    </button>
  </li>
```

```
<li class="nav-item">
  <button class="nav-link" data-bs-toggle="tab" data-bs-target="#mission">
    Mission
  </button>
</li>
```

```
<li class="nav-item">
  <button class="nav-link" data-bs-toggle="tab" data-bs-target="#values">
    Values
  </button>
</li>
</ul>
<div class="tab-content">
```

```
<div class="tab-pane fade show active" id="vision">
```

```
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptas sed  
    ipsa voluptates similique pariatur nostrum placeat sapiente consectetur  
    obcaecati. Consequuntur quisquam reprehenderit, aspernatur culpa enim  
    qui nobis accusantium ex laudantium.
```

```
</div>
```

```
<div class="tab-pane fade" id="mission">
```

```
    Lorem ipsum dolor sit amet, consectetur adipisicing elit. Ut  
    exercitationem sint deserunt fugit nemo ipsam aspernatur eum adipisci  
    et! Error, assumenda et! Atque nemo quam, vero error ipsa praesentium?  
    Aliquam?
```

```
</div>
```

```
<div class="tab-pane fade" id="values">
```

```
    Lorem ipsum dolor sit amet, consectetur adipisicing elit. Obcaecati  
    itaque quae vel consectetur a similique. Labore deserunt error, eos qui  
    deleniti ut libero. Perferendis alias numquam quisquam sint sunt  
    molestias?
```

```
</div>
```

```
</div>
```

```
<div class="container">
```

```
    <div class="row">
```

```
        <div class="dropdown">
```

```
            <button
```

```
                class="btn btn-secondary dropdown-toggle"
```

```
                data-bs-toggle="dropdown"
```

```
            >
```

```
                Sort by
```

```
            </button>
```

```
            <ul class="dropdown-menu">
```

```
                <li><a class="dropdown-item" href="#">Price</a></li>
```

```
                <li><a class="dropdown-item" href="#">Max # of guests</a></li>
```

```
                <li><a class="dropdown-item" href="#">Room size</a></li>
```

```
            </ul>
```

```
        </div>
```

```
    </div>
```

```
    <div class="row">
```

```
        <div class="col-lg-3">
```

```
<div class="card">
```

```

```

```
<div class="card-body">
```

```
<p>Suite</p>
```

```
<button
```

```
class="btn btn-primary"
```

```
data-bs-toggle="modal"
```

```
data-bs-target="#room1"
```

```
>
```

```
View Room
```

```
</button>
```

```
<div class="modal fade" id="room1" tabindex="-1">
```

```
<div class="modal-dialog modal-sm">
```

```
<div class="modal-content">
```

```
<div class="modal-header">
```

```
<p class="modal-title"><strong>Suite</strong></p>
```

```
<button
```

```
class="btn-close"
```

```
data-bs-dismiss="modal"
```

```
></button>
```

```
</div>
```

```
<div class="modal-body">
```

```
<div class="row">
```

```
<div class="col-lg-6">
```

```

```

```
</div>
```

```
<div class="col-lg-6">
```

```
<h1>Suite</h1>
```

```
<p>PHP 4,790</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="modal-footer">
```

```
<button class="btn btn-secondary" data-bs-dismiss="modal">
```

```
Close
```

```
</button>
```



```
width: 30px;
```

```
}
```

```
.carousel .carousel-indicators button {
```

```
width: 10px;
```

```
height: 10px;
```

```
border-radius: 100%;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
```

```
<div class="container-fluid">
```

```
<a class="navbar-brand" href="#"
```

```
>
```

```
Tender</a>
```

```
>
```

```
<button
```

```
class="navbar-toggler"
```

```
data-bs-toggle="collapse"
```

```
data-bs-target="#site_navbar"
```

```
>
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="site_navbar">
```

```
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" href="#"> Home </a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="about.html"> About </a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a
```

```
class="nav-link dropdown-toggle"
```

```
href="#"
```

```
data-bs-toggle="dropdown"
```

```
>Find your Match!</a>
```

```
>
```

```
<ul class="dropdown-menu">
```

```
<li>
```

```
<a class="dropdown-item" href="#"> Near Me </a>
```

```
</li>
```

```
<li>
```

```
<a class="dropdown-item" href="#"> Meet Up </a>
```

```
</li>
```

```
<li>
```

```
<a class="dropdown-item" href="#"> Have a Chat </a>
```

```
</li>
```

```
<li><hr /></li>
```

```
<li>
```

```
<a class="dropdown-item" href="#"> Straight </a>
```

```
</li>
```

```
<li>
```

```
<a class="dropdown-item" href="#"> Gay </a>
```

```
</li>
```

```
</ul>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link disabled" href="careers.html">Careers</a>
```

```
</li>
```

```
</ul>
```

```
<form class="d-flex">
```

```
<input
```

```
class="form-control me-2"
```

```
type="search"
```

```
placeholder="ex. Baguio City"
```

```
/>
```

```
<button class="btn btn-outline-success" type="submit">
```

```
<span class="material-symbols-outlined align-middle">
```

```
search
```

```
</span>
```

```
</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<div
```

```
  id="dating-hero"
```

```
  class="carousel slide"
```

```
  data-bs-ride="carousel"
```

```
  data-bs-interval="3000"
```

```
>
```

```
  <div class="carousel-indicators">
```

```
    <button
```

```
      data-bs-target="#dating-hero"
```

```
      data-bs-slide-to="0"
```

```
      class="active"
```

```
    ></button>
```

```
    <button data-bs-target="#dating-hero" data-bs-slide-to="1"></button>
```

```
    <button data-bs-target="#dating-hero" data-bs-slide-to="2"></button>
```

```
  </div>
```

```
<div class="carousel-inner">
```

```
  <div class="carousel-item active">
```

```
    
```

```
    <div class="carousel-caption d-none d-md-block">
```

```
      <h1>Meet up with new people!</h1>
```

```
      <p>Use our matchmaking app and find love today.</p>
```

```
    </div>
```

```
  </div>
```

```
<div class="carousel-item">
```

```
  
```

```
  <div class="carousel-caption d-none d-md-block">
```

```
    <h1>Find your soulmate!</h1>
```

```
    <p>Get ready to mingle.</p>
```



```
</div>
```

```
</div>
```

```
<div class="carousel-item">
```

```

```

```
<div class="carousel-caption d-none d-md-block">
```

```
<h1>Have a chat!</h1>
```

```
<p>Connect with new people.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<button
```

```
class="carousel-control-prev"
```

```
type="button"
```

```
data-bs-target="#dating-hero"
```

```
data-bs-slide="prev"
```

```
>
```

```
<span class="carousel-control-prev-icon"></span>
```

```
</button>
```

```
<button
```

```
class="carousel-control-next"
```

```
type="button"
```

```
data-bs-target="#dating-hero"
```

```
data-bs-slide="next"
```

```
>
```

```
<span class="carousel-control-next-icon"></span>
```

```
</button>
```

```
</div>
```

```
<h1>Dating website</h1>
```

```
<button
```

```
  class="btn btn-primary"
```

```
  type="button"
```

```
  data-bs-toggle="collapse"
```

```
  data-bs-target="#match"
```

```
>
```

```
  View match
```

```
</button>
```

```
<a href="#" data-bs-toggle="collapse" data-bs-target="#match">
```

```
  View match
```

```
</a>
```

```
<div class="container">
```

```
  <div class="row collapse hide" id="match">
```

```
    <div class="col-lg-12 py-5">
```

```
      <h1 class="display-1 text-center">You have a match!</h1>
```

```
    </div>
```

```
  </div>
```

```
<button
```

```
  class="btn btn-primary"
```

```
  type="button"
```

```
  data-bs-toggle="collapse"
```

```
  data-bs-target=".donut-card"
```

```
>
```

```
  Hide items
```

```
</button>
```

```
<div class="row">
```

```
  <div class="col-lg-3">
```

```
    <div class="card donut-card">
```

```
      
```

```
    <div class="card-body">
```

```
      <p>
```

```
        Indulge in a delectable array of freshly baked pastries now  
        available for sale, each bite a symphony of flavor.  
    </p>  
    <a href="shop.html" class="btn btn-primary">Check shop</a>  
  </div>  
</div>  
</div>
```

```
<div class="col-lg-3">  
  <div class="card donut-card">  
      
    <div class="card-body">  
      <p>  
        Indulge in a delectable array of freshly baked pastries now  
        available for sale, each bite a symphony of flavor.  
      </p>  
      <a href="shop.html" class="btn btn-primary">Check shop</a>  
    </div>  
  </div>  
</div>
```

```
<div class="col-lg-3">  
  <div class="card donut-card">  
      
    <div class="card-body">  
      <p>  
        Indulge in a delectable array of freshly baked pastries now  
        available for sale, each bite a symphony of flavor.  
      </p>  
      <a href="shop.html" class="btn btn-primary">Check shop</a>  
    </div>  
  </div>  
</div>
```

```
</p>
```

```
<a href="shop.html" class="btn btn-primary">Check shop</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-3">
```

```
<div class="card donut-card">
```

```

```

```
<div class="card-body">
```

```
<p>
```

```
Indulge in a delectable array of freshly baked pastries now  
available for sale, each bite a symphony of flavor.
```

```
</p>
```

```
<a href="shop.html" class="btn btn-primary">Check shop</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<div class="accordion" id="faq">
```

```
<div class="accordion-item">
```

```
<h1 class="accordion-header">
```

```
<button
```

```
class="accordion-button"
```

```
data-bs-toggle="collapse"
```

```
data-bs-target="#question-1"
```

```
>
```

```
When are you open?
```

```
</button>
```

```
</h1>
```

```
<div
```

```
id="question-1"
```

```
class="accordion-collapse collapse show"
```

```
data-bs-parent="#faq"
```

100 >

```
<div class="accordion-body">We are open 24/7!</div>
```

</div>

```
<div class="accordion-item">
```


<button

class="accordion-button"

`data-bs-toggle="collapse"`

```
data-bs-target="#question-2"
```

Where are you located?

</button>

<div

id="question-2"

```
class="accordion-collapse collapse show"
```

```
data-bs-parent="#faq"
```

```
<div class="accordion-body">We are at San Juan, La Union!</div>
```

</div>

</div>

</div>

</body>

</html>