241 -81

## PROGRESS OF THEORETICAL PHYSICS

Founded by H. Yukawa in 1946 Kyoto

Advisory Council

Kodi HUSIMI Masao KOTANI Takeo NAGAMIYA Minoru KOBAYASI Ryogo KUBO Mituo TAKETANI

Editor

Hideki YUKAWA, Kyoto

Volume 63

JANUARY—JUNE
1 9 8 0

Published for the

Research Institute for Fundamental Physics and

The Physical Society of Japan



## CONTENTS

## No.1 January

| ond Orbital Model for IV-VI Compounds   | 1    |
|---|------|
| lagnetic Susceptibility in the Impure One-Dimensional Heisenberg Antiferromagnet with Spin-                   |      |
| 1/2   | 15   |
| Simple Theory of Melting and Condensation in Two-Dimensional System Hikaru Kawamura                           | 24   |
| seudo-Critical Phenomena in the Fisher-Domb Cluster Model - Cluster Picture for                               |      |
| Pseudospinodals in First-Order Transitions  | 42   |
| he Density of States of the Tomonaga-Luttinger Model  | 51   |
| on the Fokker-Planck Dynamics Approach to Langevin Equations  |      |
| J. M. Sancho and M. San Miguel  | 62   |
| acah Coefficients for Crystalline Solids  | 72   |
| on the Recovery of Spatial Symmetry by Spin Projection of Unrestricted Hartree-Fock Wave                      |      |
| Functions   | 84   |
| ynamics of the Lorenz Model of Convective Instabilities. II   | 91   |
| ocalized Patterns in Reaction-Diffusion SystemsShinji Koga and Yoshiki Kuramoto                               | 106  |
| ritical Phenomena of Classical Fluids under Flow, I -Mean Field Approximation                                 |      |
| Akira Onuki and Kyozi Kawasaki  | 122  |
| On Nariai's Boundary Condition in General Relativity  | 140  |
| he Quantum Chromodynamic Black Body Radiation and the Universe Masayoshi Kiguchi                              | 146  |
| tudy of the Anharmonic Effects on Low-Lying States of Odd-Mass Nuclei in 1g <sup>+</sup> <sub>9/2</sub> Shell |      |
| Region  | 160  |
| opulations of High Spin States in 152Dy   | 176  |
| ealistic Structure of the T=1 Negative Parity States in the 'He NucleusMotoki Sakai                           | 180  |
| IN, πNN and ππNN Bound States by NN Potentials  | 195  |
| On the Local Number Fluctuation in Multi-Particle ProductionOsamu Miyamura                                    | 203  |
| Tachtmann Moments of $F_2^{\nu N}(x, Q^2)$ and Energy Momentum Sum Rule                                       |      |
| Michiko Okamura and Yoshitaka Okamura   | 217  |
| ligher Order Effects of structure Function Moments. Masahiro Haruyama and Akira Kanazawa                      | 226  |
| erturbation Constraint on Particle Masses in the Weinberg-Salam Model with Two Massless                       |      |
| Higgs Doublets  | 234  |
| latural Chiral $SU(2) 	imes SU(2)$ Symmetry and Electron Mass in the $SU(2) 	imes U(1)$ Gauge                 |      |
| Model   |      |
| Masayoshi Murayama, Noriyasu Ohtsubo, Seiichi Tameike, Hiroshi Tamura and                                     |      |
| Ei ji Yamada  | 246  |
| CD Vacuum in the Strong External Fields   | 256  |
| on the Solution of the Renormalization Group Equation of Quantum Electrodynamics                              |      |
| Minoru Hirayama   | 262  |
| auge Independence of Transition Amplitudes in Quantum Electrodynamics   |      |
|   | 275  |
| he Role of Operator Ordering in Quantum Field Theory  |      |
| Tsuneo Suzuki, A. C. Hirshfeld and H. Leschke   | 287  |
| maternionic Gauge Fields on $S^7$ and Yang's $SU(2)$ Monopole   | 303  |
| Letters to the Editor   |      |
| Z(N) String Junction Model and Spectrum of Energy Density of String   |      |
| Masahiro Imachi and Hiroshi Yoneyama  | 322  |
| Canonical Approach to the Creation of Scalar Particles in the Chitre-Hartle Model-Universe                    | 60.  |
| Hidekazu Nariai   | 324  |
| Growth of Black Holes in Dense Stellar Systems with Evaporation of Stars                                      | 0.00 |
| Fumihiko Hagio and Tsutomu Yokoyama   | 326  |
| Pairing Potation and Intrinsic Hamiltonian Yoshinao Miyanishi and Goro Watanuki                               | 329  |
| Harmonic Oscillator Coherent States Superposed to Represent Position and Momentum                             |      |

| Eigenstates  | 002 |
|--|-----|
| Photoneutron Energy Spectra Based on the Preequilibrium Model  | 333 |
| Saburo Fujii, Takehisa Ijjima and Masanori Hatchya   | 333 |
| Faddeev Approach to the <sup>3</sup> F <sub>3</sub> Diproton in $\pi NN$ Dynamics  | 335 |
| Minoru Araki, Yasuro Koike and Tamotsu Ueda  | 000 |
| Progress Letters Orbital Angular Momentum Density of <sup>3</sup> He-A at Finite TemperaturesMasakatsu Ishikawa                                      | 338 |
| Phenomenological Theory of the Random Ordered Phase  |     |
| Phenomenological Theory of the Kandom Ordered That Yohtaro Ueno and Takehiko Oguchi  | 342 |
| The Lowest (1/2+ and 0-) Hadron Masses and the Behavior of the Constituent Quarks  |     |
| Kimio Miura  | 347 |
| Evidence for "Total Number" Conservation of Quarks in the D-Meson Decay?   |     |
|  | 351 |
| Origin of Horizontal Symmetry and $SU(5) \times SU_{\rm f}(2)$ Unification Tsutomu Yanagida  | 354 |
|  |     |
|  |     |
|  |     |
| No.2 February  |     |
| Note on Inverse Isotope Effect in Superconducting PdH <sub>x</sub> System. I   |     |
| Eiko Matsushita and Takeo Matsubara  | 357 |
| Structural Expansion for the Ground-State Energy of Simple Metals. I   |     |
|  | 368 |
| Phase Transition of Quasi-Two Dimensional Planar System  |     |
|  | 387 |
| Properties of a Two-Dimensional Classical Coulomb Gas  | 100 |
| Relation between Mass and Radius of Elliptical Galaxies  | 402 |
| Gravitational Collapse of Charged Dust Shell and Maximal Slicing Condition . Kei-ichi Maeda  | 415 |
| Study of Distortion Effects in the Elastic d-4He Scattering by Orthogonality Condition Model   | 420 |
|  | 438 |
| The First-Order E2 Core Polarization Charge of "Ca in Woods-Saxon Shell Model  |     |
|  | 459 |
| Modification of Quasi-Particle Theory in Spherical Nuclei. I -Method-  |     |
| Munetake Hasegawa and Nobuo Kanesaki   | 469 |
| A Possible Quantization of Time-Dependent Hartree-Bogoliubov Theory Based on the   |     |
| SO(2N+1) Algebra   | 486 |
| Effects of Two-Boson-Exchange Charge Density on Nuclear Charge Form Factor   | 498 |
| Toru Sato, Hiroyuki Hyuga and Hisao Ohtsubo  | 516 |
| Binding Energy of Hypertriton by Solving the Faddeev Equation in Coordinate Space  | 310 |
|  | 533 |
| The Second Class Current and the Strong Meson Dominance Model  | 000 |
| Masataka Igarashi, Seitaro Nakamura and Shigeo Sato  | 542 |
| A Model for Small P <sub>T</sub> Inclusive Hadron Productions Hirofurni Senin  | 552 |
| Masses of Charmed Baryons and F/D Ratio Shoji Sawada   | 572 |
| Asymmetries of Polarized Electron Scattering at Very High Energies   | 580 |
| A Left-Right Symmetric Gauge Model as an Extended Weinberg-Salam Theory Masakuni Ida Hamiltonian Formalism for Systems Including Grassman Newbork 1. | 589 |
| Hamiltonian Formalism for Systems Including Grassmann Numbers and Canonical Quantization by Feynman Path-Integral with Constraints                   |     |
| Structure and Stability of a Weakly Interacting Instanton and Anti-Instanton System under  | 599 |
| External rields Try  | 610 |
| ward identity of Dilatation Current in Conformal-Invariant Quantum Electrodynamics   | 616 |
| 1,   | 627 |
| Structure of the Gauge Transformation Group in the Square Integrable Space and Gribov's  | 021 |

| ı    | Ambiguity in the Coulomb Gauge  | 641        |
|------|---|------------|
| E    | definite-Metric Quantum Field Theory of General Relativity, VIII - Commutators Involving  |            |
| п    | bo  | 656        |
| 4    | screte Transformations in Quantum Field Theory in Curved Space-Time Minoru Horibe   | 668        |
| er(X | cial Anomaly for Gravitino and Unconventional FP Ghosts   |            |
| ı    | Ryusuke Endo and Toshiei Kimura   | 683        |
| П    | Letters to the Editor   |            |
| ı    | A Model for the Quark Fragmentation FunctionsB. K. Pal  | 696        |
| ı    | Current Algebra Approach to Tensor Meson Decays   |            |
|      |   | 698        |
|      | A Degenerate Parton Gas Model for the Proton  | 702        |
|      | New Solutions of Static Electrovac from the Old by Complexification Technique   |            |
|      |   | 704        |
|      | Progress Letters  |            |
|      | Spin-Orbit Interaction and Magnetoresistance in the Two Dimensional Random System   |            |
|      | Shinobu Hikami, Anatoly I. Larkin and Yosuke Nagaoka  | 707        |
|      | Angular Momentum in Superfluid <sup>3</sup> He-A at Finite Temperatures   |            |
|      | Kazumasa Miyake and Tunemaru Usui   | 711        |
|      | Two Component Character of $S(k, \omega)$ in Superfluid 'He   | 715        |
|      | A New Formalism of the Einstein Equations for Relativistic Rotating Systems   | 710        |
|      | Evidence for Molecular Resonances in the <sup>16</sup> O+ <sup>16</sup> O System  | 719        |
|      | Yosio Kondō, D. Allan Bromley and Yasuhisa Abe  | 722        |
|      | A Study of the Perey Effect by the WKB Method   | 725        |
|      | A Geometric Bremsstrahlung Model with "Random Walk" Picture for Leading Particle  | 120        |
|      | Noboru Hashimoto  | 730        |
|      | Calculation of Widths for Exclusive OZI Violating Radiative Decays in QCD   | 750        |
|      | Tomo Munehisa   | 734        |
|      | Effect of Regge Cut in Asymptotically Free Field Theory   |            |
|      |   | 738        |
|      |   |            |
|      |   |            |
|      |   |            |
|      | No.3 March  |            |
|      |   |            |
| Эу   | namical Correlation Functions of One-Dimensional Anisotropic Heisenberg Model with Spin   | m.i.o.     |
|      | 1/2. I -Ising-Like AntiferromagnetsNorikazu Ishimura and Hiroyuki Shiba   | 743        |
| 41   | loy Analogy Treatment of the Periodic Anderson Hamiltonian with Infinitely Large  | 750        |
|      | Correlation —Relation with the Mixed Valence State—   | 759        |
| Or   | bital Dynamics in <sup>3</sup> He-A — Homogeneous Case— Haruo Takagi and Kazumasa Miyake  | 772<br>785 |
| h    | ase Transition of a Two-Component Sine-Gordon System in Two Dimensions Takao Ohta   | 700        |
| Me   | onte Carlo Simulation of the Plane Rotator Model. II -Response to an External Field and   | 797        |
|      | Scaling Relations— Seiji Miyashita  | 808        |
| 4    | New Integrable Nonlinear Evolution Equation   | 000        |
| r    | itical Phenomena under Non-Uniform External Porce Pietus  | 821        |
| -4   | mmensurate-Incommensurate Transition and Melting in Two-Dimension Yukio Saito   | 831        |
| 0    | mmensurate Incommensurate Transition and Meiting in Two-Dimension Tukio Cate icroscopic Study of $d$ - $^{+}$ He Scattering by RGM with Distortion Effect |            |
| VI   | Croscopic Study of a-He Scattering by RGM with Distriction Effect.  Hiroyuki Kanada, Tsuneo Kaneko, Hidetoshi Nishioka and Sakae Saito                    | 842        |
| r:   | ne Deuteron Break-Up Effect of the Two-Step Process. III -Phenomenology-  |            |
| I I  | Deuteron Break-Up Effect of the Two-Step Process. In The Name Naoki Hashimoto   | 858        |
| ,    | Study of Five-Nucleon Transfer Mechanisms in the (p, Eli) Reactions   |            |
| 1    | Study of Five-Nucleon Transfer Mechanisms in the (p, 2) Recently Study and Hisashi Horie  | 872        |
| )-   | an Ambiguous Part of Heavy-Ion Interaction  | 881        |
| 71   | nerator Coordinate Theory of Normalization Kernels of Cluster Systems. I  |            |
| 16   | netator coordinate Theory of Torribation  |            |

| Yoshikazu Fujiwara and Hisashi Horiuchi   | 895  |
|---|------|
| Scaling Hypothesis for the Rapidity Distributions and Information Theory  Ikuo Kita, Ryoku Nakamura, Ryozo Nakajima and Ichiro Yotsuyanagi                    | 919  |
| Leading Particle Spectra on Nuclear Targets and Multi-Chain Model   | 928  |
| Multiperipheral Cluster Production at High Energies   |      |
| N. S. Arva, D. P. Goval, A. Mozumder, S. Roy, P. K. Sengupta and S. Singh   | 939  |
| On the Cancellation of the Glueball Pomeron Singularity   | 943  |
| Bagged Hadronic Matter  |      |
| Yasuo Nishiyama   | 956  |
| A Quark Model Test by Radiative Processes of $\eta$ and $\eta'$ Mesons  | 000  |
|   | 962  |
| Search for Charm-Pair Production Effects in Lepton-riadron and Hadron-riadron Reactions  Zenrō Hioki  | 970  |
| Application of Perturbative QCD to the Photoproduction of Lepton Pairs Kuni Harada  | 982  |
| Color-Magnetic Permeability of QCD Vacuum   | 993  |
| Anomalous Dimensions of Composite Particles   |      |
| Tadpole Diagram in a Conformal-Invariant Massive Scalar $\phi^4$ Theory Yoshimi Matsubara   | 999  |
| Ouantization of the Soliton as the Extended Particle  | 1016 |
| Progress Letters  | 1021 |
| Superfluid <sup>3</sup> He in a Magnetic Field  | 1040 |
| Fractal Dimensions of Chaotic Flows of Autonomous Dissipative Systems Hazime Mori   | 1044 |
| An Analytic Solution of Initial Data for Slowly Rotating Dust Sphere under Maximal Slicing  | 1040 |
| ConditionKei-ichi Maeda, Shōken Miyama, Misao Sasaki and Takashi Nakamura<br>A Method of Determining Apparent Horizons in [(2+1)+1]-Formalism of the Einstein | 1048 |
| Equations Misao Sasaki, Kei-ichi Maeda, Shōken Miyama and Takashi Nakamura  | 1051 |
| On the Soliton Solutions of Stationary, Axi-Symmetric Gravitational Fields  |      |
|   | 1054 |
| Hamamoto's Remedy for the Band Crossing Anomalies in the Cranking Model   | *050 |
| A Large Amplitude Collective Motion in a Nontrivial Schematic Model   | 1058 |
|   | 1063 |
| Spin Alignment of Products 12B in 14N Induced Reactions   |      |
|   | 1067 |
| High Energy Proton-Proton Elastic Scattering for Large Momentum Transfers and Van-<br>der Waals Type Model  | 1071 |
| Scaling and Quark Mass Dependence of Two Real Photons with High Invariant Mass in   | 1071 |
| Hadron-Hadron Collisions Shigery Hemmi  | 1073 |
| Evidence of Small Component Effects of Constituent Quark Spinors  |      |
| Yoshikazu Abe, Kanji Fujii, Masanobu Hirano, Keiziro Honda, Yūichi Hoshino,   |      |
| Kenzō Iwata, Toshiyuki Murota and Takashi Okazaki Errata  | 1078 |
| The Self Interaction and Mutual Interaction of Limit Cycles (Vol. 62, p. 1556)  |      |
| D S Penamband   | 1081 |
| Z(N) String Junction Model and Spectrum of Energy Density of String (Vol. 63, p. 322)   |      |
| Masahiro Imachi and Hiroshi Yoneyama  | 1082 |
|   |      |

## No.4 April

| Intrinsic | Angular | Momentum | and | Mass | Current   | in   | Super | fluid | 3He-A | 1      |     |                |  |
|-----------|---------|----------|-----|------|-----------|------|-------|-------|-------|--------|-----|----------------|--|
|           |         |          |     | Ma   | sakatsu 1 | Ishi | kawa, | Kazu  | ımasa | Miyake | and | Tunemaru Ilsui |  |

1083

| order Parameter Expansion of Free Energy and Spin-Glasses. I -Random Bond Model-   |              |
|--|--------------|
| Shinii Nambu and Shigeo Nava   | 1098         |
| In the Singularities at the Metal-Insulator Transitions. I - The Coherent Potential  |              |
| Approximation in the 50-50 Binary Alloys—  | 1112         |
| Path-Integral Approach to the X-Y Model in One- and Two-Dimensions — Dynamics and  |              |
| Quantum Effects at Low Temperatures—   | 1121         |
| Behavior of the Interface in a Magnetic Alloy  | 1137         |
| Hideyuki Kidachi   | 1150         |
| Microscopic Derivation of the Roton-Roton-Interaction  | 1152<br>1170 |
| Oritical Fluctuations of Schlögl's Chemical Model Yutaka Fukuyama and Hazime Mori  | 1181         |
| Analytical Conditions for the Appearance of Homoclinic and Heteroclinic Points of a 2-   | 1101         |
| Dimensional Mapping -The Case of the Hénon Mapping   | 1190         |
| Dynamical Accumulation of an Infinitely Conducting Plasma towards the Neutral Line of a  |              |
| Magnetic Field   | 1202         |
| Neutrinos in Cosmological Models   | 1213         |
| Conserved Energy Flux for the Spherically Symmetric System and the Backreaction Problem in   |              |
| the Black Hole Evaporation   | 1217         |
| General Relativistic Collapse of an Axially Symmetric Star. I - The Formulation and the  |              |
| Initial Value Equations—   | 1220         |
| Off-Shell Wave Matrix in the Two-Body Scattering   | 1229         |
| B. Talukdar, M. Chatterjee and N. Mallick  | 1245         |
| Alternating-Layer-Spin Structure Realized in the σ-Model   | 1252         |
| Recoil Nucleon Effect in the Hadron-Nucleus Collision and Multi-Chain Model  |              |
| Kisei Kinoshita, Akira Minaka and Hiroyuki Sumiyoshi   | 1268         |
| Antiproton-Nucleus Collision and Multi-Chain Model Akira Minaka and Hiroyuki Sumiyoshi   | 1278         |
| Multiperipheral Parton Model. II - Deep Inelastic Processes  | 1311         |
|  | 1284         |
| New Parametrizations for Q2-Dependent Parton Distribution Functions. I   | 1005         |
| Kiyoshi Kato, Yoshimitsu Shimizu and Hiroaki Yamamoto The Primordial Transverse Momentum of Quark and the Ratio $\sigma_L/\sigma_T$ in the Bag Model | 1295         |
| The Primordial Transverse Momentum of Quark and the Ratio $\sigma_L / \sigma_T$ in the Bag Model   | 1311         |
| Gluon Distribution inside Proton and Deuteron  | 1320         |
| Resonance-Saturation Picture and the Patterns of Scaling Violation —Correspondence between   | 1050         |
| Resonance and Parton Pictures—   | 1329         |
| Radiative Decays of Vector Mesons in Broken SU(3)  |              |
|  | 1341         |
| Energy Momentum Sum Rule beyond the Leading Order in QCD   |              |
|  | 1347         |
| Nonleptonic Decays of Charmed Mesons. II   | 1355         |
| Non-Trivial Realization of the BRS Supersymmetry   | 1364         |
| Possible Situation for Gauge Independence of Wave-Function Renormalization Constants in  | 1004         |
| Gauge-Field Theories   | 1384         |
| Renormalization and Quantum Correction of Soliton Solutions  | 1393         |
| Quantization of a Spin-3/2 Field Interacting with the Electromagnetic Field  | 1000         |
| Quantization of a Spin-3/2 Field interacting with the Zatorian Omote and Masanori Kobayashi  | 1413         |
| Fiber Bundle Structure of Gauge Field and Reduction by the Higgs Mechanism   |              |
| Morihiro Honda   | 1429         |
| Progress Letters   |              |
| On the Binary Nature of X-Ray Bursters   | 1442         |
| Rise of $\sigma_1 / \sigma_2$ from Excited Quarks  | 1444         |
| Analyses of Singlet Structure Function Moments and Tests of QCD  | 1440         |
| Masahiro Haruyama and Akira Kanazawa   | 1449         |

| Note on the Photocouplings of Mesons . Masako Bando, Hiroshi Sugimoto and Mihoko Toy  | a 1452             |
|---|--------------------|
| Structure and Stability of a Weakly Interacting Instanton and Anti-Instanton System under External Fields (Vol. 63, p. 616)                                   | r<br>o 1455        |
| External rields (vol. 65, p. 615)   |                    |
|   |                    |
|   |                    |
| No.5 May  |                    |
| Theory of Measurement in Quantum Mechanics — Mechanism of Reduction of Wave Packe  I—   | 1457               |
| Order Parameter Expansion of Free Energy and Spin-Glasses. II — Random Site Model—  | u 1474             |
| A New Approach to Hard Sphere System in Equilibrium. I —General Consideration—  | a 1484             |
| A New Approach to Hard Sphere System in Equilibrium. II — Three Dimensional Har Sphere System—  | a 1495             |
| Structural Expansion for the Ground-State Energy of Simple Metals. II   |                    |
| Spherical Limit of Coupled Time-Dependent n-Vector Models. I -Relaxation Phenomena for  | r                  |
| the Inversion of the Weak External Magnetic Field—  |                    |
| Propagation of a Shock Wave in General Relativity —Stationary Approximation—  |                    |
| Monte Carlo Simulation of Relativistic ComptonizationFumio Takahan  |                    |
| An Extended Deformation Model of 24Mg -Energy Properties of Low-Spin States   |                    |
| Concept of a Collective Subspace Associated with the Invariance Principle of the Schrödinge   |                    |
| Equation — A Microscopic Theory of the Large Amplitude Collective Motion of Soft  |                    |
| Toshio Marumori, Akihisa Hayashi, Toshiaki Tomoda, Atsushi Kuriyama an  |                    |
| Toshihide Maskaw  | a 1576             |
| Energy Weighted Sum Rules for Spin-Dependent Excitations of Nuclei  |                    |
| Finite-Range DWBA Analysis of Anomalous Analyzing Powers in $(p, \alpha)$ Reactions   |                    |
|   | e 1608             |
| Mechanism of High Nuclear Excitation in Heavy-Ion Induced One-Neutron Transfer Reaction   | is                 |
| Calculations of the Imaginary Part of the Optical Potential for Proton Scattering Seiji Kosu  | a 1620             |
| Density Fluctuation in Nuclear Matter   | a 1654             |
| Possible Structures of Pion Condensate in Symmetric Nuclear Matter  |                    |
| Phase Transition to Abnormal Nuclear Matter at Finite Temperature and Finite Baryon Densi   | v                  |
| Bounds on the Moduli of the N-N Scattering Amplitudes from Variational Techniques   |                    |
| Photon and Pion Productions at Large p <sub>T</sub> in γp Collisions and Perturbative QCD   |                    |
|   | 1711               |
| Electroproduction of a Meson and Correlating Quark Rearrangement Model  Kazuyoshi Izav Z(N) Strings and Hadron Structure  Masahiro Imachi and Hiroshi Yoneyan | a 1723             |
| Regge-role Approach to Charmonium and Bottonium   | na 1738<br>ni 1752 |
| Enecure Hammonian for $2C=1$ Nonleptonic Interactions in the Kohayashi-Maskawa Model  |                    |
| Takemi Hayashi, Tutomu Karino Katsubiko Obus and Takamita. O  | ta 1761            |
| On Possibility of Existence of a New Particle Family — An Interpretation of Anomalo Events by Cosmic Ray Deep Underground—                                    |                    |
| Explosive Cascade-Decays of Leptons, Quarks, Virtual Photons, Weak Vector Bosons at   | no 1772<br>nd      |

| Higgs Scalars  | 1779  |
|--|---|
| Progress Letters   |   |
| Fixonal Exchange Amplitude in Coulomb Brook He Processes His Processes H | 1793  |
| Toshio Sekimura and Hajime Narumi  | 1797  |
| Theory of Spin-Glass Phase —Principle of Minimum Free Energy—  | 1131  |
|  | 1800  |
| Chaos, External Noise and Fredholm Theory Yoshitsugu Oono and Yoichiro Takahashi   | 1804  |
| reavy-ion Scattering at Energies in the Vicinity of the Barrier Top  |   |
| Nucleon Nucleon Tensor Force Effect on the 4- Separation Frank R4 in a Shall   | 1808  |
| Hypernuclei  | 1812  |
| The Primordial Transverse Momentum of Quark in a Bag Model and the Massive $\mu^+\mu^-$  | 1012  |
| Pair Production  | 1815  |
| A Short Range Quark-Gluon Effective Vertex and Two Gluon Decay Widths of Heavy   |   |
| Quark-Antiquark Systems  | 1819  |
|  | 1000  |
|  | 1823<br>1827  |
| Addenda  | 1027  |
|  |   |
| Dimensional Mapping -The Case of the Hénon Mapping- (Vol. 63, p. 1190)   |   |
|  | 1831  |
| Errata   |   |
|  | 1000  |
| Eigenstates (Vol. 63, p. 331)lzuru Fujiwara and Kunio Miyoshi  | 1832  |
|  |   |
|  |   |
| No 6 June  |   |
|  |   |
|  | 1833  |
| New Approach to Hard Sphere System in Fauilibrium. III — Two Dimensional Hard Disk   | 1000  |
| System—  | 1848  |
| ady States with Heat Flow near Critical Points -Local Equilibrium Theory Akira Onuki   | 1854  |
| ntraction of State Variables in Non-Equilibrium Open Systems, I  |   |
|  | 1865  |
| tability and Turbulence of Wavefronts in Reaction-Diffusion SystemsYoshiki Kuramoto  | 1885  |
| duced Equations of Motion for Generalized Fluxes and Forces in the Continued Fraction  | 1004  |
|  |   |
| Expansion Katsuhiko Nagano, Takashi Karasudani, Hisao Okamoto and Hazime Mori  | 1904  |
| alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1904  |
| alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  |   |
| alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  Yasuhiro Kasai, Takehiko Takano and Itiro Syozi tistical Dynamics of Chaotic Flows  | 1917  |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931  |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945                                      |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945<br>1950                              |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945                                      |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945<br>1950                              |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945<br>1950                              |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945<br>1950                              |
| Alities for Extended Potts Models Induced from the Percolation Problems of Block Elements  | 1917<br>1931<br>1945<br>1950<br>1957                      |
| ]  | Hydrodynamical Modes of the Superfluid He¹ with Its Vapor |

T

A

Ste

In

Du

Sta Pr Or Co

De

Me

| An Application of the Glauber Approximation to High Energy Heavy-10n Collisions. 1                |             |
|---|-------------|
| Theoretical Formulation— Masaharu Iwasaki, Seiya Nishiyama and Kyolchi Wakimaru                   | 2005        |
| Discrepancies in Partial Wave Dispersion Relations and a Possible Strong van der waals Force      |             |
| Tetsuo Sawada   | 2016        |
| Parity-Violating Asymmetry in Exclusive Photoproduction of Lepton Pairs from Protons              |             |
| Hiroshi Konashi, Kenichi Ushio and Yoshimatsu Yokoo   | 2032        |
| Inclusive Vector Meson Production in Fragmentation Regions of Meson at Small P <sub>T</sub>       |             |
| Hirofumi Senju  | 2043        |
| Number of Higgs Scalars and $m_b/m_{\overline{\tau}}$ Ratio in the $SU(5)$ Model                  | 2052        |
| The Higgs-Kibble Model on the Basis of a Canonical Yang-Mills Field Theory with Gauge             |             |
| Covariance. I   | 2061        |
| Indefinite-Metric Quantum Field Theory of General Relativity. IX"Choral" of Symmetries-           |             |
| Noboru Nakanishi  | 2078        |
| Nonlinear Realization of Graded Conformal GroupShinji Hamamoto                                    | 2095        |
| Progress Letters  |             |
| On Irregular Wavy Flow of a Liquid Film down a Vertical Plane                                     |             |
|   | 2112        |
| Magnetization Reversal of the Two-Dimensional Heisenberg Ferromagnet with Weak Ising              |             |
|   | 2115        |
| Energy Dissipation and the Stochastic Process in Heavy-Ion Collisions                             |             |
|   | 2119        |
| Role of the S-Wave Pion-Nucleon Interaction in Combined Pion Condensation                         |             |
| Shinji Kurihara, Akira Suzuki, Yasutaro Takahashi and Yasuhiko Futami                             | 2123        |
| Effect of Meson Exchange Currents on Charge Form Factors of the Three-Nucleon System              |             |
| Toshiyuki Katayama, Yoshinori Akaishi and Hajime Tanaka   | 2127        |
| The $\pi d$ Decay of the ${}^3F_3$ Diproton in the Faddeev $\pi NN$ Dynamics                      |             |
|   | 2133        |
| A Model for Meson and Massive Photon Productions in the Bag Picture                               |             |
|   | 2136        |
| The Relativistic Formula for the Leptonic Decay Widths of Vector Mesons and an                    |             |
|   | 2140        |
|   | 2145        |
| Bjorken Scaling Violation, QCD and Models of Quarks with Substructure                             |             |
| Ken-iti Matumoto  | 2148        |
| Quark Mass Ratios and K <sub>13</sub> Decay Parameters  | 2152        |
| $D \rightarrow K\pi$ Decays on the Basis of Efffective Hamiltonian in the Kobayashi-Maskawa Model |             |
| Takemi Hayashi, Tutomu Karino, Katsuhiko Ohya and Takamitsu Oka                                   | 2155        |
| Effect of Finite Quark Masses on the Superdense Quarkion Configurations                           |             |
| J. D. Anand and Pijushpani Bhattacharjee  | 2158        |
|   |             |
| Author Index to Volume 63····   | . 2161      |
| Subject Index to Volume 63  | 2101        |
| Compact index to volume op-   | 2170        |
| Contents to Volume 63 · · · · · · · · · · · · · · · · · ·   | · · · · · j |