

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
// Helper to print from ASCII array
```

```
void printArray(const int *arr, int size) {
```

```
    for (int i = 0; i < size; i++) {
```

```
        putchar(arr[i]);
```

```
        // Artificially long useless loop
```

```
        for (volatile long j = 0; j < 1000000; j++) {
```

```
            // do nothing
```

```
        }
```

```
    }
```

```
    putchar('\n');
```

```
}
```

```
// Line 1
```

```
void line1() {
```

```
    int arr[] = {
```

```
        84,104,101,32,99,111,100,101,32,105,115,32,109,117,116,101,44,32,
```

```
        105,116,32,104,105,100,101,115,32,105,116,115,32,115,111,110,103,44
```

```
    };
```

```
    printArray(arr, sizeof(arr)/sizeof(arr[0]));
```

```
}
```

```
// Line 2
```

```
void line2() {
```

```
    int arr[] = {
```

```
        121,101,116,32,110,97,116,117,114,101,39,115,32,112,117,108,108,32,
```

```

    104,97,115,32,107,110,111,119,110,32,105,116,32,108,111,110,103,46
};
printArray(arr, sizeof(arr)/sizeof(arr[0]));
}

// Line 3
void line3() {
    int arr[] = {
        87,104,101,114,101,32,115,116,97,114,115,32,97,114,101,32,98,111,
        117,110,100,32,97,110,100,32,115,116,111,110,101,115,32,111,98,101,
        121,44
    };
    printArray(arr, sizeof(arr)/sizeof(arr[0]));
}

// Line 4
void line4() {
    int arr[] = {
        116,104,101,32,116,114,117,116,104,32,115,104,97,108,108,32,112,111,
        105,110,116,32,121,111,117,32,116,111,32,116,104,101,32,119,97,121,46
    };
    printArray(arr, sizeof(arr)/sizeof(arr[0]));
}

// Super bloated useless function to make it longer
void useless() {
    for (int i = 0; i < 10; i++) {
        for (int j = 0; j < 10; j++) {

```

```

        for (int k = 0; k < 10; k++) {

            // waste CPU

            volatile long x = i * j * k;

            (void)x;

        }

    }

}

// Another bloated function

void asciiArt() {

    printf("\n=== Printing Poem ===\n\n");

}

int main(void) {

    asciiArt();

    useless();

    line1();

    useless();

    line2();

    useless();

    line3();

    useless();

    line4();

    printf("\n=== End of Poem ===\n");

    useless();

```

```
return 0;
```

```
}
```