


B



DOOR ID: D340
DOOR WIDTH: 72"
DOOR CAPACITY: 340
ACTUAL USE: 47

STAIR ID: #2
STAIR WIDTH: 44"
STAIR CAPACITY: 146
DOOR WIDTH: 38"
DOOR CAPACITY: 160
ACTUAL USE: 47

DOOR ID: D300M4
DOOR WIDTH: 72"
DOOR CAPACITY: 340
ACTUAL USE: 48

STAIR ID: #1
STAIR WIDTH: 44"
STAIR CAPACITY: 146
DOOR WIDTH: 38" x 2
DOOR CAPACITY: 360
ACTUAL USE: 48

3RD FLOOR OCCUPANCY - BUSINESS

NAME	OCC FACTOR	SO FT	OCC COUNT	SEAT COUNT
OFFICE SUITE (B)	100 GSF	9,610 SF	96 PER	--
TOTAL OCCUPANCY			96 PER	



LIFE SAFETY LEGEND

SYMBOL DESCRIPTION

ONE HOUR FIRE RATING

TWO HOUR FIRE RATING

18" SMOKE BAFLE DRAFT STOP

2 HR RATED FIRE CURTAIN

TD: TRAVEL DISTANCE

CPT: COMMON PATH OF TRAVEL

DIMENSION DEAD END

RECESSED ABC TYPE 2A-108-C FIRE EXTINGUISHER INSTALLED AT 48" AFF. PROVIDE CABINETS

WALL MOUNTED ABC TYPE 2A-108-C FIRE EXTINGUISHER INSTALLED AT 48" AFF. PROVIDE CABINET

EXIT SIGN

DOOR IDENTIFICATION NUMBER

MAXIMUM NUMBER OF PERSONS ABLE TO EGRESS BASED ON DOOR CAPACITY AND WIDTH.

NUMBER OF PERSONS USING DOOR BASED ON DESIGN

ROOM IDENTIFICATION NUMBER

ROOM IDENTIFICATION NUMBER

ROOM IDENTIFICATION NUMBER

STAIR IDENTIFICATION NUMBER

STAIR / DOOR WIDTH , CAPACITY

NUMBER OF PERSONS USING STAIR BASED ON DESIGN

NOTES:

ALL EXIT SIGNS AND LIGHTS SHOWN ARE CONNECTED TO EMERGENCY CIRCUIT BACKUP BY GENERATOR.

PROVIDE STENCIL WITH 4" HIGH LETTERING @ 30'-0" ON BOTH SIDES OF ALL FIRE AND SMOKE BARRIERS ABOVE CEILINGS TO READ: "FIRE/SMOKE PARTITION - PROTECT ALL OPENINGS.

ALL DOORS ARE MINIMUM 32" CLEAR WITH A MINIMUM CAPACITY OF 160 PERSONS UNLESS OTHERWISE NOTED.

THE MAXIMUM STEP ON BOTH SIDES OF ALL DOORS IS 1/2" UNLESS OTHERWISE NOTED.



SCHOOL OF INTERNATIONAL AND PUBLIC AFFAIRS
MIAMI, FLORIDA
FLORIDA INTERNATIONAL UNIVERSITY
MIAMI, FLORIDA

ARCHITECT OF RECORD

ARQUITECTONICA

801 Brickell Ave, Suite 1100
MIAMI, FL 33131
F 305.372.1175
www.architectonica.com

STRUCTURAL ENGINEER:
PETERNO & ALAM
MIAMI, FL 33142
305.669.2700
202.682.2160

M.E.P. ENGINEER:
TERRA CIVIL ENGINEERING
MIAMI, FL 33142
305.593.2530

LANDSCAPE ARCHITECT:
ARQUITECTONICA
801 BRICKELL AVE SUITE 1100
MIAMI, FL 33131
305.372.1175

CIVIL ENGINEER:
TERRA CIVIL ENGINEERING
MIAMI, FL 33142
305.593.2530

CONSULTANT:
WAVEGUIDE
TAMPA, FLORIDA 33614
813.729.4888
813.729.5310

SEAL / SIGNATURE / DATE

REVISION 04 - NOVEMBER 06 2009

OFFICE REGISTRATION # AA C000445

Date: 06-14-09 Revision: 02
11-06-09 Revision: 04

Issue: 01 Issue Date: For

7.24.07 SCHEMATIC DESIGN APPROVAL
11.12.07 SCHEMATIC DESIGN APPROVAL
02.22.08 SCHEMATIC DESIGN APPROVAL
03.26.08 SCHEMATIC DESIGN APPROVAL
10.31.08 PROGRESS DESIGN (ISSUE/COMMENT)
11.26.08 100% DESIGN (ISSUE/COMMENT)
02.25.09 CONSTRUCTION DOCUMENTS
03.18.09 50% CONSTRUCTION DOCUMENTS
03.18.09 100% CONSTRUCTION DOCUMENTS

PROJECT NO.: 2441

SHEET INDEX
LIFE SAFETY
THIRD FLOOR
PLAN
SCALE 1/8"=1'-0"

A0.13