



SCHOOL OF INTERNATIONAL
AND POLITICAL AFFAIRS
BT-055
MIAMI, FLORIDA
FLORIDA INTERNATIONAL UNIVERSITY
MIAMI, FLORIDA

ARCHITECT OF RECORD
ARQUITECTONICA
801 Brickell Ave, Suite 1100
MIAMI, FLORIDA 33131
P: 305.372.4175
www.architectonica.com

STRUCTURAL ENGINEER:
PISTONO & ALAM
MIAMI, FL 33143
305.668.2700
305.668.2163

M.E.P. ENGINEER:
WATSON ENGINEERING, INC.
10990 N.W. 27th Street, Suite 101
MIAMI, FL 33172
305.593.2320

LANDSCAPE ARCHITECT
ARQUITECTONICA
801 Brickell Ave, Suite 1100
MIAMI, FL 33131
305.372.4175

CIVIL ENGINEER:
TERRA CIVIL ENGINEERING
1310 NEPTUNE DRIVE
DORAL, FL 33126
305.372.1812

CONSULTANT:
WAVEGUIDE
1310 NEPTUNE DRIVE
DORAL, FL 33126
305.372.1812

CONSULTANT:
WAVEGUIDE
1310 NEPTUNE DRIVE
DORAL, FL 33126
305.372.1812

SEAL / SIGNATURE / DATE

JASON TAYLOR
F.L.P.E. #60277
P. & A. PROJECT NO. 07-179

REVISION 02 - AUGUST 14 2009


Date	Revision
10-28-09	REVISION 03

Issue #	Issue Date / For
7.24.07	SCHEMATIC DESIGN APPROVAL
11.12.07	SCHEMATIC DESIGN APPROVAL
02.22.08	SCHEMATIC DESIGN APPROVAL
03.29.08	SCHEMATIC DESIGN APPROVAL
10.21.08	PROGRESS DESIGN DEVELOPMENT
11.26.08	100% DESIGN DEVELOPMENT
02.25.09	FOUNDATION REPORT
03.18.09	50% CONSTRUCTION DOCUMENTS
06.18.09	100% CONSTRUCTION DOCUMENTS

PROJECT NO.: 2441

SHEET INDEX
**FIFTH FLOOR
FRAMING PLAN**
SCALE 1/8"=1'-0"

S1.05



FIFTH FLOOR FRAMING PLAN

SC: 1/8" = 1'-0"

NOTES :

1. TYP. F.R. CONSTRUCTION SHALL BE 5" CONC. SLAB ON 12" PCJ @ 5'-6" O.C.
2. MIN. SLAB THICKNESS IS 5" UNO.
3. 5" CONC. SLAB ON 16" PCJ @ 3'-6" O.C. REINF. SLAB W/#4 @ 12" EWM. NOTCH JOIST ENDS 2'-2" @ BOT. OR PROVIDE JOIST HANGERS AT EXT. BUS.
4. TOP OF STEEL BEAM EL. = 56'-6".
5. TYPICAL SLAB REINF. SHALL BE #4@12" EWM UNO.
6. CONTRACTOR TO COORD. SLAB OPENINGS W/ MEP. SEE DET. B/54.02

LEGEND:

- SPAN DIRECTION
- PCJ = PRE-CAST CONC. JOIST(S)
- 8" CONC. BLOCK WALL
- W/#5 @ 48" O.C.
- ADD TOP REINF. (#4@12" O.C., TYP.)
- SEE B/52.02 FOR LENGTHS.

