THE MANAGER - Surat Societies and Login Details

Live site: https://frontend-production-611e.up.railway.app/login | Repo: github.com/themanagerind/THE-MANAGER

1. How login works

- Login is **Mobile number + OTP only**. There are no passwords in this app.
- Steps: enter the 10-digit mobile on `/login` → a 6-digit OTP is sent by SMS (Twilio) → enter the OTP. The OTP expires in 5 minutes. Max 5 OTP requests per hour per number, and 60 seconds between requests.
- If one mobile belongs to more than one account (e.g. several societies), the app asks which account to open.
- In development mode the OTP is shown on screen. In production it is only sent by SMS.

2. Platform Owner

- The Platform Owner manages all societies. Their pages are: Societies, Reports, Change Admin, Society Mapping.
- The account is created at deploy time from the Railway variable `SEED_PLATFORM_OWNER_MOBILE` (name from `SEED_PLATFORM_OWNER_NAME`), by `backend/entrypoint.sh`.
- **Login:** that mobile number + OTP. The actual number is stored in your Railway variables; it is not in the code, so it is not listed here.
- Platform Owner sessions expire after 12 hours.

3. The login problem and the fix

- **Cause:** before the merge, `main` only logged the OTP (mock SMS). In production the OTP is not returned to the browser, so nobody could receive a code.
- **Fix (merged to main, commit 54a6424):** OTPs are now sent through Twilio. It needs these Railway variables on the backend service: `TWILIO_ACCOUNT_SID`, `TWILIO_AUTH_TOKEN`, `TWILIO_FROM_NUMBER` (+17372508034), `ENVIRONMENT=production`.
- Not yet tested on the live site.

> **Twilio trial limit:** a trial account can only send SMS to numbers verified in the Twilio console. Other users will not receive OTPs until the account is upgraded. A US sender number may also be blocked or delayed for Indian mobiles.

4. 20 Surat societies and their Admin logins

> **Important:** the mobile numbers below are **placeholders** (9000000101 to 9000000120). They cannot receive an SMS, so they cannot log in on the live site. Replace them with real numbers when running the seed script (section 5). Society names, admin names and pincodes are sample data; please verify before real use.

#	Society	Area	Pincode	Admin name	Login mobile (placeholder)
1	Shreeji Residency	Adajan	395009	Rajesh Patel	9000000101
2	Sunrise Heights	Vesu	395007	Kiran Desai	9000000102
3	Anand Park Society	Piplod	395007	Hiren Shah	9000000103
4	Riverside Apartments	Althan	395017	Mehul Mehta	9000000104
5	Green Valley Homes	Pal	395009	Nilesh Joshi	9000000105
6	Silver Oak Residency	City Light	395007	Jignesh Modi	9000000106
7	Krishna Kunj Society	Athwa	395001	Bhavesh Thakkar	9000000107
8	Laxmi Nagar Apartments	Varachha	395006	Dipak Gajera	9000000108
9	Shanti Niketan	Katargam	395004	Ketan Vaghasiya	9000000109
10	Om Shanti Heights	Udhna	394210	Paresh Rana	9000000110
11	Tapi View Residency	Rander	395005	Sanjay Chauhan	9000000111
12	Royal Orchid Society	Dumas Road	395007	Ashish Parekh	9000000112
13	Swastik Enclave	Bhatar	395017	Vimal Bhatt	9000000113
14	Gokul Dham Society	Ghod Dod Road	395001	Tushar Kapadia	9000000114
15	Pearl Residency	Parle Point	395007	Chirag Sheth	9000000115
16	Sea Breeze Apartments	Magdalla	395007	Yogesh Trivedi	9000000116
17	Navjivan Society	Jahangirpura	395005	Mahesh Solanki	9000000117
18	Dev Darshan Residency	Sarthana	395006	Rohit Dave	9000000118
19	Mangal Murti Apartments	Nanpura	395001	Alpesh Naik	9000000119
20	Vrundavan Park	Kapodra	395006	Dharmesh Italiya	9000000120

All societies are in Surat, Gujarat. The society is stored as "name, area". Each society gets a unique code (for example `SHREEJIR-48213`) generated at creation; it is printed by the script.

5. How to create them (seed script)

- Script: `backend/scripts/seed_surat_societies.py` (merged to main). Each society is created ACTIVE with one ACTIVE Admin. It is safe to run twice.
- Run against the production database (from the backend folder, with the production `DATABASE_URL` set), with real numbers in society order:

```
python -m scripts.seed_surat_societies --mobiles 98xxxxxx01,98xxxxxx02, ... (20 numbers)
```

- Without `--mobiles` it uses the placeholder numbers above.
- With Twilio on a trial account, verify each real number in the Twilio console first.
- The script has not been run or tested yet (Python is not installed on the development machine).

6. Security reminders

- The Twilio Auth Token was shared in chat. Regenerate it in the Twilio console and put the new one only in Railway variables.
- Set a strong `JWT_SECRET_KEY` and `ECOM_STORE_API_KEY` in Railway; the example values must not be used in production.