```
Destination
                                                                    Protocol Length Info
                       Source
    63 4.674087543 127.0.0.1
                                              127.0.0.1
                                                                   UDP 56
                                                                                    62680 - 3289 Len=14
Frame 63: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface wlp0s20f3, id 0
   Interface id: 0 (wlp0s20f3)
       Interface name: wlp0s20f3
   Encapsulation type: Ethernet (1)
   Arrival Time: Apr 1, 2025 13:10:11.569994666 EEST
    [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1743502211.569994666 seconds
    [Time delta from previous captured frame: 0.567000616 seconds]
    [Time delta from previous displayed frame: 0.567000616 seconds]
    [Time since reference or first frame: 4.674087543 seconds]
    Frame Number: 62
   Frame Length: 56 bytes (448 bits)
   Capture Length: 56 bytes (448 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:udp:data]
    [Coloring Rule Name: UDP]
    [Coloring Rule String: udp]
Ethernet II, Src: IntelCor_2f:30:5a (44:85:00:2f:30:5a), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
   Destination: Broadcast (ff:ff:ff:ff:ff)
       Address: Broadcast (ff:ff:ff:ff:ff)
        .....1. .... = LG bit: Locally administered address (this is NOT the factory default)
        .... ...1 .... = IG bit: Group address (multicast/broadcast)
    Source: IntelCor_2f:30:5a (44:85:00:2f:30:5a)
       Address: IntelCor_2f:30:5a (44:85:00:2f:30:5a)
        .....θ. .... = LG bit: Globally unique address (factory default)
        .....0 .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 127.0.0.1,
                                                   Dst: 127.0.0.1
   0100 .... = Version: 4
   .... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 42
    Identification: 0x9b15 (39701)
   Flags: 0x00
       0... .... = Reserved bit: Not set
       .0.. ... = Don't fragment: Not set
..1. ... = More fragments: Set
    ...0 0000 0000 0000 = Fragment Offset: 18
   Time to Live: 128
   Protocol: UDP (17)
    Header Checksum: 0x2cda [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 127.0.0.1
   Destination Address: 127.0.0.1
User Datagram Protocol, Src Port: 62680, Dst Port: 3289
   Source Port: 62680
   Destination Port: 3289
   Lenath: 26
   Checksum: 0xa14b [unverified]
    [Checksum Status: Unverified]
    [Stream index: 5]
    [Timestamps]
        [Time since first frame: 2.877525212 seconds]
        [Time since previous frame: 2.877525212 seconds]
   UDP payload (14 bytes)
Data (18 bytes)
0000 64 69 38 35 37 6E 68 37 48 36 47 48 6B 4F 68 75 36 68
   Data: 64693835376E6837483647486B4F68753668
    [Length: 18]
```