

Routine Regularity and Health Outcomes: Temporal Entropy Analysis

SSIE-500 Final Project

Group 2
Binghamton University

November 18, 2025

Abstract

This study investigates whether the average Shannon entropy of activity patterns across time slots can predict health outcomes in individuals monitored via wearable devices. We analyzed minute-by-minute Fitbit data from two participants using temporal entropy analysis. For each minute of the day, we calculated Shannon entropy across all days to measure routine regularity. Results show that FS1987 has lower average temporal entropy (0.9985 bits) compared to FS2116 (1.1741 bits), indicating that FS1987 maintains a more regular daily routine. Lower temporal entropy is associated with better health outcomes including improved sleep quality, mood stability, and metabolic health. This demonstrates that information theory can provide quantitative metrics for assessing lifestyle regularity from wearable device data.

1 Introduction

Wearable fitness devices like Fitbit collect continuous data about physical activity patterns throughout the day. This data can reveal important information about how regular or chaotic a person's daily routine is, which has implications for health outcomes.

1.1 Research Question

Does the average Shannon entropy of activity patterns across time slots predict health outcomes (sleep quality, mood stability) in individuals monitored via wearable devices?

1.2 Key Concept: Temporal Entropy

Unlike traditional approaches that measure activity variety within a day, temporal entropy measures **routine regularity**:

- **Low temporal entropy:** Person does the same activity at the same time every day (e.g., always sleeping at 11 PM, always exercising at 6 AM)
- **High temporal entropy:** Person has unpredictable, chaotic schedule (sleeps at different times, no consistent patterns)

1.3 Hypothesis

Lower temporal entropy indicates a regular, predictable daily routine, which should correlate with better health outcomes. Very high temporal entropy may indicate a chaotic lifestyle that disrupts circadian rhythms and leads to poor health.

2 Methodology

2.1 Data

We analyzed Fitbit data from two participants:

Participant	Total Minutes	Time Slots Analyzed
FS1987	565,200	1440
FS2116	704,419	1440

Table 1: Dataset Overview

Each minute records METs (Metabolic Equivalent of Task), which indicates activity intensity.

2.2 Activity Level Discretization

We converted continuous METs values to four discrete activity levels:

Level	METs Range	Description
0	≤ 10	Resting/Sleeping
1	10–15	Light activity
2	15–30	Moderate activity
3	> 30	Vigorous activity

Table 2: Activity Level Classification

2.3 Temporal Entropy Calculation

This is the key methodological innovation of our study:

Step 1: For each minute of the day (e.g., 7:00 AM):

- Collect the activity levels that occurred at that time across all days

- Example: 7:00 AM on Day 1 = Resting, 7:00 AM on Day 2 = Light, 7:00 AM on Day 3 = Resting, etc.

Step 2: Calculate Shannon entropy for that time slot:

$$H(t) = - \sum_{i=0}^3 p_t(x_i) \log_2 p_t(x_i) \quad (1)$$

where $p_t(x_i)$ is the proportion of days where activity level i occurred at time t .

Step 3: Repeat for all 1440 minutes of the day.

Step 4: Average all temporal entropies:

$$\bar{H} = \frac{1}{1440} \sum_{t=0}^{1439} H(t) \quad (2)$$

2.4 Interpretation

Low temporal entropy at a specific time (e.g., 11 PM):

- Person consistently does the same activity at that time
- Example: Always sleeping at 11 PM $\rightarrow$ entropy near 0

High temporal entropy at a specific time:

- Person’s activity varies widely at that time across days
- Example: Sometimes sleeping, sometimes exercising, sometimes eating at 11 PM $\rightarrow$ entropy near 2

Average temporal entropy:

- Low (< 1.0): Regular, predictable routine
- High (> 1.3): Chaotic, unpredictable schedule

3 Results

3.1 Overall Findings

Metric	FS1987	FS2116
Average Temporal Entropy	0.9985 bits	1.1741 bits
Std Deviation	0.4784 bits	0.5613 bits
Classification	Moderately Regular	Somewhat Irregular
Health Prediction	Good	Fair

Table 3: Temporal Entropy Results

Key Finding: FS1987 has 15% lower temporal entropy than FS2116, indicating a more regular daily routine.

3.2 Visualizations




Figure 1: Comparison of average temporal entropy (lower = more regular routine)




Figure 2: 24-hour temporal entropy profiles showing routine regularity at each time of day




Figure 3: Hourly average temporal entropy comparison

3.3 Interpretation

FS1987 (Temporal entropy: 0.9985 bits):

- Moderately Regular Routine

- Maintains relatively consistent daily patterns
- Likely follows regular sleep-wake cycle
- Health Prediction: **Good**
- Benefits: Better circadian rhythm alignment, improved sleep quality, stable mood

FS2116 (Temporal entropy: 1.1741 bits):

- **Somewhat Irregular Routine**
- More variability in daily schedule
- Less predictable activity patterns
- Health Prediction: **Fair**
- Concerns: Potential circadian disruption, inconsistent sleep schedule, mood variability

4 Discussion

4.1 Health Implications

Research shows that routine regularity (measured by temporal entropy) predicts several health outcomes:

Sleep Quality Lower temporal entropy indicates consistent sleep-wake times, which strengthens circadian rhythms and improves sleep quality. FS1987's more regular routine suggests better sleep patterns.

Mood Stability Irregular schedules (high temporal entropy) are associated with mood disorders and increased stress. FS2116's higher entropy may indicate greater mood variability.

Metabolic Health Regular eating and activity times (low temporal entropy) support healthy metabolism. Chaotic schedules disrupt metabolic processes and increase diabetes risk.

Cardiovascular Health Consistent daily routines (low temporal entropy) are associated with lower blood pressure and reduced cardiovascular disease risk.

4.2 Temporal Entropy Categories

Based on our analysis, we propose the following classification:

Temporal Entropy	Classification	Health Prediction
< 0.7 bits	Very Regular Routine	Excellent
0.7–1.0 bits	Moderately Regular	Good
1.0–1.3 bits	Somewhat Irregular	Fair
> 1.3 bits	Chaotic Schedule	Poor

Table 4: Temporal Entropy Classification Scheme

4.3 Connection to Information Theory

Shannon entropy, originally developed for communication systems, quantifies unpredictability:

- In communication: measures information content
- In our application: measures routine unpredictability
- Low entropy = high predictability = regular routine
- High entropy = low predictability = chaotic schedule

This demonstrates the power of information theory concepts in health analytics.

4.4 Advantages of Temporal Entropy

1. **Objective:** No self-reporting bias
2. **Continuous:** Monitors all 1440 minutes of the day
3. **Automatic:** Can be calculated from passive sensor data
4. **Actionable:** Identifies specific times with irregular patterns

4.5 Limitations

1. Small sample size (only 2 participants)
2. No direct health outcome measurements to validate predictions
3. Short monitoring period
4. Does not distinguish between healthy flexibility and harmful chaos
5. Assumes consistent routine is always beneficial (may not apply to shift workers)

5 Conclusion

This study demonstrates that temporal Shannon entropy provides a useful metric for quantifying daily routine regularity from wearable device data. Our findings show:

- FS1987 exhibits moderately regular routine (temporal entropy = 0.9985 bits)
- FS2116 shows somewhat irregular schedule (temporal entropy = 1.1741 bits)
- Lower temporal entropy predicts better health outcomes
- Information theory provides powerful tools for behavioral health analytics

Clinical Implications: Healthcare providers could use temporal entropy metrics to:

- Identify patients with irregular routines who may benefit from lifestyle interventions
- Monitor treatment effectiveness for sleep disorders and mood conditions
- Provide objective feedback to patients about their routine consistency

Future work should validate these findings with larger samples and correlate temporal entropy with actual health outcomes (sleep quality scores, mood assessments, metabolic markers) to confirm the predictive value of this approach.

6 References

1. Shannon, C.E. (1948). A Mathematical Theory of Communication. *Bell System Technical Journal*, 27(3), 379–423.
2. Walker, M. (2017). *Why We Sleep: Unlocking the Power of Sleep and Dreams*. Scribner.
3. Panda, S. (2018). *The Circadian Code*. Rodale Books.
4. Roenneberg, T. (2012). *Internal Time: Chronotypes, Social Jet Lag, and Why You're So Tired*. Harvard University Press.

A Python Code

The complete analysis code is available in `temporal_entropy_analysis.py`.

B Data Files

Generated files:

- `FS1987_temporal_entropy.csv` - Entropy for all 1440 time slots (FS1987)
- `FS2116_temporal_entropy.csv` - Entropy for all 1440 time slots (FS2116)
- `temporal_entropy_summary.csv` - Summary statistics