Complete Route Documentation

Generated: November 19, 2025
Total Routes: 224
Framework: Laravel 12

Route Overview

The HRM Laravel Base system provides comprehensive RESTful API routes and web routes for a featured ERP system. All routes are protected by authentication and organization-based multi-tenar

1. Core Application Routes

Root & Dashboard

Method	URI	Name	Controller	Middleware
GET/HEAD	/	generated::lgLnEbIM1AFkXhsb	-	web
GET/HEAD	dashboard	dashboard	DashboardController@index	web,auth

Authentication (Laravel Fortify)

Method	URI	Name	Controller	Middleware
GET/HEAD	login	login	AuthenticatedSessionController@create	web,guest
POST	login	login.store	AuthenticatedSessionController@store	web,guest
POST	logout	logout	AuthenticatedSessionController@destroy	web,auth
GET/HEAD	register	register	RegisteredUserController@create	web,guest
POST	register	register.store	RegisteredUserController@store	web,guest
GET/HEAD	forgot-password	password.request	PasswordResetLinkController@create	web,gue
POST	forgot-password	password.email	PasswordResetLinkController@store	web,guest
GET/HEAD	reset-password/{token}	password.reset	NewPasswordController@create	web,gues
POST	reset-password	password.update	NewPasswordController@store	web,guest
GET/HEAD	two-factor-challenge	two-factor.login	TwoFactorAuthenticatedSessionController@cr
web,guest
POST	two-factor-challenge	two-factor.login.store	TwoFactorAuthenticatedSessionController@st

| web,guest |

2. Organization Management

Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	`organizations`	organization.index	Api\OrganizationController@index	web,auth
GET/HEAD	`organizations/analytics`	organization.analytics	OrganizationController@analytics	web,auth
GET/HEAD	`organizations/dashboard`	organization.dashboard	OrganizationController@dashboard	web,auth
GET/HEAD	`organizations/structure`	organization.structure	OrganizationController@structure	web,auth

API Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	`api/organizations`	organizations.index	Api\OrganizationController@index	api,auth:sanctum
POST	`api/organizations`	organizations.store	Api\OrganizationController@store	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}`	organizations.show	Api\OrganizationController@show	api,auth:sanctum
PUT/PATCH	`api/organizations/{organization}`	organizations.update	Api\OrganizationController@update	api,auth:sanctum
DELETE	`api/organizations/{organization}`	organizations.destroy	Api\OrganizationController@destroy	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}/members`	generated::PvDSi1x	-	api,auth:sanctum
POST	`api/organizations/{organization}/invitations`	generated::oHF	-	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}/units`	generated::Szy6XmfDd	-	api,auth:sanctum
POST	`api/organizations/{organization}/units`	generated::hAeWQWYNN	-	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}/units/{unit}`	generated::0k	-	api,auth:sanctum
PUT	`api/organizations/{organization}/units/{unit}`	generated::GL	-	api,auth:sanctum
DELETE	`api/organizations/{organization}/units/{unit}`	generated::Wo	-	api,auth:sanctum
PUT	`api/organizations/{organization}/units/{unit}/assign`	generated::	-	api,auth:sanctum
POST	`api/organizations/{organization}/units/{unit}/bulk-assign`	generated::	-	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}/units/{unit}/hierarchy`	generated::	-	api,auth:sanctum
GET/HEAD	`api/organizations/{organization}/units/{unit}/members`	generated::	-	api,auth:sanctum

3. Financial Management

Accounting Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	accounts	accounting.index	AccountsController@index	web,auth

Accounting API Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	api/accounts	accounts.index	Api\Accounting\ChartOfAccountsController@index	api,auth:sanctum
POST	api/accounts	accounts.store	Api\Accounting\ChartOfAccountsController@store	api,auth:sanctum
GET/HEAD	api/accounts/{account}	accounts.show	Api\Accounting\ChartOfAccountsController@show	api,auth:sanctum
PUT/PATCH	api/accounts/{account}	accounts.update	Api\Accounting\ChartOfAccountsController@update	api,auth:sanctum
DELETE	api/accounts/{account}	accounts.destroy	Api\Accounting\ChartOfAccountsController@destroy	api,auth:sanctum

Journal Entries API

Method	URI	Name	Controller	Middleware
GET/HEAD	api/journal-entries	journal-entries.index	Api\Accounting\JournalEntryController@index	api,auth:sanctum
POST	api/journal-entries	journal-entries.store	Api\Accounting\JournalEntryController@store	api,auth:sanctum
GET/HEAD	api/journal-entries/{journal_entry}	journal-entries.show	Api\Accounting\JournalEntryController@show	api,auth:sanctum
PUT/PATCH	api/journal-entries/{journal_entry}	journal-entries.update	Api\Accounting\JournalEntryController@update	api,auth:sanctum
DELETE	api/journal-entries/{journal_entry}	journal-entries.destroy	Api\Accounting\JournalEntryController@destroy	api,auth:sanctum
PUT	api/journal-entries/{journal_entry}/post	generated::gG081tw	-	api,auth:sanctum
PUT	api/journal-entries/{journal_entry}/void	generated::a3xDbT6	-	api,auth:sanctum

Voucher System API

Method	URI	Name	Controller	Middleware
GET/HEAD	api/vouchers	vouchers.index	Api\VoucherController@index	api,auth:sanctum
POST	api/vouchers	vouchers.store	Api\VoucherController@store	api,auth:sanctum
POST	api/vouchers/expense	generated::Ufl8CjLhRImIcuyq	Api\VoucherController@expense	api,auth:sanctum
POST	api/vouchers/purchase	generated::iNpU0gNtbPP3WYV	Api\VoucherController@purchase

api,auth:sanctum |
| POST | `api/vouchers/salary` | generated::qDoRW5TfLo8gQh7y | Api\VoucherController@salary |
api,auth:sanctum |
| POST | `api/vouchers/sales` | generated::uc9q31P4cls1awIf | Api\VoucherController@sales |
api,auth:sanctum |
| GET/HEAD | `api/vouchers/{voucher}` | vouchers.show | Api\VoucherController@show | api,auth:sanc
|
| PUT/PATCH | `api/vouchers/{voucher}` | vouchers.update | Api\VoucherController@update |
api,auth:sanctum |
| DELETE | `api/vouchers/{voucher}` | vouchers.destroy | Api\VoucherController@destroy |
api,auth:sanctum |
| PUT | `api/vouchers/{voucher}/post` | generated::go82ilheJ4Exlz5v | - | api,auth:sanctum |
| PUT | `api/vouchers/{voucher}/void` | generated::JcoopEbIzo6Plcsz | - | api,auth:sanctum |

Financial Reports API

Method	URI	Name	Controller	Middleware
GET/HEAD	`api/reports/trial-balance`	generated::be3MX8gJudsMo8FJ	Api\Accounting\ReportsController@trialBalance	api,auth:sanctum
GET/HEAD	`api/reports/balance-sheet`	generated::OHlKYWIpJzAS7QIv	Api\Accounting\ReportsController@balanceSheet	api,auth:sanctum
GET/HEAD	`api/reports/income-statement`	generated::i8MnW7UOnvgcMmWC	Api\Accounting\ReportsController@incomeStatement	api,auth:sanctum

Outstandings API

Method	URI	Name	Controller	Middleware
GET/HEAD	`api/outstanding/customers/summary`	generated::HSOitO84a4APii	-	api,auth:sanctum
GET/HEAD	`api/outstanding/receivables/aging`	generated::jKjVA2DfzpkRJT	-	api,auth:sanctum
GET/HEAD	`api/outstanding/payables/aging`	generated::knvIsK3L7gBm4ySv	-	api,auth:sanctum
GET/HEAD	`api/outstanding/vendors/summary`	generated::YmqHw7szcd3fw6bK	-	api,auth:sanctu

4. Inventory Management

Inventory Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	`inventory`	inventory.index	Inventory\InventoryController@index	web,auth
GET/HEAD	`inventory/items`	inventory.items.index	Inventory\InventoryItemController@index	web,auth
GET/HEAD	`inventory/items/create`	inventory.items.create	Inventory\InventoryItemController@cre	web,auth

| GET/HEAD | `inventory/items/{item}` | inventory.items.show | Inventory\InventoryItemController@show |
web,auth |
| GET/HEAD | `inventory/items/{item}/edit` | inventory.items.edit | Inventory\InventoryItemController@edit |
web,auth |
| PUT | `inventory/items/{item}` | inventory.items.update | Inventory\InventoryItemController@update |
web,auth |
| DELETE | `inventory/items/{item}` | inventory.items.destroy | Inventory\InventoryItemController@destroy |
web,auth |
| POST | `inventory/items` | inventory.items.store | Inventory\InventoryItemController@store | web,auth |
| GET/HEAD | `inventory/reports` | inventory.reports.index | Inventory\InventoryReportController@index |
web,auth |
| GET/HEAD | `inventory/reports/low-stock` | inventory.reports.low-stock |
Inventory\InventoryReportController@lowStock | web,auth |
| GET/HEAD | `inventory/reports/movement` | inventory.reports.movement |
Inventory\InventoryReportController@movement | web,auth |
| GET/HEAD | `inventory/reports/stock-levels` | inventory.reports.stock-levels |
Inventory\InventoryReportController@stockLevels | web,auth |
| GET/HEAD | `inventory/stock/adjustment` | inventory.stock.adjustment |
Inventory\InventoryStockController@adjustment | web,auth |
| POST | `inventory/stock/adjustment` | inventory.stock.process-adjustment |
Inventory\InventoryStockController@processAdjustment | web,auth |
| GET/HEAD | `inventory/stock/count` | inventory.stock.count | Inventory\InventoryStockController@count |
web,auth |
| POST | `inventory/stock/count` | inventory.stock.process-count |
Inventory\InventoryStockController@processCount | web,auth |
| GET/HEAD | `inventory/stock/transfer` | inventory.stock.transfer |
Inventory\InventoryStockController@transfer | web,auth |
| POST | `inventory/stock/transfer` | inventory.stock.process-transfer |
Inventory\InventoryStockController@processTransfer | web,auth |
| GET/HEAD | `inventory/stores` | inventory.stores.index | Inventory\InventoryStoreController@index |
web,auth |
| GET/HEAD | `inventory/stores/create` | inventory.stores.create |
Inventory\InventoryStoreController@create | web,auth |
| GET/HEAD | `inventory/stores/{store}` | inventory.stores.show |
Inventory\InventoryStoreController@show | web,auth |
| GET/HEAD | `inventory/stores/{store}/edit` | inventory.stores.edit |
Inventory\InventoryStoreController@edit | web,auth |
| PUT | `inventory/stores/{store}` | inventory.stores.update | Inventory\InventoryStoreController@update |
web,auth |
| DELETE | `inventory/stores/{store}` | inventory.stores.destroy |
Inventory\InventoryStoreController@destroy | web,auth |
| POST | `inventory/stores` | inventory.stores.store | Inventory\InventoryStoreController@store | web,auth
|
| GET/HEAD | `inventory/transactions` | inventory.transactions.index |
Inventory\InventoryTransactionController@index | web,auth |
| GET/HEAD | `inventory/transactions/create` | inventory.transactions.create |
Inventory\InventoryTransactionController@create | web,auth |
| GET/HEAD | `inventory/transactions/wizard` | inventory.transactions.wizard |
Inventory\InventoryTransactionController@wizard | web,auth |
| GET/HEAD | `inventory/transactions/{transaction}` | inventory.transactions.show |
Inventory\InventoryTransactionController@show | web,auth |
| POST | `inventory/transactions` | inventory.transactions.store |
Inventory\InventoryTransactionController@store | web,auth |

Inventory API Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	`api/inventory/items`	items.index	Api\Inventory\ItemController@index	api,auth:sanctum
POST	`api/inventory/items`	items.store	Api\Inventory\ItemController@store	api,auth:sanctum
GET/HEAD	`api/inventory/items/low-stock`	items.low-stock	Api\Inventory\ItemController@lowStock	api,auth:sanctum
GET/HEAD	`api/inventory/items/out-of-stock`	items.out-of-stock	Api\Inventory\ItemController@outOfStock	api,auth:sanctum
GET/HEAD	`api/inventory/items/{item}`	items.show	Api\Inventory\ItemController@show	api,auth:sanctum
PUT/PATCH	`api/inventory/items/{item}`	items.update	Api\Inventory\ItemController@update	api,auth:sanctum
DELETE	`api/inventory/items/{item}`	items.destroy	Api\Inventory\ItemController@destroy	api,auth:sanctum
GET/HEAD	`api/inventory/items/{item}/availability`	items.availability	Api\Inventory\ItemController@availability	api,auth:sanctum
GET/HEAD	`api/inventory/stores`	stores.index	Api\Inventory\StoreController@index	api,auth:sanctum
POST	`api/inventory/stores`	stores.store	Api\Inventory\StoreController@store	api,auth:sanctum
GET/HEAD	`api/inventory/stores/{store}`	stores.show	Api\Inventory\StoreController@show	api,auth:sanctum
PUT/PATCH	`api/inventory/stores/{store}`	stores.update	Api\Inventory\StoreController@update	api,auth:sanctum
DELETE	`api/inventory/stores/{store}`	stores.destroy	Api\Inventory\StoreController@destroy	api,auth:sanctum
PUT	`api/inventory/stores/{store}/inventory`	stores.inventory.update	Api\Inventory\StoreController@updateInventory	api,auth:sanctum
POST	`api/inventory/stores/{store}/items`	stores.items.add	Api\Inventory\StoreController@addItems	api,auth:sanctum
PUT	`api/inventory/stores/{store}/items/{item}`	stores.items.update	Api\Inventory\StoreController@updateItem	api,auth:sanctum
DELETE	`api/inventory/stores/{store}/items/{item}`	stores.items.remove	Api\Inventory\StoreController@removeItem	api,auth:sanctum
GET/HEAD	`api/inventory/transactions`	transactions.index	Api\Inventory\TransactionController@index	api,auth:sanctum
POST	`api/inventory/transactions`	transactions.store	Api\Inventory\TransactionController@store	api,auth:sanctum
GET/HEAD	`api/inventory/transactions/{transaction}`	transactions.show	Api\Inventory\TransactionController@show	api,auth:sanctum
PUT/PATCH	`api/inventory/transactions/{transaction}`	transactions.update	Api\Inventory\TransactionController@update	api,auth:sanctum
DELETE	`api/inventory/transactions/{transaction}`	transactions.destroy	Api\Inventory\TransactionController@destroy	api,auth:sanctum
PUT	`api/inventory/transactions/{transaction}/cancel`	transaction.cancel	Api\Inventory\TransactionController@cancel	api,auth:sanctum
PUT	`api/inventory/transactions/{transaction}/finalize`	transaction.finalize	Api\Inventory\TransactionController@finalize	api,auth:sanctum
POST	`api/inventory/transactions/{transaction}/items`	transactions.items	Api\Inventory\TransactionController@addItems	api,auth:sanctum

5. Human Resources Management

HR Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	hr/employees	hr.employees.index	HR\EmployeeController@index	web,auth
POST	hr/employees	hr.employees.store	HR\EmployeeController@store	web,auth
GET/HEAD	hr/employees/create	hr.employees.create	HR\EmployeeController@create	web,au
GET/HEAD	hr/employees/{employee}	hr.employees.show	HR\EmployeeController@show	web,auth
GET/HEAD	hr/employees/{employee}/edit	hr.employees.edit	HR\EmployeeController@edit	web,auth
PUT/PATCH	hr/employees/{employee}	hr.employees.update	HR\EmployeeController@update	web,auth
DELETE	hr/employees/{employee}	hr.employees.destroy	HR\EmployeeController@destroy	web,auth
POST	hr/employees/without-user	hr.employees.store-without-user	HR\EmployeeController@storeWithoutUser	web,auth
PUT	hr/employees/{employee}/biometric	hr.employees.update-biometric	HR\EmployeeController@updateBiometric	web,auth
POST	hr/employees/{employee}/grant-access	hr.employees.grant-access	HR\EmployeeController@grantAccess	web,auth
GET/HEAD	hr/positions	hr.positions.index	HR\JobPositionController@index	web,auth
POST	hr/positions	hr.positions.store	HR\JobPositionController@store	web,auth
GET/HEAD	hr/positions/create	hr.positions.create	HR\JobPositionController@create	web,auth
GET/HEAD	hr/positions/{position}	hr.positions.show	HR\JobPositionController@show	web,auth
GET/HEAD	hr/positions/{position}/edit	hr.positions.edit	HR\JobPositionController@edit	web,auth
PUT/PATCH	hr/positions/{position}	hr.positions.update	HR\JobPositionController@update	web,auth
DELETE	hr/positions/{position}	hr.positions.destroy	HR\JobPositionController@destroy	web,au
GET/HEAD	hr/shifts	hr.shifts.index	HR\ShiftController@index	web,auth
POST	hr/shifts	hr.shifts.store	HR\ShiftController@store	web,auth
GET/HEAD	hr/shifts/create	hr.shifts.create	HR\ShiftController@create	web,auth
GET/HEAD	hr/shifts/{shift}	hr.shifts.show	HR\ShiftController@show	web,auth
GET/HEAD	hr/shifts/{shift}/edit	hr.shifts.edit	HR\ShiftController@edit	web,auth
PUT/PATCH	hr/shifts/{shift}	hr.shifts.update	HR\ShiftController@update	web,auth
DELETE	hr/shifts/{shift}	hr.shifts.destroy	HR\ShiftController@destroy	web,auth

HRM Dashboard

Method	URI	Name	Controller	Middleware
GET/HEAD	hrm/dashboard	hrm.dashboard	HrmDashboardController@index	web,auth

6. Attendance & Leave Management

Attendance Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	attendance/dashboard	attendance.dashboard	Attendance\AttendanceController@dashboard	web,auth
POST	attendance/apply-leave/{id}	attendance.apply-leave	Attendance\AttendanceController@applyLeave	web,auth
POST	attendance/regularize/{id}	attendance.regularize	Attendance\AttendanceController@regularize	web,auth
POST	attendance/sync-biometric	attendance.biometric-sync	Attendance\AttendanceController@biometricSync	web,auth
GET/HEAD	attendance/export-payroll	attendance.export-payroll	Attendance\AttendanceController@exportPayroll	web,auth

7. Portal System

Employee Portal

Method	URI	Name	Controller	Middleware
GET/HEAD	portal/employee/dashboard	portal.employee.dashboard	Portal\EmployeeController@dashboard	web,auth
POST	portal/employee/clock-in	portal.employee.clock-in	Attendance\AttendanceController@cloc	web,auth
POST	portal/employee/clock-out	portal.employee.clock-out	Attendance\AttendanceController@clockOut	web,auth
GET/HEAD	portal/employee/attendance	portal.employee.attendance	Portal\EmployeeController@attendance	web,auth
GET/HEAD	portal/employee/leave	portal.employee.leave	Portal\EmployeeController@leave	web,auth
POST	portal/employee/leave	portal.employee.leave.store	Portal\EmployeeController@storeLeav	web,auth
GET/HEAD	portal/employee/leave/create	portal.employee.leave.create	Portal\EmployeeController@createLeave	web,auth
GET/HEAD	portal/employee/payslips	portal.employee.payslips	Portal\EmployeeController@pays	web,auth
GET/HEAD	portal/employee/payslips/{payslip}	portal.employee.payslips.show	Portal\EmployeeController@showPayslip	web,auth
GET/HEAD	portal/employee/payslips/{payslip}/download	portal.employee.payslips.download	Portal\EmployeeController@downloadPayslip	web,auth
GET/HEAD	portal/employee/setup	portal.employee.setup	Portal\EmployeeController@setup	web,auth

| POST | portal/employee/setup | portal.employee.complete-setup |
Portal\EmployeeController@completeSetup | web,auth |

Manager Portal

Method	URI	Name	Controller	Middleware
GET/HEAD	portal/manager/dashboard	portal.manager.dashboard	Portal\ManagerController@dashboard	web,auth
GET/HEAD	portal/manager/reports	portal.manager.reports	Portal\ManagerController@reports	web,auth
GET/HEAD	portal/manager/team-attendance	portal.manager.team-attendance	Portal\ManagerController@teamAttendance	web,auth
POST	portal/manager/leave/{leaveRequest}/approve	portal.manager.leave.approve	Portal\ManagerController@approveLeave	web,auth
POST	portal/manager/leave/{leaveRequest}/reject	portal.manager.leave.reject	Portal\ManagerController@rejectLeave	web,auth

---

8. Payroll Management

Payroll Web Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	payroll/processing	payroll.processing	Payroll\PayrollController@processing	web,au

---

9. Setup Wizard

Setup Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	setup	setup.organization	SetupController@organization	web,auth
POST	setup/organization	setup.organization.store	SetupController@storeOrganization	web,au
GET/HEAD	setup/accounts	setup.accounts	SetupController@accounts	web,auth
POST	setup/accounts	setup.accounts.store	SetupController@storeAccounts	web,auth
GET/HEAD	setup/stores	setup.stores	SetupController@stores	web,auth
POST	setup/stores	setup.stores.store	SetupController@storeStores	web,auth

---

10. User Management & Profile

User Profile Routes (Laravel Jetstream)

Method	URI	Name	Controller	Middleware
GET/HEAD	user/profile	profile.show	UserProfileController@show	web,auth
PUT	user/profile-information	user-profile-information.update	UserProfileController@update	web,auth
PUT	user/password	user-password.update	PasswordController@update	web,auth
GET/HEAD	user/confirm-password	password.confirm	ConfirmablePasswordController@show	web,auth
POST	user/confirm-password	password.confirm.store	ConfirmablePasswordController@store	web,auth
GET/HEAD	user/api-tokens	api-tokens.index	ApiTokenController@index	web,auth
GET/HEAD	user/two-factor-authentication	two-factor.enable	TwoFactorAuthenticationController@show	web,auth
POST	user/two-factor-authentication	two-factor.enable	TwoFactorAuthenticationController@store	web,auth
DELETE	user/two-factor-authentication	two-factor.disable	TwoFactorAuthenticationController@destroy	web,auth
GET/HEAD	user/two-factor-qr-code	two-factor.qr-code	TwoFactorQrCodeController@show	web,auth
GET/HEAD	user/two-factor-recovery-codes	two-factor.recovery-codes	TwoFactorRecoveryCodeController@index	web,auth
POST	user/two-factor-recovery-codes	two-factor.recovery-codes.regenerate	TwoFactorRecoveryCodeController@store	web,auth

Team Management

Method	URI	Name	Controller	Middleware
GET/HEAD	teams/create	teams.create	TeamController@create	web,auth
GET/HEAD	teams/{team}	teams.show	TeamController@show	web,auth
POST	team-invitations/{invitation}/accept	team-invitations.accept	TeamInvitationController@accept	web,auth
PUT	current-team	current-team.update	CurrentTeamController@update	web,auth

11. API Utility Routes

Debug & Development

| Method | URI | Name | Controller | Middleware |

	--------	-----	------	------------	-------------
GET/HEAD	api/debug/test-connection	generated::m7WRBi9XZmdAFWOv	-	api
GET/HEAD	api/user	generated::P0hG2NL8U5SOO2h1	-	api,auth:sanctum
GET/HEAD	api/users/me/organizations	generated::b9OckcIyvJqTK45X	-	api,auth:sanctum

12. Storage & Assets

File Storage

Method	URI	Name	Controller	Middleware
GET/HEAD	storage/{path}	storage.local	-	web

13. System & Debug Routes

Development Tools

Method	URI	Name	Controller	Middleware
GET/HEAD	debug/api-config	generated::xSvIwTB9CmEnr5M1	-	web
GET/HEAD	debug/journal-entries	generated::ldPRmoPofrrWePdK	-	web
GET/HEAD	debug/orgs	generated::oSKCqOdwXQOcifwf	-	web
GET/HEAD	debug/reports/all	generated::SajLsbBas5kgyiMM	-	web
GET/HEAD	debug/test-sequence	generated::N833Ea5ecWAFpQzQ	-	web

Livewire Routes

Method	URI	Name	Controller	Middleware
GET/HEAD	livewire/livewire.js	generated::C1VXbk52miGIG1YJ	-	web
GET/HEAD	livewire/livewire.min.js.map	generated::HvCTOuTqRXiHttIO	-	web
POST	livewire/update	livewire.update	Livewire\Mechanisms\HandleRequests	web
POST	livewire/upload-file	livewire.upload-file	Livewire\Features\SupportFileUploads	web
GET/HEAD	livewire/preview-file/{filename}	livewire.preview-file	Livewire\Features\SupportFileUploads	web

14. Third-Party Package Routes

Laravel Sanctum

Method	URI	Name	Controller	Middleware
GET/HEAD	sanctum/csrf-cookie	sanctum.csrf-cookie	-	web

Debug Tools

Method	URI	Name	Controller	Middleware
GET/HEAD	_debugbar/assets/javascript	debugbar.assets.js	-	web
GET/HEAD	_debugbar/assets/stylesheets	debugbar.assets.css	-	web
DELETE	_debugbar/cache/{key}/{tags?}	debugbar.cache.delete	-	web
GET/HEAD	_debugbar/clockwork/{id}	debugbar.clockwork	-	web
GET/HEAD	_debugbar/open	debugbar.openhandler	-	web
POST	_debugbar/queries/explain	debugbar.queries.explain	-	web

Clockwork Integration

Method	URI	Name	Controller	Middleware
GET/HEAD	clockwork	generated::LcCnSl8r9eKzFwCm	-	web
GET/HEAD	clockwork/app	generated::Kqb9hKwx2M75NvST	-	web
GET/HEAD	clockwork/{path}	generated::Mmn79H4UhtE7wBkV	-	web
POST	clockwork/auth	generated::gfCTsyWVtJimvYh0	-	web
PUT	clockwork/{id}	generated::1gxSbjQ1e7N1QYLE	-	web
GET/HEAD	clockwork/{id}/extended	generated::gmEGNYAiFAmConDl	-	web
GET/HEAD	clockwork/{id}/{direction?}/{count?}	generated::H4fD7puoP	-	web

Laravel Boost

Method	URI	Name	Controller	Middleware
POST	_boost/browser-logs	boost.browser-logs	-	web

---

15. Route Middleware Stack

Standard Middleware Groups

web

- Session management
- CSRF protection
- Cookie encryption
- Route model binding

api

- Stateless API
- Rate limiting
- CORS handling

auth:sanctum

- API token authentication
- Organization scoping
- Permission validation

---

16. Route Patterns & Conventions

RESTful API Design

- `GET /api/resource` - List resources
- `POST /api/resource` - Create resource
- `GET /api/resource/{id}` - Show resource
- `PUT/PATCH /api/resource/{id}` - Update resource
- `DELETE /api/resource/{id}` - Delete resource

Nested Resources

- `GET /api/organizations/{org}/units` - Organization units
- `GET /api/inventory/stores/{store}/items` - Store items
- `POST /api/inventory/transactions/{id}/items` - Transaction items

Action Routes

- `POST /api/vouchers/expense` - Create expense voucher
- `POST /api/vouchers/sales` - Create sales voucher
- `PUT /api/journal-entries/{id}/post` - Post journal entry
- `PUT /api/inventory/transactions/{id}/finalize` - Finalize transaction

---

17. Authentication & Authorization

Route Protection

- All web routes require `web` middleware
- All API routes require `api` middleware
- Protected routes require `auth` or `auth:sanctum`
- Organization-based data isolation enforced

Permission-Based Access

- Role-based permissions checked in controllers
- Organization membership validated
- Resource-level authorization policies

18. API Versioning & Future-Proofing

Current Version

- API version: v1 (implicit)
- Consistent naming patterns
- Backward compatibility maintained

Scalability Design

- RESTful conventions
- Resource-based routing
- Plural resource names
- HTTP verb compliance

This route documentation reflects the current application state as of November 19, 2025. The sys provides comprehensive REST API coverage for all ERP modules with proper authentication authorization.