



Sand Box - Analysis Report

Organisation	Example Organisation
Analyst	Analyst Name
Project	Test
File tested	C:\Users\user\Desktop\test.exe
SHA-256	9f86d081884c7d659a2feaa0c55ad015a3bf4f1b2b0b822cd15d6c15b0f00a08
File size	1482752 bytes
1st shot (Before)	2026-10-05 10:58:11
Install/Run	2026-10-05 11:01:30
Live recording	Procmon: done, Network capture: done
2nd shot (After)	2026-10-05 11:09:40
Compared	2026-10-05 08:44:30
Machine	vm (Linux-6.18.44-fc-v70-x86_64-with-glibc2.39)

Summary

Check	Added / new	Removed	Changed	Note
Regshot (registry)	8	4	3	
Files	3	1	1	
CC port (CurrPorts)	1	0	0	
Netstat	2	1	0	
Process explore	1	1	0	
Auto Run	1	0	0	
Services	1	1	1	
Schedule task	1	0	1	
Live activity while it ran (Procmon)	11	3	0	
Network activity while it ran	12	0	0	

Regshot (registry)

Keys added (3)

HKLM\SOFTWARE\Evil Corp
HKLM\SOFTWARE\Evil Corp\Config
HKLM\SYSTEM\CurrentControlSet\Services\EvilSvc

Keys deleted (1)

HKLM\SOFTWARE\7-Zip

Values added (5)

HKLM\SOFTWARE\Evil Corp\[InstallDir] = (SZ) C:\ProgramData\Evil
HKLM\SOFTWARE\Evil Corp\Config\[c2] = (SZ) 10.0.0.66:4444
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\[EvilUpdater] = (SZ) C:\Users\Public\evil.exe /silent
HKLM\SYSTEM\CurrentControlSet\Services\EvilSvc\[ImagePath] = (EXPAND_SZ) C:\ProgramData\Evil\svc.exe
HKLM\SYSTEM\CurrentControlSet\Services\EvilSvc\[Start] = (DWORD) 2

Values deleted (3)

HKLM\SOFTWARE\7-Zip\[Default]] = (SZ) default
HKLM\SOFTWARE\7-Zip\[Path] = (SZ) C:\Program Files\7-Zip\
HKLM\SOFTWARE\zeta\multi] = (MULTI_SZ) a | b

Values modified (3)

HKLM\SOFTWARE\zeta\bin]: (BINARY) 000102030405060708090a0b0c0d0e0f101112131415161718191a1b1c1d1e1f202122232425262728292a2b2c2d2e2f303132333435363738393a3b ...[len=2048 sha1=ceef2e0cf89aedba] -> (BINARY) fffefdfcfbfaf9f8f7f6f5f4f3f2f1f0efeedecebeae9e8e7e6e5e4e3e2e1e0dfdedddcdbdad9d8d7d6d5d4d3d2d1d0cfcecdcccbcac9c8c7c6c5c4 ...

```
[len=2048 sha1=7af0b93c2d364e88]
HKLM\SOFTWARE\zeta\[n]: (DWORD) 5 -> (DWORD) 6
HKU\S-1-5-21-1\Software\[x]: (SZ) 1 -> (SZ) 2
```

Files

Files added (2)

C:\ProgramData\Evil\svc.exe | 88064 bytes
C:\Users\Public\evil.exe | 1482752 bytes

Files deleted (1)

C:\Users\user\old.tmp | 5 bytes

Files modified (1)

C:\ProgramData\App\config.ini | 3 -> 7 bytes

Folders added (1)

C:\ProgramData\Evil

CC port (CurrPorts)

Ports added (1)

evil.exe | TCP | 4444 | 0.0.0.0 | | 0.0.0.0 | Listening | C:\Users\Public\evil.exe

Netstat

Connections added (2)

TCP 0.0.0.0:4444 -> 0.0.0.0:0 LISTENING [evil.exe]
TCP 192.168.56.10:49822 -> 10.0.0.66:4444 ESTABLISHED [evil.exe]

Connections removed (1)

TCP 192.168.56.10:49701 -> 20.54.36.229:443 ESTABLISHED [msedge.exe]

Process explore

Processes added (1)

evil.exe | C:\Users\Public\evil.exe | C:\Users\Public\evil.exe /silent (x2)

Processes ended (1)

msedge.exe | C:\Program Files (x86)\Microsoft\Edge\msedge.exe | "C:\Program Files (x86)\Microsoft\Edge\msedge.exe" --type=renderer

Auto Run

Autorun entries added (1)

Ligon | HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run | EvilUpdater | enabled | c:\users\public\evil.exe
| C:\Users\Public\evil.exe /silent

Services

Services added (1)

EvilSvc | State=Running | StartMode=Auto | StartName=LocalSystem | PathName=C:\ProgramData\Evil\svc.exe

Services removed (1)

Fax | State=Stopped | StartMode=Manual | StartName=NT AUTHORITY\NetworkService | PathName=C:\Windows\system32\fxssvc.exe

Services changed (1)

WinDefend | State: Running -> Stopped ; StartMode: Auto -> Disabled

Schedule task

Tasks added (1)

\Evil Daily | State=Ready | Actions=C:\Users\Public\evil.exe /silent ; COM {AAAA-BBBB}

Tasks changed (1)

\GoogleUpdate | Actions: C:\Program Files\Google\Update\GoogleUpdate.exe /c -> C:\Users\Public\evil.exe /persi
st

Live activity while it ran (Procmon)

File and registry activity is listed for processes that started during the recording; network activity is listed for every process.

Processes started (2)

```
test.exe | C:\Users\user\Desktop\test.exe | PID 6660 | started by python.exe (PID 4321) | "C:\Users\user\Desktop\test.exe"
cmd.exe | C:\Windows\System32\cmd.exe | PID 6700 | started by test.exe (PID 6660) | cmd /c del C:\Users\user\Desktop\test.exe
```

Files written (3)

```
test.exe -> C:\Users\Public\evil.exe
test.exe -> C:\Users\user\AppData\Local\Temp\setup.tmp
test.exe -> C:\ProgramData\Evil\svc.exe (renamed from C:\Users\user\AppData\Local\Temp\a.tmp)
```

Files deleted (2)

```
test.exe -> C:\Users\user\AppData\Local\Temp\setup.tmp
cmd.exe -> C:\Users\user\Desktop\test.exe
```

Registry values set (2)

```
test.exe -> HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\EvilUpdater = C:\Users\Public\evil.exe /silent
test.exe -> HKCU\Software\Evil\Counter = 2
```

Registry entries deleted (1)

```
test.exe -> HKCU\Software\Microsoft\Windows\CurrentVersion\Run\OneDrive
```

Network connections by new processes (2)

```
test.exe | TCP Connect | 10.0.0.66:4444
test.exe | UDP Send | 8.8.8.8:53
```

Network connections by other processes (2)

```
svchost.exe | UDP Send | 224.0.0.251:5353
msedge.exe | TCP Connect | 20.54.36.229:443
```

Network activity while it ran

From the Windows DNS cache and the packet capture (Live\network.pcapng, opens in Wireshark).

Domain names looked up (Windows DNS cache) (3)

```
evil-c2.example.net -> 10.0.0.66
update.evil.example (no answer)
www.msftconnecttest.com -> 23.200.0.10
```

DNS queries seen in packets (2)

```
evil-c2.example.net (asked 8.8.8.8)
update.evil.example (asked 2001:4860:4860::8888)
```

Host names seen in web traffic (2)

```
evil-c2.example.net (10.0.0.66:443)
download.evil.example (93.184.216.34:80)
```

TCP connections started (4)

```
192.168.56.10 -> 10.0.0.66:4444
192.168.56.10 -> 10.0.0.66:443
192.168.56.10 -> 93.184.216.34:80
fe80::1 -> [2001:db8::5]:8443
```

UDP destinations (1)

```
192.168.56.10 -> 1.2.3.4:443
```