

Newww-tab Prompt

Browser home page / new tab page for quick access to ~100 frequently used URLs. Two versions exist in this folder.

Version 1: `newww-tab.html` (static, read-only)

Fetches link data from GitHub on every page load. Read-only — editing is done by modifying markdown files on GitHub.

Data

- Each column is a subfolder under `data/` (e.g., `data/theo/`, `data/reads/`, etc.)
- Files within each subfolder are auto-discovered at runtime via the GitHub Contents API — no file lists in the HTML
- Links use markdown syntax: `[title] (url)`
- Each `<details>/<summary>` section from the original data has been extracted into its own file — no `<details>` tags remain in the markdown files
- Files may contain `<textarea>` elements and inline HTML

Layout

- Single self-contained HTML file — no build step
- Side-by-side scrollable columns (flex-wrap), one per data file
- Column order: `theo`, `reads`, `news`, `ai`, `apps`, `groups`, `orgs`
- `.md` files in each subfolder are discovered automatically via the GitHub Contents API at page load
- Only the column folder names are listed in the HTML (`COLUMNS` array)
- Each column has a clickable title that collapses/expands the column; state saved to `localStorage`
- Column titles include an indicator of open/closed state: "▼" for open, "►" for closed
- Single-file columns: pencil icon on the column title opens the markdown file on GitHub for editing
- Multi-file columns: each file renders in its own `<details>/<summary>` section with a pencil icon on the summary

Style

- Monospace font, green links (200% font-size), dark mode via `prefers-color-scheme`
- Columns: `flex: 0 1 22ch`, full viewport height, thin green scrollbars
- Embedded `<textarea>` and `<details>/<summary>` elements styled to match the theme

Rendering

- GitHub Contents API discovers `.md` files in each `data/{column}/` subfolder
- File content fetched via `download_url` (`raw.githubusercontent.com` — no API rate cost)
- Showdown.js (CDN) converts markdown to HTML

- Showdown config: `simpleLineBreaks, simplifiedAutoLink, openLinksInNewWindow`
- All links open in new tabs

GitHub Access Token

- A key icon in the bottom-right corner opens a settings panel to enter a GitHub Personal Access Token
- Token is stored in `localStorage` (`newww-tab-gat`) and sent as `Authorization: token {gat}` on API calls
- Without a token: 60 API requests/hour; with a token: 5,000/hour
- If rate-limited, columns show a message prompting the user to add a token

To add or edit URLs

Edit or move markdown files in the column subfolders under `data/`. The page discovers them automatically on each load — no HTML changes needed. To add a new column, create a subfolder and add its name to the `COLUMNS` array.

Version 2: `newww-tab-interactive.html` (local-first, editable)

Stores all data in `localStorage` as JSON. Fully interactive — add, edit, delete, drag-and-drop links without touching GitHub. Can import from and export to the same markdown files used by version 1.

Data model

- Primary storage: `localStorage` key `newww-tab-data` containing JSON
- Structure: `{ columns: [{ id, title, color, collapsed, sections: [{ id, title, collapsed, links: [{ id, title, url, secondaryTitle, secondaryUrl }] }] }`
- Paired links: a single link item can have both a primary URL (the site) and a secondary URL (e.g., the GitHub repo), displayed inline as `[g] [title]`
- Link titles are truncated to 10 characters in the display; full title shown on hover tooltip
- No data is fetched from GitHub at page load — the page works entirely offline from `localStorage`

Layout

- Single self-contained HTML file — no build step
- Compact toolbar at top: search input, + Column, Import, Export, Settings buttons
- Side-by-side scrollable columns (`flex: 0 1 24ch, flex-wrap`), all 7 columns visible on screen
- Columns contain sections (equivalent to the `.md` files in version 1)
- Sections contain links
- Collapsible columns and sections with "▼"/"►" indicators; state saved to `localStorage`

Interactivity

- **Drag-and-drop** (SortableJS from CDN):
 - Reorder links within a section or move them between sections/columns
 - Reorder sections within a column or move them between columns
 - Reorder columns via drag handle on the column header
- **Move columns:** "◀" / "▶" arrow buttons on each column header (shown on hover)
- **Inline editing:** click the pencil icon on any column, section, or link to rename it; Enter saves, Escape cancels
- **Link editing:** pencil icon opens a form with Title, URL, Secondary Label, Secondary URL fields
- **Add/delete:** "+" buttons for columns (toolbar), sections (column header), and links (bottom of each section); "X" buttons to delete (with confirmation for non-empty items)
- **URL drop:** drag a URL from the browser address bar onto any section to create a new link (hostname used as default title, edit form opens immediately)
- **Search:** Ctrl+F focuses the filter bar; filters across all columns by title and URL; highlights matches; Escape clears

Style

- Monospace font (SF Mono, Cascadia Code, Fira Code, Consolas), green links at 200% font-size
- Dark mode via `prefers-color-scheme` (light: white/#fff, dark: #222)
- Thin green scrollbars matching version 1
- Drag handles, edit/delete buttons appear on hover to keep the UI clean
- Compact and dense layout — minimal padding, tight line-height (1.15)

Import

- Import button opens a modal: configure repo (`theo-armour/sandbox`), data path (`cookbook/newww-tab/data`), and optional GitHub token
- Fetches directory listing via GitHub Contents API, then each `.md` file via `download_url`
- Parses `[title](url)` markdown links; detects paired links (two links on one line: first becomes secondary, second becomes primary)
- Creates columns from folder names, sections from file names
- Can replace or merge with existing data
- Token stored in `localStorage` (`newww-tab-gat`) for reuse

Export

- Export button opens a modal with JSON or Markdown download
- JSON: full data structure, suitable for backup/restore
- Markdown: `# Column / ## Section / [title](url)` format, compatible with the `data/` folder structure
- Copy to clipboard button included

Dependencies

- SortableJS 1.15.3 (CDN) — only external dependency
- No Showdown.js (no markdown rendering at runtime)

To add or edit URLs

Edit directly in the browser: click "+ Add link" in any section, or click the pencil icon on an existing link. Drag links to reorder or move between sections. All changes are saved to localStorage immediately.