



Manual creation of Z_TS_PROG authorization object for Z_XTRACT_IS_REMOTE_REPORT


This user manual explains how to manually create the **Z_TS_PROG** authorization object required by Theobald Software report extraction function module **Z_XTRACT_IS_REMOTE_REPORT**.

General Information

Theobald Software function module **Z_XTRACT_IS_REMOTE_REPORT** uses a custom authorization object **Z_TS_PROG** to verify whether the SAP user is allowed to extract a report. The access to reports is granted based on the name of the report.

At the beginning of each report extraction with **Z_XTRACT_IS_REMOTE_REPORT**, first an authority check on object **Z_TS_PROG** is performed. If it fails and the report is assigned to an authorization group, another authority check is performed on object **S_PROGRAM** to check whether the user is authorized to access reports in given authorization group. Should that check fail as well, the extraction would be aborted and an error returned.

Creating the Z_TS_PROG Authorization Object



1. In transaction **SU21** choose **BC_A** object class.
2. Expand the **Create** menu.
3. Choose **Authorization Object**.

Object: Z_TS_PROG

Text: Theobald Software report authorization

Class: BC_A Basis: Administration

Author:

Authorization fields

Authorization Field	Short Description...
S_NAME	ABAP Program Name

Continue Save Field maintenance

- Fill the dialog with following values:

Object: Z_TS_PROG

Text: Theobald Software authorization for reports

- After pressing **Continue**, the **Authorization fields** section of the dialog becomes editable.
- Type **S_NAME** as first entry and press **ENTER**.
- Press **SAVE**.

You're all set. Should you have encountered any issues or questions, please contact us at:

support@theobald-software.com

Document Version History

Version	Date	Author	Description
1.0	10-01-2022	Aleksander Zotov	Initial version