Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↔
 2. <html lang="en"><head>₽
           <meta charset="utf-8">↩
 3.
          <link rel="icon" href="/favicon.ico">↔
<meta name="viewport" content="width=device-width, initial-scale=1">↔
<meta name="theme-color" content="#000000">↔
<meta name="description" content="Web site created using create-react-</pre>
 4.
 5.
 6.
           <link rel="apple-touch-icon" href="/logo192.png">←
 8.
 9.
             manifest.json provides metadata used when your web app is installed
10.
             user's mobile device or desktop. See
11.
     https://developers.google.com/web/fundamentals/web-app-manifest/↔
```

https://validator.w3.org/nu/#textarea 1/3

```
12.
        ب<__
        <link rel="manifest" href="/manifest.json">←
13.
14.
        د___ا >
15.
          Notice the use of in the tags above. ↩
16.
           It will be replaced with the URL of the `public` folder during the
           Only files inside the `public` folder can be referenced from the
17.
    HTML. ↔
18.
           Unlike "/favicon.ico" or "favicon.ico", "/favicon.ico" will→
19.
           work correctly both with client-side routing and a non-root public
20.
    URL.↩
21.
           Learn how to configure a non-root public URL by running `npm run
    build`.↔
22.
23.
        <title>React App</title>↔
      <script defer="" src="/static/js/bundle.js"></script><style>body {
24.
25.
      margin: 0;↩
26.
      font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto',
    'Oxygen',↔
                   'Cantarell', 'Fira Sans', 'Droid Sans', 'Helvetica Neue',↩
27.
28.
        sans-serif;↔
29.
      -webkit-font-smoothing: antialiased; ←
30.
      -moz-osx-font-smoothing: grayscale; ←
31. }↩
32. ↩
33. code {₽
      font-family: source-code-pro, Menlo, Monaco, Consolas, 'Courier New', ↔
34.
35.
        monospace; ↔
36. }↔
37. ↩
38. /*#
    sourceMappingURL=data:application/json;base64,eyJ2ZXJzaW9uIjozLCJzb3VyY2VzIjpbIndlYnBhY2s6Ly8uL3NyYy9pbmRleC5jc3MiXSwibmFtZXMiOltdLCJtYXBwaW5ncyI6IkFBQUE7RUFDRSxTQUFT00VBQ1Q702NBRVk7RUFDWixtQ0FBbUM7RUFDbkMsa0NBQWtD00FBQ3BD
    OztBQUVBO0VBQ0U7YUFDVztBQUNiIiwic291cmNlc0NvbnRlbnQi0lsiYm9keSB7XG4gIG1hcm
    dpbjogMDtcbiAgZm9udC1mYW1pbHk6IC1hcHBsZS1zeXN0ZW0sIEJsaW5rTWFjU3lzdĞVtRm9udCwgJ1NlZ29lIFVJJywgJ1JvYm90bycsICdPeHlnZW4nLFxuICAgICdVYnVudHUnLCAnQ2FudG
    FyZWxsJywgJ0ZpcmEgU2FucycsICdEcm9pZCBTYW5zJywgJ0hlbHZldGljYSB0ZXVlJyxcbiAg
    IĆBzYW5źLXNlcmlm01xuICAtd2Via2l0LWZvbnQtc21vb3RoaW5n0iBhbnRpYWxpYXN1ZDtcbi
    AgLW1vei1vc3gtZm9udC1zbW9vdGhpbmc6IGdyYXlzY2FsZTtcbn1cblxuY29kZSB7XG4gIGZv
    bnQtZmFtaWx50iBzb3VyY2UtY29kZS1wcm8sIÉ1lbmxvLCBNb25hY28sIENvbnNvbGFzLCAnQ2
    91cmllciBOZXcnLFxuICAgIG1vbm9zcGFjZTtcbn1cbiJdLCJzb3VyY2VSb290IjoiIn0=
    */</style><style>.App {↔
      text-align: center; ↔
40. }↩
41. ↔
42. •App−logo {↔
43.
      height: 40vmin;↔
44.
      pointer-events: none; ↔
45. }↩
46. ↔
47. @media (prefers-reduced-motion: no-preference) {↔
      .App-logo {↩
48.
49.
        animation: App-logo-spin infinite 20s linear; ←
50.
51. }↩
52.
53.
    .App-header {↩
      background-color: #282c34;↔
54.
      min-height: 100vh;↩
55.
      display: flex;↔
56.
      flex-direction: column;↔
57.
58.
      align—items: center;↔
      justify-content: center;↔
59.
      font-size: calc(10px + 2vmin);↔
60.
61.
      color: white;↩
62. }↩
63. ↔
64.
    .App-link {↩
      color: #61dafb;↔
```

https://validator.w3.org/nu/#textarea

2/3

```
66. }↩
 67. ↩
 68. @keyframes App-logo-spin {↔
 69.
         from {↩
 70.
           transform: rotate(0deg); ↔
 71.
 72.
         to {↩
 73.
           transform: rotate(360deg); ↔
 74.
      }↩
 75.
 76.
      /*#
 77.
      sourceMappingURL=data:application/json;base64,eyJ2ZXJzaW9uIjozLCJzb3VyY2Vz
      IjpbIndlYnBhY2s6Ly8uL3NyYy9BcHAuY3NzIlÓsIm5hbWVzIjpbXSwibWFwcGluZ3MiOiJBQU
      FBO0VBQ0Usa0JBQWtCO0FBQ3BCOztBQUVBO0VBQ0UsY0FBYztFQUNkLG9CQUFvQjtBQUN0Qjs7
      QUFFQTtFQUNF00LBQ0UsNENBQTRD00VBQzlD00FBQ0Y700FBRUE7RUFDRSx5QkFBeUI7RUFDek
      IsaUJBQWlC00VBQ2pCLGFBQWE7RUFDYixzQkFBc0I7RUFDdEIsbUJBQW1C00VBQ25CLHVCQUF1
      QjtFQUN2Qiw2QkFBNkI7RUFDN0IsWUFBWTtBQUNk0ztBQUVB00VBQ0UsY0FBYztBQUNoQjs7QU
      FFQTtFQUNF00lBQ0UsdUJBQXVC00VBQ3pC00VBQ0E7SUFDRSx5QkFBeUI7RUFDM0I7QUFDRiIs
      InNvdXJjZXNDb250ZW50IjpbIi5BcHAge1xuICB0ZXh0LWFsaWdu0iBjZW50ZXI7XG59XG5cbi
      5BcHAtbG9nbyB7XG4gIGhlaWdodDogNDB2bWlu01xuICBwb2ludGVyLWV2ZW50czogbm9uZTtc
      bn1cblxuQG1\(\text{ZGlhIChwcmVmZXJzLXJlZHVjZWQtbW90aW9u0iBuby1wcmVmZXJlbmNlKSB7XG}\)
      4gIC5BcHAtbG9nbyB7XG4gICAgYW5pbWF0aW9uOiBBcHAtbG9nby1zcGluIGluZmluaXRlIDIw
      cyBsaW5lYXI7XG4qIH1cbn1cblxuLkFwcC1oZWFkZXIqe1xuICBiYWNrZ3JvdW5kLWNvbG9y0i
      AjMjgyYzM001xuIČBtaW4taGVpZ2h00iAxMDB2aDtcbiAgZGlzcGxheTogZmxleDtcbiAgZmxl
      eC1kaXJlY3Rpb246IGNvbHVtbjtcbiAgYWxpZ24taXRlbXM6IGNlbnRlcjtcbiAganVzdGlmeS
1jb250ZW500iBjZW50ZXI7XG4gIGZvbnQtc2l6ZTogY2FsYygxMHB4ICsgMnZtaW4p01xuICBj
b2xvcjogd2hpdGU7XG59XG5cbi5BcHAtbGluayB7XG4gIGNvbG9y0iAjNjFkYWZi01xufVxuXG
      5Aa2V5ZnJhbWVzIEFwcC1sb2dvLXNwaW4ge1xuICBmcm9tIHtcbiAgICB0cmFuc2Zvcm06IHJvdGF0ZSgwZGVnKTtcbiAgfVxuICB0byB7XG4gICAgdHJhbnNmb3Jt0iByb3RhdGUoMzYwZGVnKT
      tcbiAgfVxufVxuIl0sInNvdXJjZVJvb3QiOiIifQ== */</style></head>→
<body data-new-gr-c-s-check-loaded="14.1204.0" data-gr-ext-installed=""data-gr-ext-disabled="forever">→
           <noscript>You need to enable JavaScript to run this app.</noscript>↔
<div id="root"><div class="App"><header><h1>Hello Wurld</h1></header>
 79.
 80.
      <main><section>Lorem ipsum is placeholder text commonly used in the
graphic, print, and publishing industries for previewing layouts and
visual mockups. This text was generated by Github Copilot.
      href="https://copilot.github.com/">Learn more about github Copilot here</a><h2>Here's a canvas drawing</h2><canvas width="348" height="748">
      </canvas></section></main></div>↔
 81.
 82.
              This HTML file is a template. ↩
 83.
              If you open it directly in the browser, you will see an empty page. ↔
 84. ↩
              You can add webfonts, meta tags, or analytics to this file. ↔
 85.
              The build step will place the bundled scripts into the <body> tag. ↔
 86.
 87. ↩
              To begin the development, run `npm start` or `yarn start`.↔
 88.
 89.
              To create a production bundle, use `npm run build` or `yarn build`.↔
 90.
 91.
 92.
 93. </body></html>
Used the HTML parser.
```

Total execution time 4 milliseconds.

About this checker • Report an issue • Version: 24.10.17

3/3 https://validator.w3.org/nu/#textarea