

Documentation Proxmox Backup Server

Pré-requis :

- ISO Proxmox Backup Server
- Une machine capable d'héberger PBS (256Go de stockage minimum requis)
- Une clé USB bootable

Branchez votre clé USB et démarrez la machine, dans notre cas nous optons pour une installation avec interface graphique pour le confort.



Welcome to Proxmox Backup Server

Install Proxmox Backup Server (Graphical)
Install Proxmox Backup Server (Terminal UI)
Advanced Options

enter: select, arrow keys: navigate, e: edit entry, esc: back

Prenez connaissances des **EULA** puis acceptez les.



Proxmox Backup Server

END USER LICENSE AGREEMENT (EULA)

4. Intellectual Property Rights. The Programs and each components are owned by Proxmox and other licensors and are protected under copyright law and under other laws as applicable. The "Proxmox" trademark and the Proxmox company logo are registered trademarks of Proxmox in Austria and other countries. This EULA does not permit you to distribute the Programs or their components using Proxmox's trademarks, regardless of whether the copy has been modified. Title to the Programs and any component, or to any copy, modification, or merged portion shall remain with Proxmox and other licensors, subject to the applicable license.

5. Third Party Software. Proxmox may distribute third party software with the Programs. These third party programs are provided as a convenience to you, and are subject to their own license terms. If you do not agree to the applicable license terms for the third party software programs, then you may not install them.

6. Export Regulation. You warrant that you understand that the Programs and their components may be subject to export controls under the Austrian Export Administration Regulations.

7. Other terms. If any provision of this EULA is held to be unenforceable, the enforceability of the remaining provisions shall not be affected. Any claim, controversy or dispute arising under or relating to this EULA shall be governed by the laws of Austria (Europe), without regard to any conflict of laws provisions.

Copyright © 2019-2025 Proxmox Server Solutions GmbH. All rights reserved. "Proxmox" and the Proxmox logo are registered trademarks of Proxmox Server Solutions GmbH. "Linux" is a registered trademark of Linus Torvalds. All other trademarks are the property of their respective owners.

Abort

Previous

I agree

Veillez ensuite à bien sélectionner le **disque** sur lequel vous souhaitez installation PBS puis cliquez sur **"Next"**

PROXMOX Proxmox Backup Server

Location and Time Zone selection

The Proxmox Installer will set up your time zone and keyboard layout. Ensuring that your system behaves as intended once it is up and running.

Press the Next button to continue the installation.

- **Country:** Narrows down the available time zones to make selection easier.
- **Time Zone:** Automatically adjust daylight saving time.
- **Keyboard Layout:** Choose your keyboard layout.

Country:

Time zone:

Keyboard Layout:

Sélectionnez ensuite votre **pays** et votre **timezone**.



Proxmox Backup Server

Administration Password and Email Address

Proxmox Backup Server is a full-featured, highly secure system, based on Debian GNU/Linux.

In this step, please provide the `root` password.

- **Password:** Please use a strong password. It must be at least 8 characters long, and contain a combination of letters, numbers, and symbols.
- **Email:** Enter a valid email address. Your Proxmox Backup Server will send important alert notifications to this email account (all emails for 'root').

To continue the installation, press the Next button.

Form for Administration Password and Email Address configuration.

Fields:

- Password:
- Confirm:
- Email:

Buttons: Abort, Previous, Next

Maintenant, choisissez un mot de passe pour le compte **root**, renseignez également votre adresse e-mail, cela permet de recevoir des notifications importantes à propos de votre PBS.



Proxmox Backup Server

Management Network Configuration

Please verify the displayed network configuration. You will need a valid network configuration to access the management interface after installing.

After you have finished, press the Next button. You will be shown a list of the options that you chose during the previous steps.

- **IP address (CIDR):** Set the main IP address and netmask for your server in CIDR notation.
- **Gateway:** IP address of your gateway or firewall.
- **DNS Server:** IP address of your DNS server.

Form for Management Network Configuration.

Fields:

- Management Interface:
- Hostname (FQDN):
- IP Address (CIDR): /
- Gateway:
- DNS Server:

Options: ☒ Pin network interface names, Options

Buttons: Abort, Previous, Next

Pour cette partie, entrez votre **hostname**, votre **adresse IP**, votre **gateway** ainsi que votre **adresse DNS**.



Summary

Please confirm the displayed information. Once you press the **Install** button, the installer will begin to partition your drive(s) and extract the required files.

Option	Value
Filesystem:	ext4
Disk(s):	/dev/sda
Country:	France
Timezone:	Europe/Paris
Keymap:	fr
Email:	t.bret@ecole-ipssi.net
Management Interface:	nic0
Hostname:	pbs
IP CIDR:	192.168.10.114/24
Gateway:	192.168.10.1
DNS:	192.168.10.2


☒ Automatically reboot after successful installation

Abort


Previous

Install


Vérifiez que vous avez bien renseigné les bonnes informations puis cliquez sur **"Install"**



A la fin de l'installation, la machine va redémarrée, vous pouvez dès à présent voir depuis quel lien est accessible l'interface PBS




Connectez vous dès à présent avec l'utilisateur **root** et le mot de passe que vous avez entré précédemment




Nous allons maintenant créer un Datastore, c'est l'endroit où sera stocké vos backups. Pour ce faire, cliquez sur "Add Datastore" dans le menu latéral gauche.

The screenshot shows the 'Add: Datastore' form in Proxmox Backup Server. The 'General' tab is selected. The form contains the following fields: Name (backupdoc), Datastore Type (Local), Backing Path (/backups), GC Schedule (daily), Prune Schedule (daily), Device (Device path), S3 Endpoint ID, Bucket, and Comment. The 'Advanced' checkbox is unchecked, and the 'Add' button is visible.

Donnez un nom à votre Datastore ainsi que l'emplacement où seront enregistrées vos sauvegardes. Cliquez ensuite sur "Add"



Une fois votre Datastore créé, rendez vous dans l'onglet **"Dashboard"** puis récupérer le Fingerprint en cliquant sur **"Show Fingerprint"**, vous en aurez besoin afin de lier votre PBS à votre Proxmox.



Retournez maintenant sur votre interface **Proxmox VE** puis rendez vous dans **Datacenter > Storage**, cliquez ensuite sur **Add** et **Proxmox Backup Server**

Add: Proxmox Backup Server

General Backup Retention Encryption

ID: PBS-DOC Nodes: All (No restrictions) ▾

Server: 192.168.10.114:8007 Enable: ☒

Username: root@pam Content: backup

Password: Datastore: backupdoc

Namespace: Root

Fingerprint: [REDACTED]

? Help Add

Renseignez les informations demandées et collez le **Fingerprint** précédemment copié

Votre PBS est désormais lié à votre Proxmox

Création d'un datastore

Afin d'effectuer la sauvegarde de nos VMs nous avons besoin d'un datastore


Créez d'abord un dossier qui sera le répertoire de ce datastore

```
Linux M2L 6.17.2-1-pve #1 SMP PREEMPT_DYNAMIC PMX 6.17.2-1 (2025-10-21T11:55Z) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.


Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
root@M2L:~# mkdir backuptest
root@M2L:~#
```

Rendez vous ensuite sur l'interface de PBS puis cliquez sur **"Add Datastore"**,
veillez à bien mettre le dossier que vous avez créé en tant que **"Backing Path"**



Une fois votre Datastore créé, vous pouvez dès à présent vous rendre dans
votre interface Proxmox, cliquez sur une VM puis rendez vous dans **"Backup"**.

Veillez à bien sélectionné votre PBS en tant que storage puis cliquez sur **"Backup now"**



Documentation créée par Théo BRET