

The reconstruction pipeline linearises columns into a single stream. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.

The reconstruction pipeline linearises columns into a single stream. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.

The reconstruction pipeline linearises columns into a single stream. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A minimum number of pages so a short document is left untouched. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.

The reconstruction pipeline linearises columns into a single flow. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A minimum number of pages so a short document is left untouched. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.

The reconstruction pipeline linearises columns into a single stream. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.

The reconstruction pipeline linearises columns into a single stream. Footers and bare page numbers behave the same way: they recur in reading order before any block classification runs. Each is a fixed page zone with a digit-normalised signature, and a carries a baseline and an x position, and the paragraph boilerplate stripper drops them only when they recur across a walks them top to bottom within a detected column boundary. A running head repeated on every page carries no information. The column archetype exercises exactly that machinery while an agent that greps the output, yet it is emitted verbatim keeping the body text long enough that the recovery ratio stays per page unless a header zone strips it before rendering honest and well inside the accepted band for a clean document. This paragraph is ordinary prose and must survive conversion. None of this text is drawn from any real publication whatsoever.