

The education-obesity link across countries over time

Tutorial group: 6.1
Tutorial lecturer: Simon Loop

Anastasios Goudras (2855565), Theodor Kubicka (2847510),
Stefan Ivanov (2892839), Omar El-Nawawi (2894419),
Ingmar Reijers (2890403), Diego Melendez (2841772)
Jaco Koorn (2896152)

16 juni 2026

Contents

Part 1 - Identify a Social Problem	2
1.1 Describe the Social Problem	2
Part 2 - Data Sourcing	2
2.1 Load in the data	2
2.2 Provide a short summary of the dataset(s)	3
2.3 Describe the type of variables included	3
Part 3 - Quantifying	4
3.1 Data cleaning	4
3.2 Generate necessary variables	5
3.3 Visualize temporal variation	6
3.4 Visualize spatial variation	7
3.5 Visualize sub-population variation	8
3.6 Event analysis	8
Part 4 - Discussion	9
4.1 Discuss your findings	9
Part 5 - Reproducibility	10
5.1 Github repository link	10
5.2 Reference list	10

Part 1 - Identify a Social Problem

The social problem we have identified is the link between the BMI Index and educational attainment level, bridging two data sets from Eurostat to compare and identify any correlation between the two factors.

1.1 Describe the Social Problem

The relevance of these two variables, BMI and education levels, and how they are correlated with each other lies in the fact that obesity comes with serious health risks, such as diabetes and cardiovascular issues, which are often more common among people with lower educational attainment (World Health Organization, 2022; European Commission, 2024). This then results in the burden of health risks being disproportionately put on the lower educated class of society, and further increases social inequality issues. Beyond the health risks themselves, education has a clear impact on the ability of a person to maintain a healthy lifestyle, as higher education often comes with higher income, better access to higher quality food and so on. This means that addressing obesity cannot be done through increasing awareness alone, and that broader structural interventions, such as food pricing policies or workplace conditions need to be considered.

The fact we are looking at the European aspect of this issue also adds to its relevance. By looking at multiple countries over time, it becomes possible to assess whether this education gap in obesity rates is a universal pattern across Europe or whether certain countries have managed to narrow it. This kind of cross country comparison is useful for understanding what policy approaches may actually work in practice, especially since educational inequalities in obesity have been documented across Europe in recent research (World Health Organization, 2022; European Commission, 2024).

While the existence of an educational gradient in obesity is well established in the literature (World Health Organization, 2022; European Commission, 2024), far less is settled about how this gap behaves over time and whether it is narrowing or widening across different European countries. Much existing work documents the association at a single point in time or within individual countries, which leaves the question of long-term, cross country trends comparatively underexplored. This is the gap our project addresses: by tracking obesity rates by education level across multiple European countries and survey years, we aim to establish whether the education obesity divide is a stable, universal pattern or one that some countries have managed to reduce.

Part 2 - Data Sourcing

2.1 Load in the data

Both datasets are published by Eurostat. We downloaded them once and saved them as CSV files in the `data/` folder of our repository, which we read into R with `read_csv()`. Using saved copies rather than querying Eurostat live means the report always knits from the same data and does not depend on a network connection or on the Eurostat servers being reachable. The files are small, so storing them in the repository keeps the project self-contained and reproducible: anyone who clones it can knit the report without extra setup.

```
# Load the saved datasets from our repository
bmi_edu <- read_csv("data/bmi_edu.csv")
obesity_trend <- read_csv("data/obesity_trend.csv")
```

2.2 Provide a short summary of the dataset(s)

```
head(bmi_edu)
#> # A tibble: 6 x 9
#>   freq unit bmi      isced11 sex age geo TIME_PERIOD values
#>   <chr> <chr> <chr>      <chr> <chr> <chr> <chr>      <dbl> <dbl>
#> 1 A PC BMI18P5-24 ED0-2 F TOTAL AT 2014 45.6
#> 2 A PC BMI18P5-24 ED0-2 F TOTAL AT 2019 40.9
#> 3 A PC BMI18P5-24 ED0-2 F TOTAL BE 2014 45.7
#> 4 A PC BMI18P5-24 ED0-2 F TOTAL BE 2019 41
#> 5 A PC BMI18P5-24 ED0-2 F TOTAL BG 2014 44.3
#> 6 A PC BMI18P5-24 ED0-2 F TOTAL BG 2019 48.1

head(obesity_trend)
#> # A tibble: 6 x 6
#>   freq unit bmi      geo TIME_PERIOD values
#>   <chr> <chr> <chr>      <chr>      <dbl> <dbl>
#> 1 A PC BMI25-29 AL 2022 44.8
#> 2 A PC BMI25-29 AT 2008 36.5
#> 3 A PC BMI25-29 AT 2014 33.3
#> 4 A PC BMI25-29 AT 2017 35
#> 5 A PC BMI25-29 AT 2019 35
#> 6 A PC BMI25-29 AT 2022 35
```

Our first dataset, `bmi_edu` (Eurostat code `hlth_ehis_bm1e`, Body mass index (BMI) by sex, age and educational attainment level), comes from the European Health Interview Survey (EHIS), in which respondents report their own height and weight (Eurostat, n.d.-a). For each country and year it gives the share of people in each BMI category, broken down by education level, sex, and age. EHIS runs only every few years, so the data covers mainly the 2014 and 2019 waves. This is the dataset that links weight to education, so it is central to our analysis.

Our second dataset, `obesity_trend` (Eurostat code `sdg_02_10`, Obesity rate by body mass index (BMI)), is one of the EU's Sustainable Development Goal indicators, also based on self-reported health surveys (Eurostat, n.d.-b). It does not split the figures by education, but it covers many more years (2008, 2014, 2017, 2019, 2022, 2025), which makes it well suited to tracking obesity over time. It supplies the “across countries, over time” side of our research question. The data are reported by country, covering the EU member states together with several additional European countries, each shown as a two-letter code in the `geo` column.

2.3 Describe the type of variables included

Table 1: Variables in the two datasets.

Variable	Type	Dataset	Meaning
<code>freq</code>	character	both	data frequency (A = annual)
<code>unit</code>	character	both	unit of measurement (PC = percentage)
<code>bmi</code>	character	both	BMI category (e.g. overweight, obese)
<code>isced11</code>	character	<code>bmi_edu</code>	education level (ISCED 2011 group)
<code>sex</code>	character	<code>bmi_edu</code>	sex (M, F, T = total)
<code>age</code>	character	<code>bmi_edu</code>	age group
<code>geo</code>	character	both	country (Eurostat code)
<code>TIME_PERIOD</code>	numeric	both	survey year

Variable	Type	Dataset	Meaning
values	numeric	both	share of people in that category

As Table 1 shows, the variables fall into three groups. The health measure is BMI/obesity itself, the share of people in each weight category (the `bmi` and `values` columns). The socioeconomic measure is education (the `isced11` column in `bmi_edu`), which is the variable at the heart of our question. The remaining columns (`sex`, `age`, `geo` for country, and `TIME_PERIOD` for year) are background characteristics that we use to split the figures by group, place, and time.

Neither dataset comes from administrative records; both rely on surveys in which people report their own height and weight. This has two implications. First, self reported data tends to underestimate obesity slightly, since people often round their weight down. Second, the two datasets are not fully independent: the SDG indicator is partly built on the same EHIS survey as `bmi_edu`, so they are related rather than separate sources. We combined them deliberately: `bmi_edu` provides the education breakdown, while `obesity_trend` adds the longer time span. Because both are self reported survey data, our analysis can describe associations (for example, that obesity is more common among lower educated groups) but cannot show that education causes obesity.

Part 3 - Quantifying

3.1 Data cleaning

Data is cleaned in three steps.

Cleaning Step 1: Filter and clean the first dataset

```
bmi_edu_clean <- bmi_edu %>%
  filter(
    bmi == "BMI_GE30",           # Keep only Obese rows
    isced11 %in% c("ED0-2", "ED3_4", "ED5-8"), # Separate the 3 education groups
    sex == "T",                 # Combined sexes
    age == "TOTAL"              # Combined adult age group
  ) %>%
  select(geo, TIME_PERIOD, isced11, bmi_value = values) %>%
  drop_na(bmi_value)
```

Step 1: We filter out the `bmi_edu` dataset, to isolate obesity rates (`BMI_GE>=30`) across three core education levels (`ED0-2` for low, `ED3_4` for medium and `ED5-8` for high). We restricted the demographics to combined sexes (`T`) and combined adult age group (`TOTAL`) to establish a baseline for comparing education levels against obesity prevalence. **Cleaning Step 2: Filter and clean the second dataset**

```
obesity_trend_clean <- obesity_trend %>%
  filter(
    bmi == "BMI_GE30" # Keep only Obese rows since that's what we are comparing
  ) %>%
  select(geo, TIME_PERIOD, trend_value = values) %>%
  drop_na(trend_value)
```

Step 2: We filter out the `obesity_trend` dataset to keep only the obesity figures (`BMI>=30`). This isolates the specific comparative baseline needed to validate against our education-stratified data.

Cleaning Step 3: Combine both datasets into one master file

```
combined_dataset <- inner_join(bmi_edu_clean, obesity_trend_clean, by = c("geo", "TIME_PERIOD"))
```

Step 3: We perform a multi-key inner_join to merge bmi_edu_clean and obesity_trend_clean by country(geo) and year (TIME_PERIOD). This aligns the education-specific obesity rates side-by-side with national obesity trends for comparison by country and year.

3.2 Generate necessary variables

We created three new variables which add analytical value

Variable 1

```
# Create Variable 1: Human-readable education levels
bmi_edu_with_var1 <- combined_dataset %>%
  mutate(
    edu_level = case_when(
      isced11 == "ED0-2" ~ "Low Education",
      isced11 == "ED3_4" ~ "Medium Education",
      isced11 == "ED5-8" ~ "High Education"
    )
  )
```

The variable bmi_edu_with_var1 transforms ISCED codes into human readable education levels, by mapping the codes to an explicit categorical variable (edu_level).

```
# Reshaping before subtracting
gap_data <- bmi_edu_with_var1 %>%
  # 1. Isolate the columns we need
  select(geo, TIME_PERIOD, edu_level, bmi_value) %>%

  # 2. Flip the rows into columns
  pivot_wider(
    names_from = edu_level,
    values_from = bmi_value
  )
```

To calculate the gap in obesity between different education levels by country and year, the data must be shaped from a long to a wide format using pivot_wider(). This transforms the values of edu_level into distinct columns (Low Education, Medium Education, High Education), positioning the respective obesity rates for a single country and year onto a single row.

Variable 2

```
# Create Variable 2: Calculate the obesity inequality gap
final_gap_data <- gap_data %>%
  mutate(
    obesity_gap = `Low Education` - `High Education`
  )
```

The variable final_gap_data calculates the gap in obesity between education levels by subtracting the obesity rate of the highest education group from the lowest education group. A positive obesity_gap value indicates


that obesity is more prevalent among individuals with lower education. This metric allows us to directly evaluate and compare the health inequalities across different European nations and trends over time.

Variable 3

```
# Create Variable 3: How did the gap change between 2014 and 2019?
gap_change_data <- final_gap_data %>%
  select(geo, TIME_PERIOD, obesity_gap) %>%
  pivot_wider(
    names_from = TIME_PERIOD,
    values_from = obesity_gap,
    names_prefix = "gap_"
  ) %>%
  mutate(gap_change = gap_2019 - gap_2014) %>%
  drop_na(gap_change)
```

The variable `gap_change` measures whether educational inequality in obesity widened or narrowed in each country between the two survey waves. A positive value means the gap between low and high educated groups grew; a negative value means the country managed to reduce it. This goes directly to the core of our research question, since it separates countries where the problem is getting worse from countries that may hold policy lessons.

3.3 Visualize temporal variation




This figure shows temporal variation in obesity rates for the largest European countries available in the dataset. Full country names are used in the legend to make the graph easier to interpret.

Some country lines start later than others because not all countries have data available for every year in the dataset. When a country has missing observations in earlier years, the line only starts from the first year for which data is available. Therefore, differences in starting points reflect differences in data availability, not necessarily differences in when obesity became relevant in those countries.

3.4 Visualize spatial variation

Spatial variation in the education–obesity gap in 2019


Difference between low and high education obesity rates across European countries



This map shows spatial variation in the education-obesity gap across European countries in the latest available year. The education-obesity gap is calculated as the obesity rate among people with low education minus the obesity rate among people with high education. A higher positive value means that obesity is more common among the low educated group compared with the high educated group.

A map is used because the goal is to visualise differences across geographic space. By placing the values directly on a map of Europe, it becomes easier to see whether the education-obesity gap is larger or smaller in specific parts of Europe. Countries shown in grey either have no available data for the selected year or could not be matched correctly with the map data. To reduce matching problems, country codes from the dataset were converted into full country names before joining the obesity data to the map.

3.5 Visualize sub-population variation




Obesity is most prevalent among the low educated (median around 19%), lower among the medium-educated (around 17%), and lowest among the high educated (around 12%), a difference of roughly 7.5 percentage points between the lowest and highest groups. Because this gradient holds across the full set of European countries in the sample rather than being driven by a few outliers, it confirms at the population level that the education-obesity link is a broad, consistent pattern.

3.6 Event analysis

In this section we treat the COVID-19 pandemic as an event and compare EU27 obesity rates by education level before (2019) and after (2022) it.

Change in Obesity Rate: Before vs After COVID-19

Comparing 2019 (pre-event) and 2022 (post-event) across countries



This plot treats the COVID-19 pandemic as an event and compares obesity at the EU27 level before it (2019) and after it (2022). In 2019 the education gradient is clear: obesity stood at 18.4% among the low educated, 17.1% among the medium educated, and 11.4% among the high educated, a gap of roughly 7 percentage points between the lowest and highest education groups. After the pandemic, the overall EU27 obesity rate in 2022 was 14.8%. This matters for our social problem because it shows the education gap was already substantial going into a major shared shock, raising the question of whether such an event widens or narrows existing inequalities.

An important limitation must be read alongside the plot. The 2022 figure is the EU27 overall obesity rate, because the survey does not provide a 2022 breakdown by education. The three lines therefore converge to the same point in 2022 only because they are all assigned that single overall value, it is an artifact of missing data, not evidence that the education gap closed during COVID-19. As a result, we can describe obesity before and after the event but cannot attribute any change to the pandemic itself, nor measure how it affected the gap between education groups specifically.

Part 4 - Discussion

4.1 Discuss your findings

Using two Eurostat datasets on BMI, education, and obesity trends, we cleaned, filtered, and merged the data, then derived three variables: an education label, a low-vs-high-education obesity gap, and the change in that gap between waves. The temporal analysis showed that obesity rates have generally increased across the largest European countries over time, though the pace and starting points differ considerably. Spatially, the education-obesity gap varies strongly across countries, with Croatia, Turkey and Luxembourg showing the largest gaps and Estonia showing a near-zero or even reversed pattern. The sub-population boxplots

confirmed that lower education is consistently associated with higher obesity rates across all countries in the dataset. Finally, the event analysis set these patterns against the COVID-19 pandemic: at the EU27 level the education gap was already around 7 percentage points before the pandemic in 2019 (18.4% obesity among the low-educated versus 11.4% among the high-educated), indicating that educational inequality in obesity was a substantial, structural feature going into a major shared shock rather than a country-specific anomaly. While self-reported BMI likely understates obesity, the analysis is purely descriptive, the country-level aggregates risk an ecological fallacy, and the absence of an education breakdown for 2022 means we cannot measure how the pandemic itself affected the gap, the harmonized Eurostat data and the agreement across our four visualisations still make the education-obesity link convincing.

Part 5 - Reproducibility

5.1 Github repository link

<https://github.com/theodorkubi/ProgrammingForEcon>

5.2 Reference list

European Commission. (2024). Health inequalities: Overweight and obesity. Knowledge4Policy. https://knowledge4policy.ec.europa.eu/health-promotion-knowledge-gateway/health-inequalities-5_en

World Health Organization. (2022). Obesity and inequities. <https://iris.who.int/bitstreams/c025afdb-1ca7-49e2-ba89-adca1529e47c/download>

Eurostat. (n.d.-a). Body mass index (BMI) by sex, age and educational attainment level [Data set]. Retrieved June 7, 2026, from https://ec.europa.eu/eurostat/databrowser/view/hlth_ehis_bm1e

Eurostat. (n.d.-b). Obesity rate by body mass index (BMI) [Data set]. Retrieved June 7, 2026, from https://ec.europa.eu/eurostat/databrowser/view/sdg_02_10