

PAYMENT METHOD FOR STANDARD THICKNESS REQUIREMENTS OF ITEM P-501 (5370-10D)

X-XX-0012-20

P-501 SUMMARY

[illegible]

STR PWL STR AVG Thick PWL Thick Avg

[illegible]

LOT NUMBER	BID UNIT PRICE	QUANTITY (SY or CY)	STRENGTH	THICKNESS	FINAL PAY FACTOR	QUANTITY	DOLLARS (Rejected lots may

STR PWL STR AVG Thick PWL Thick Avg			

Total Project payment for projects with more than 300 Lots **must** be calculated separately using the restrictions of Item P-501 paragraph 8.1. Contact Rodney Joel, P.E., 816-329-2631 to add additional lots to this sheet. The results for "Dollars" in column "I" are valid and may be used when more Lots exist.

The user of this spreadsheet assumes all responsibility for the accuracy of the data and subsequent calculations. The user should confirm all calculations performed.

P-501 PCC PAVEMENT - PAYMENT FACTORS FOR STRENGTH AND THICKNESS (chg 10)

The Airport
X-XX-0012-20
e.g. Runway 13/31 Reconstruction

DATE:
 LOCATION:
 TEST REPORT:
 LOT NUMBER: **1**
 Lot Quantity (SY or CY):
 UNIT PRICE (SY or CY) **44.00**
 DESIGN STRENGTH: **650**
 DESIGN THICKNESS: **9**

LOT PERCENT PAY:	50.00
PCC PAY SY or CY:	0.00
DOLLAR PAY	0.00

NOTE: 50% PAY MAY BE REJECTED

INPUT:

ADDITIONAL SUBLOTS

(value next to strength data indicates outlier status "X" indicates data is an outlier- See note below for guidance)

STRENGTH:	SUBLOT 1	SUBLOT 2	SUBLOT 3	SUBLOT 4	SUBLOT 5	SUBLOT 6	SUBLOT 7	SUBLOT 8
SAMPLE 1	X	X	X	X	X	X	X	X
SAMPLE 2	X	X	X	X	X	X	X	X
Sublot avg.	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

THICKNESS:	SUBLOT 1	SUBLOT 2	SUBLOT 3	SUBLOT 4	SUBLOT 5	SUBLOT 6	SUBLOT 7	SUBLOT 8
SAMPLES								

STRENGTH CALCULATIONS	Average	X:	#DIV/0!
	Sample Size	N:	0
	Standard Deviation	S:	0.0000
	Lower Spec. Limit	L:	604.5
	Quality Index	Q:	#DIV/0!
	Percent Within Limits	PWL:	0
PAY: PWL not calculated			

NOTE: IF "N" IS INCORRECT, ERASE
 CELLS FOR STRENGTH

96-100	1.06
90-95	PWL+10
75-90	0.5PWL + 55
55-74	1.4PWL - 12
Below 55 50% or Reject	

THICKNESS CALCULATIONS	Average	X:	#DIV/0!
	Sample Size	N:	0
	Standard Deviation	S:	#DIV/0!
	Lower Spec. Limit	L:	8.5
	Quality Index	Q:	#DIV/0!
	Percent Within Limits	PWL:	0
PAY: PWL not calculated			

NOTE: IF "N" IS INCORRECT, ERASE
 CELLS FOR THICKNESS

1	Date	LOCATION	TEST REPORT	LOT #	Lot Quantity (SY or CY):	UNIT PRICE (SY or CY)	DESIG N STR:	DESIGN THICK	STR sub1-1	STR sub1-2	STR Sub2-1	STR Sub2-2	STR sub3-1	STR sub3-2	STR sub4-1	STR sub4-2	STR Sub5-1
---	------	----------	-------------	-------	--------------------------	-----------------------	--------------	--------------	------------	------------	------------	------------	------------	------------	------------	------------	------------

STR	STR	STR	STR	STR	STR	STR	THK	THK	THK	THK	THK	THK	THK	THK	STR avg	STR avg	STR avg	STR avg	STR avg	STR avg
Sub5-2	sub6-1	sub6-2	sub7-1	sub7-2	Sub8-1	sub8-2	Sub1	Sub2	Sub3	Sub4	Sub5	Sub6	Sub7	Sub8	sub 1	sub 2	sub 3	sub 4	sub 5	sub 6

STR avg	STR avg	STR	STR	STR	STR		STR	STR	Thck	Thck	thck		Thck	thck	lot%	pay	
sub 7	sub 8	AVG	N	STD	STL	STR Q	PWL	% Pay	Avg	STD	STL	Thck Q	PWL	pay	pay	quantity	Pay dollars