

R-SMM API

Place and track social growth orders from your own app or server.

What this API does

It validates each order, calculates the current platform rates, charges the signed-in customer's selected wallet, and puts the order into the same admin queue as website orders. Admin review and fulfillment still happen in R-SMM.

1. Create an API key

1. Sign in to R-SMM and make sure your wallet has enough approved funds.
2. On the Dashboard, name a key and select **Generate API key**.
3. Copy the key when it appears. R-SMM stores only its hash, so the full key cannot be viewed again. Create a replacement if you lose it.

Keep the key private. Save it in your server's environment variables. Do not put it in browser JavaScript, a mobile app bundle, a public repository, or a support message. Revoke it from the Dashboard if it is exposed.

2. Place an order

Send a POST request with a bearer key and a unique Idempotency-Key. A retry with the same key will return the original order instead of charging twice.

```
curl -X POST "https://r-smm.vercel.app/api/v1/orders" \
-H "Authorization: Bearer YOUR_API_KEY" \
-H "Idempotency-Key: order-unique-123" \
-H "Content-Type: application/json" \
-d '{
  "platform": "instagram",
  "post_url": "https://www.instagram.com/p/EXAMPLE/",
  "base_views": 10000,
  "services": [
    {"type": "likes", "quantity": 310},
    {"type": "saves", "quantity": 110, "interval_minutes": 20,
      "delivery_time_hours": 3}
  ]
}'
```

base_views is the post's reference quantity and is required even if Views is not selected. Only services included in the list are enabled and charged. If Views is included, its quantity must equal base_views. Delivery timing is optional and can be set per service.

Requests and responses

Orders use the selected wallet; R-SMM calculates current platform rates.

Allowed service quantities

Views / base_views: 100-10,000,000 **Likes:** 10-500,000 **Comments:** 1-100,000
Saves: 10-500,000 **Shares:** 10-100,000 **Reposts:** 10-1,000,000

Successful order response

```
{
  "ok": true,
  "order_id": 381,
  "views": 10000,
  "amount_micros": 1649000,
  "balance_micros": 18351000,
  "currency": "USDT"
}
```

Amounts are returned in micros: 1 USDT or USDC = 1,000,000 micros. The example charge is 1.649 USDT. The customer can find the order in R-SMM order history; it appears in the admin queue for fulfillment.

3. Check order status

```
curl "https://r-smm.vercel.app/api/v1/orders/381" \
-H "Authorization: Bearer YOUR_API_KEY"
```

The response contains the order status (pending, completed, or rejected), selected services, charged amount, and any rejection reason. A customer can only retrieve orders belonging to their own account.

Common responses

Code	Meaning
400	Invalid platform, post URL, quantity, timing, or missing idempotency key.
401	API key is missing, invalid, or revoked.
402	Wallet balance is too low. Add funds and retry with the same idempotency key.
404	Order does not exist or belongs to another account.
409	Idempotency key was reused with different order details.
429	More than 60 API calls were made with this key in one minute.

API keys can place customer orders and read that customer's order status only. They cannot access admin tools, payment approvals, wallet deposits, or other customers' data.