

$t = 0$ $t = 0.25$ $t = 0.50$ $t = 0.75$ $t = 1$


data

noise

($\longrightarrow$) **Noising Direction (data $\rightarrow$ noise)**

Forward SDE (defines p_t)

$$d\mathbf{x} = f\mathbf{x} dt + g d\mathbf{w}$$

marginals $= p_t$ 

Reverse-Time SDE (stochastic)


$$d\mathbf{x} = [f\mathbf{x} - g^2 \nabla \log p_t] dt + g d\mathbf{w}$$

(inactive in this direction)



PF-ODE (deterministic, reversible)

$$\dot{\mathbf{x}} = f\mathbf{x} - \frac{1}{2}g^2 \nabla \log p_t$$

marginals $= p_t$ 

($\longleftarrow$) **Denoising Direction (data $\leftarrow$ noise)**

Forward SDE (defines p_t)


$$d\mathbf{x} = f\mathbf{x} dt + g d\mathbf{w}$$

(inactive in this direction)



Reverse-Time SDE (stochastic)

$$d\mathbf{x} = [f\mathbf{x} - g^2 \nabla \log p_t] dt + g d\bar{\mathbf{w}}$$

marginals $= p_t$ 

PF-ODE (deterministic, reversible)

$$\dot{\mathbf{x}} = f\mathbf{x} - \frac{1}{2}g^2 \nabla \log p_t$$

marginals $= p_t$ 