```
* === Theo Pak | TSA Cyberspace Pursuit 2010-2011 =
  * This style.css uses the excellent reset, font normalization, base styles, and shameless hacks of the HTML5&Boilerplate *
  * project (build 2011 Mar 21). (Mandatory kudos by proxy: yui.yahooapis.com/2.8.1/build/base/base.css,
  * camendesign.com/design/, praegnanz.de/weblog/htmlcssjs-kickstart).
 /* Import Extra Stylesheets (buildscript mixes this down automatically) ==
@import url('slimbox2.css');
/* html5doctor.com Reset Stylesheet (Eric Meyer's Reset Reloaded + HTML5 baseline) =
  * v1.6.1 2010-09-17 | Authors: Eric Meyer & Richard Clark | html5doctor.com/html-5-reset-stylesheet/
html, body, div, span, object, iframe, h1, h2, h3, h4, h5, h6, p, blockquote, pre, abbr, address, cite, code, del, dfn, em, img, ins, kbd, q, samp, small, strong, sub, sup, var, b, i, dl, dt, dd, ol, ul, li, fieldset, form, label, legend, table, caption, tbody, tfoot, thead, tr, th, td, article, aside, canvas, details, figcaption, figure, footer, header, hgroup, menu, nav, section, summary, time, mark, audio, video {
    margin: 0; padding: 0; border: 0; font-size: 100%; font: inherit; vertical-align: baseline; }
    article, aside, details, figcaption, figure, footer, header, hgroup, menu, nav, section { display: block; }

blockquote, q { quotes: none; }
blockquote:before, blockquote:after, q:before, q:after { content: ""; content: none; } ins { background-color: #ff9; color: #000; text-decoration: none; }
mark { background-color: #ff9; color: #000; font-style: italic; font-weight: bold; }
del { text-decoration: line-through; }
abbr[title], dfn[title] { border-bottom: 1px dotted; cursor: help; }
table { border-collapse: collapse; border-spacing: 0; }
hr { display: block; height: 1px; border: 0; border-top: 1px solid #ccc; margin: 1em 0; padding: 0; }
input, select { vertical-align: middle; }
pre, code, kbd, samp { font-family: monospace, sans-serif; }
/* Minimal base styles ===
html { overflow-y: scroll; } /* Always force a scrollbar in non-IE */
a:hover, a:active { outline: none; } /* Accessible focus treatment (people.opera.com/patrickl/experiments/keyboard/test) */
ul, ol { margin-left: 2em; }
ol { list-style-type: decimal; }
header nav ul, nav li { margin: 0; list-style:none; list-style-image: none; } /* Remove margins for navigation lists */ small { font-size: 85%; }
 strong, th { font-weight: bold; }
td { vertical-align: top; }
sub, sup { font-size: 75%; line-height: 0; position: relative; } /* Set sub, sup without
 sup { top: -0.5em; }
                                                                                   /* affecting line-height: */
                                                                                   /* gist.github.com/413930 */
 sub { bottom: -0.25em; }
pre {
      white-space: pre; white-space: pre-wrap; word-wrap: break-word; /* www.pathf.com/blogs/2008/05/formatting-quoted- */
                                                                                      /* code-in-blog-posts-css21-white-space-pre-wrap/ */
      padding: 15px;
input:valid, textarea:valid { } /* Colors for form v
input:invalid, textarea:invalid { border-radius: 1px;
      -moz-box-shadow: Opx Opx 5px red; -webkit-box-shadow: Opx Opx 5px red; box-shadow: Opx Opx 5px red; }
 .no-boxshadow input:invalid, .no-boxshadow textarea:invalid { background-color: #f0dddd; }
::-moz-selection{ background: #FF5E99; color:#fff; text-shadow: none; } /* No text-shadow when text is selected: */
::selection { background: #FF5E99; color:#fff; text-shadow: none; } /* twitter.com/miketaylr/status/12228805301 */
a:link { -webkit-tap-highlight-color: #FF5E99; } /* j.mp/webkit-tap-highlight-color */
button { width: auto; overflow: visible; } /* Make button play nice in IE (Vidget Inspire: "...the Button Element...") */
 .ie7 img { -ms-interpolation-mode: bicubic; } /* Bicubic resizing (code.flickr.com/blog: "...Client Side Image Resizing") */
 /* You might tweak these.. =
body, select, input, textarea {
   color: #444; /* #444 looks better than black: twitter.com/H_FJ/statuses/11800719859 */
      font-family: Georgia, serif; /* base font here, to apply evenly */
h1, h2, h3, h4, h5, h6 { font-weight: bold; } /* reset headers have no default font-size or margin */
a { color: #607890; }
a:hover { color: #036; }
/* --- global --
                                                   */----*
body {
```

```
background-color: #CCC;
     background: -webkit-gradient(linear, left top, left bottom, from(#CCC), to(#DDD)); /* webkit */
    background: -moz-linear-gradient(bottom, #DDD, #CCC) fixed no-repeat 0 100%; /* firefox */
h1, h2, h3, h4. h5 {
    margin: 0;
padding: 0;
     font-family: Georgia, serif;
header {
    position: relative;
margin: 0 auto 45px;
    padding: 0 0 30px;
width: 100%;
height: 120px;
    background-color: #444;
font-family: Georgia,"Times New Roman",serif;
header h1 {
    display: block;
    margin: 0 auto;
    padding: 0;
min-width: 780px;
max-width: 960px;
    width: 100%:
header h1 a, header h1 a:visited {
    display: block;
margin: 0;
     padding: 10px 0 15px 90px;
    text-shadow: 0 -1px 0px rgba(0,0,0,0.5);
font: normal 45px/90px Georgia;
    background: url(../img/logo_70.png) no-repeat left center;
border-top: 5px solid transparent;
     color: #F3F3F3;
     text-decoration: none;
    outline: none:
header h1 a:hover {
   border-color: #2daebf;
     color: #FFF;
#container>header div#tools {
    display: block;
margin: -30px auto 0;
min-width: 780px;
    max-width: 960px;
width: 100%;
header form {
    float: right;
margin: 0;
    padding: 0;
line-height: 26px;
header form input#s {
    margin: 0;
    padding: 0 2px;
     width: 148px;
     height: 22px;
     background: #F0F0F0 url(../img/silk_magnifier.png) no-repeat right;
    border: none;
line-height: 22px;
     color: #666;
header form input#s:focus {
    color: #333;
header nav {
    display: block;
margin: 0 auto;
    height: 30px;
    width: 100%;
font-family: "MS Trebuchet", Arial, sans;
    background-color: #333;
header nav ul {
    position: relative;
display: block;
margin: 0 auto;
    padding: 0;
min-width: 780px;
max-width: 960px;
    width: 100%;
list-style: none;
```

```
header nav ul li {
    display: inline;
margin: 0;
    padding: 0;
header nav ul li a {
    display: block; display: block; float: left; /* I hate to do this, but it's the best way to get IE<7 to play nice with horizontal lists. */ margin: 0;
    padding: 0 15px;
font: bold 16px/30px "MS Trebuchet",Arial,sans;
    text-decoration: none;
    text-shadow: rgba(0,0,0,.5) 0 -1px 0px; color: #F0F0F0; outline: none;
header nav ul li {
    margin: 0;
    padding: 0;
header nav>ul>li:hover>a, header nav>ul>li.current_page_item>a, header nav>ul>li.current_page_ancestor>a {
    background-color: #2daebf;
color: white;
header nav ul ul {
   position: absolute;
    top: 30px;
left: 0;
margin: 0;
    padding: 0;
    height: 22px;
    background-color: #444;
    border-top: 4px solid #2daebf;
    display: none;
header nav ul li.current_page_ancestor ul, header nav ul li.current-menu-item ul {
    display: block;
header nav ul ul li a, header nav ul ul li a:visited {
height: 27px;
     font: normal 16px/22px "MS Trebuchet",Arial,sans;
    text-shadow: none;
    color: #F0F0F0;
header nav ul ul li a:hover, header nav ul ul li.current_page_item a {
    background-color: transparent;
    border: none;
font-weight: bold;
    color: #F0F0F0;
header nav ul ul li.current_page_item a {
    background: transparent url(../img/arrow.png) no-repeat center 16px; font-weight: bold;
    color: #F0F0F0;
#main {
    position: relative;
margin: 15px auto;
    padding: 0;
    min-width: 780px;
max-width: 960px;
    width: 100%;
    background: #F1F5FA url(../img/bg-white.jpg) repeat;
border: 1px solid white;
    box-shadow: rgba(0,0,0,0.2) 0px 1px 5px;
    zoom: 1; filter: progid: DXImageTransform.Microsoft.Shadow(color='#969696', Direction=135, Strength=3); /*IE box-shadow*/-webkit-animation: 'fadein' 1.5s;
section {
   /*position: relative;*/
    margin: 10px 10px;
    padding: 0;
article {
    position: relative;
display: block;
    color: #333;
overflow: hidden;
section h2 {
    position: absolute;
    top: -.5em;
left: 0;
display: inline;
```

```
/* margin: 0 0 .75em;
     padding: 0 40px 0 10px; */
     margin: 0;
padding: 0 40px 0 10px;
     background: #FCFCFC url(../img/bg-white.jpg) repeat;
font-size: 2.5em;
     color: black;
     clear: none;
section h3 {
     display: block;
margin: 2em -10px .4em;
     padding: 7px 10px 6px;
background-color: #EDEDED;
border-bottom: 1px groove white;
     font: 1.25em/1em Georgia;
     font-effect: engraved;
text-shadow: #eee 0 -1px 0;
     text-rendering: optimizelegibility;
color: #333;
section h3:first-of-type {
  margin-top: -10px;
section h4 {
     margin: 1.5em 0 0;
     padding: .5em 0 1em;
     border-top: 3px solid #DDD;
font: bold 1.2em/1.2em Georgia;
     color: #333;
section h4:first-of-type {
     padding-top: 0;
     border-top: none;
section h3 small, section h4 small {
   font-style: italic;
     font-variant: small-caps;
font-weight: lighter;
     color: #999;
section a {
     background-color: transparent;
      -webkit-transition: all .3s linear;
section a:hover {
     background-color: #aad5ff;
section p {
    margin: .1em 0 1em;
     padding: 0;
     font-style: italic;
     font-weight: normal;
section small {
     display: block;
margin: 0 0 1em;
font-style: italic;
font-weight: lighter;
     color: #666;
section small em, section small time {
     font-style: normal;
text-transform: uppercase;
     color: #666;
section img {
      float: left;
     display: block;
margin: 2px;
     padding: 1px;
img.frame {
      float: right;
     display: block;
margin: 0 0 0 6px;
     padding: 3px;
border: 1px solid #ccc;
background-color: #E4E4E4;
      -moz-border-radius: 3px;
      -webkit-border-radius: 3px;
img.frame.left {
     float: left;
```

```
margin: -0 6px 0 0;
img.frame.center {
    float: none;
     margin: 0 auto;
.pan {
     display: block;
     float: none;
margin: 4px;
      padding: 3px;
     border: 1px solid #ccc;
background-color: #E4E4E4;
      -moz-border-radius: 3px;
-webkit-border-radius: 3px;
     overflow: auto;
.pan img {
    float: none;
     margin: 0;
     padding: 0;
section dl {
   display: block;
   margin: 0;
     padding: 0;
section dl dt {
     display: block;
margin: 1em 0 0;
      padding: 0;
      font: italic 1.1em/1em Georgia;
section dl dd {
   margin: 0 0;
     padding: 3px 0;
section cite {
    display: block;
     margin: 0;
padding: 0 0 .25em 2.5em;
     font-style: italic;
text-indent: -2.5em;
color: #666;
section cite a {
    color: #666;
      text-decoration: none;
     border-bottom: 1px dotted #999;
section cite a:hover {
     color: #333;
background-color: transparent;
     text-decoration: none;
border-bottom: 1px solid #666;
section blockquote {
     display: block;
margin: 0;
     padding: 1em 1em 1em 2.5em;
background-color: #EEE;
section blockquote cite {
   display: block;
section q:before {
   content: "\"";
section q:after {
   content: "\"";
section blockquote cite:before {
   //content: "— ";
   content: "- ";
section div.left, section div.right {
     display: block;
float: left;
     margin: 0;
     padding: 0;
width: 50%;
section div.right {
      float: right;
section div.left p, section div.left h4, section div.right p, section div.right h4 {
    margin-left: 0;
```

```
margin-right: 10px;
section div.right p, section div.right h4 {
   margin-left: 10px;
     margin-right: 0;
section div.left h4, section div.right h4 {
     margin-top: 10px;
     text-align: center;
} /* -- sidebar -----*/
#sidebar {
display: block;
     float: right;
margin: 0 0 0 10px;
padding: 15px 10px 15px;
     width: 219px;
border-left: 1px groove white;
#sidebar>ul {
margin: 0;
     padding: 0;
     list-style: none;
#sidebar .widget {
     margin: 0 0 2em;
padding: 0;
#sidebar .widget .widgettitle {
    margin: 0 0 .2em;
     padding: 0;
     font: 1.2em/1em Georgia;
#sidebar ul ul {
     margin: 0;
     padding: 0;
     list-style: circle inside;
#sidebar ul ul li a {
     text-decoration: none;
#sidebar ul ul li a:hover {
     text-decoration: underline;
aside.feat {
   position: relative;
     display: block;
margin: 0 auto;
padding: 0;
     /*max-width: 960px;
     min-with: 780px;
width: 100%;*/
     min-width: 720px;
max-width: 850px;
     width: 80%;
     text-rendering: optimizelegibility;
aside.feat h2 {
     display: block;
margin: 1.5em 0 0;
     padding: 0;
     font: bold 3.5em/1.2em 'Arial Black';
text-align: center;
font-effect: engraved;
     text-shadow: #eee 0 1px 0; color: #333;
aside.feat h2.ir {
    margin: 1em 0 0;
     border-bottom: 1px groove white;
font: 4.2em/1.3em 'Arial Black';
aside.feat p {
    display: block;
    margin: 0 10px;
     padding: 0;
     text-align: center;
font: 1.2em/1.2em Georgia,serif;
aside.feat p em {
  font-family: serif;
     font-style: oblique;
ul.info {
     margin: 0;
```

```
padding: 0;
      list-style: none;
}
ul.info li {
     padding: 0 15px;
      cursor: pointer;
ul.info li h4 {
     display: inline;
margin: 0;
     padding: 8px 0 2px;
font-effect: engraved;
text-shadow: #DDD 0 -1px 0;
      color: #444;
ul.info li span {
     font: 14px/14px sans;
vertical-align: baseline;
      color: #666;
      visibility: hidden;
ul.info li:hover span {
     visibility: visible;
ul.info li small {
     display: block;
margin: 0;
      padding: 0;
      font: 14px/14px sans;
ul.info li p {
color: #666;
ul.info li strong {
      font-style: oblique;
      font-weight: normal;
}
/* --- footer -----
     position: relative;
margin: 0 auto;
     padding: 0;
min-width: 780px;
max-width: 960px;
     width: 100%;
height: 250px;
footer section {
     position: absolute;
margin: 0;
     padding: 0 10px 15px 0;
width: 300px;
height: auto;
      background-color: transparent;
     border: none;
color: #666;
}
footer section h1 {
      float: none;
     display: block;
margin: 0 0 15px;
     padding: 0 10px 0 0;
     width: 320px;
border-top: 1px groove white;
border-bottom: 1px groove white;
     font: Zem/50px Georgia;
color: #333;
footer section p {
   margin: 1em 0 0;
   text-align: justify;
      color: #666;
footer aside {
   margin: 0 0 15px 320px;
   padding: 0 10px;
      height: 50px;
     border-top: 1px groove white;
border-bottom: 1px groove white;
line-height: 50px;
overflow: hidden;
ul#sitemap {
    display: table;
    margin: 0 0 1em 320px;
      padding: 0;
      list-style: none;
```

```
ul#sitemap>li {
    float: left;
display: block;
    margin: 0;
    padding: 0 10px 15px;
width: 140px;
    height: 80px;
ul#sitemap>li>a {
    font-weight: bold;
3
ul#sitemap * {
    display: block;
color: #333;
     text-decoration: none;
     font-family: "MS Trebuchet",Arial,sans;
ul#sitemap h3 {
    display: block;
    margin: 0;
    padding: 0 10px;
    border-bottom: 1px groove white;
ul#sitemap ul {
    margin: 0;
    padding: 0;
    list-style: none;
ul#sitemap ul li a {
    color: #666;
ul#sitemap ul li a:hover {
    text-decoration: underline;
ul#sitemap ul li a.current {
    color: #333;
footer #about_hp {
    display: block;
    margin: 0 auto;
    padding: 0;
width: 758px;
footer small {
    display: block;
    margin: 1em auto;
    padding: 0;
width: 758px;
     color: #666;
    text-align: center;
 footer a.button {
    float: right;
color: #666;
footer a.button:hover {
    color: #333;
}
/* --- animations ------
-- 'fadain'
@-webkit-keyframes 'fadein' {
    from { opacity: 0; }
    to { opacity: 1; }
\slash Non-semantic helper classes: please define your styles before this section. =
/* tickets/5-extra-margin-padding-bottom-of-page
.clearfix { zoom: 1; }
/* Media queries for responsive design. ------

* These follow after primary styles so they will successfully override.
@media all and (orientation:portrait) { /* Style adjustments for portrait mode goes here */ }
@media all and (orientation:landscape) { /* Style adjustments for landscape mode goes here */ }
```