



Certified Penetration Testing Professional

AWS CLI Cheat Sheet

AWS CLI

The AWS Command Line Interface (AWS CLI) is an open-source tool that enables you to interact with AWS services using commands in your command-line shell. With minimal configuration, the AWS CLI enables you to start running commands that implement functionality equivalent to that provided by the browser-based AWS Management Console from the command prompt in your favorite terminal program.

1. [AWS CLI Options](#)
2. [AWS CLI Credential Options](#)
3. [AWS CLI Commands](#)

1. AWS CLI Options

Syntax	
<code>aws [options] <command> <subcommand> [parameters]</code>	
Options	
<code>--debug (boolean)</code>	Turn on debug logging
<code>--endpoint-url (string)</code>	Override command's default URL with the given URL
<code>--no-verify-ssl (boolean)</code>	AWS CLI uses SSL when communicating with AWS services
<code>--no-paginate (boolean)</code>	Disable automatic pagination
<code>--output (string)</code>	Formatting style for command output (Jason, text, or table)

<code>--query (string)</code>	A JMESPath query to use in filtering the response data
<code>--profile (string)</code>	Use a specific profile from your credential file
<code>--region (string)</code>	Region to use
<code>--version</code>	Display the version of this tool
<code>--color (string)</code>	Turn on/off the color output
<code>--no-sign-request (boolean)</code>	Do not sign requests
<code>--ca-bundle (string)</code>	The CA certificate bundle to use when verifying SSL certificates
<code>--cli-read-timeout (int)</code>	The maximum socket read time in seconds
<code>--cli-connect-timeout (int)</code>	The maximum socket connect time in seconds

2. AWS CLI Credential Options

Options	
<code>access_key</code>	AWS Access Key
<code>secret_key</code>	AWS Secret Key
<code>token</code>	AWS Token (temp credentials)
<code>metadata_service_timeout</code>	EC2 metadata creds timeout
<code>metadata_service_num_attempts</code>	EC2 metadata creds retry count

3. AWS CLI Commands

Command	Description
<code>aws s3 mb s3://bucket-name</code>	Create an S3 bucket
<code>aws s3api list-objects --bucket b --query Contents[].[Key,Size]</code>	Display list of key names and their sizes in an S3 bucket
<code>aws s3 ls --profile my_profile</code>	Retrieve all the buckets available for the account
<code>aws s3 cp myvideo.mp4 s3://mybucket/</code>	Upload a file to Amazon S3 bucket
<code>aws s3 sync s3://bucket-name /home/user/localstash/targetcloud/ --profile my_profile</code>	Synchronize and download all the data stored in the buckets
<code>aws sts get-caller-identity --profile my_profile</code>	To check the AWS set up

<code>aws ec2 describe-instances</code>	Display a list of all instances (running, and not running)
<code>aws ec2 run-instances \</code> <code>--image-id ami-f0e7d19a \</code> <code>--instance-type t2.micro \</code> <code>--security-group-ids sg-</code> <code>0000 \</code> <code>--dry-run</code>	Create a new instance
<code>aws ec2 terminate-instances \</code> <code>--instance-ids</code> <code><instance_id></code>	To stop an instance
<code>aws ec2 describe-instances --</code> <code>query \</code> <code>'Reservations[].Instances[].[In</code> <code>stanceId,State.Name,Tags[?Key==</code> <code>`Name`] [0].Value]'</code>	Display a list of all EC2 instances and include their Instance ID, State Name, and their Name
<code>aws iam list-users --query</code> <code>Users[].UserName</code>	Display a list of IAM usernames
<code>aws iam create-group --group-</code> <code>name MyIamGroup</code>	To create a new IAM group
<code>aws iam create-user --user-name</code> <code>MyUser</code>	To add a new IAM user
<code>aws iam create-login-profile --</code> <code>user-name MyUser --password</code> <code>My!User1Login8P@ssword --</code> <code>password-reset-required</code>	Setting an initial password for IAM user
<code>aws s3 rb s3://bucket-name --</code> <code>force</code>	Remove an S3 bucket and all its contents
<code>aws s3api get-bucket-location -</code> <code>-bucket bucket-name</code>	Get the location of an S3 bucket
<code>aws ec2 start-instances --</code> <code>instance-ids <instance_id></code>	Start a stopped EC2 instance
<code>aws ec2 stop-instances --</code> <code>instance-ids <instance_id></code>	Stop a running EC2 instance
<code>aws ec2 reboot-instances --</code> <code>instance-ids <instance_id></code>	Reboot an EC2 instance
<code>aws ec2 describe-security-</code> <code>groups</code>	Display all security groups
<code>aws ec2 create-security-group -</code> <code>-group-name MySecurityGroup --</code> <code>description "My security group"</code>	Create a new security group

aws ec2 authorize-security-group-ingress --group-id sg-0000 --protocol tcp --port 22 - -cidr 0.0.0.0/0	Add an inbound rule to a security group
aws iam attach-user-policy --user-name MyUser --policy-arn arn:aws:iam::aws:policy/AdministratorAccess	Attach a policy to a user
aws iam list-attached-user-policies --user-name MyUser	List all the policies attached to a user
aws rds describe-db-instances	List all the RDS instances
aws cloudwatch describe-alarms	List all the CloudWatch alarms
aws cloudwatch put-metric-alarm --alarm-name "Default_Test_Alarm3" --alarmdescription "The default example alarm" --namespace "CW EXAMPLE METRICS" --metric-name Default_Test --statistic Average --period 60 - -evaluation-periods 3 --threshold 50 --comparison-operator GreaterThanOrEqualToThreshold - -dimensions Name=key1,Value=value1 Name=key2,Value=value2	Create a CloudWatch alarm
aws lambda list-functions	List all the Lambda functions
aws dynamodb list-tables	List all the DynamoDB tables
aws dynamodb scan --table-name my-table	Scan a DynamoDB table