



Certified Penetration Testing Professional

DumpsterDiver Cheat Sheet

DumpsterDiver

Source: <https://github.com>

DumpsterDiver is a tool using which we can find keys or passwords, by analyzing large volumes of different file types.

1. [DumpsterDiver Syntax](#)
2. [DumpsterDiver Commands](#)

1. DumpsterDiver Syntax

Syntax	
<pre>DumpsterDiver.py [-h] -p LOCAL_PATH [-r] [-a] [-s] [-l [0,3]] [-o OUTFILE] [--min-key MIN_KEY] [--max-key MAX_KEY] [--entropy ENTROPY] [--min-pass MIN_PASS] [--max-pass MAX_PASS] [--pass-complex {1,2,3,4,5,6,7,8,9}] [--grep-words GREP_WORDS [GREP_WORDS ...]] [--exclude-files EXCLUDE_FILES [EXCLUDE_FILES ...]] [--bad-expressions BAD_EXPRESSIONS [BAD_EXPRESSIONS ...]]</pre>	
Options	
<code>-p LOCAL_PATH</code>	Path to the folder containing files to be analyzed
<code>-r</code> or <code>--remove</code>	Files which do not contain any secret will be removed

-a or --advance	All files will be additionally analyzed using rules specified in 'rules.yaml' file
-s or --secret	All files will be additionally analyzed in search of hardcoded passwords
-o OUTFILE	Output file in JSON format
--min-key MIN_KEY	Specifies the minimum key length to be analyzed
--max-key MAX_KEY	Specifies the maximum key length to be analyzed
--entropy ENTROPY	Specifies the edge of high entropy
--grep-words GREP_WORDS [GREP_WORDS ...]	Specifies the grep words to look for
--min-pass MIN_PASS	Specifies the minimum password length to be analyzed
--max-pass MAX_PASS	Specifies the maximum password length to be analyzed
--pass-complex {1,2,3,4,5,6,7,8,9}	Specifies the edge of password complexity between 1 to 9
--exclude-files	Specifies file names or extensions which shouldn't be analyzed
--bad-expressions	Specifies bad expressions
[-h] or --help	Show this help message and exit

2. DumpsterDiver Commands

Commands	Description
<code>python3 DumpsterDiver.py -p [PATH_TO_FOLDER] -min-pass 10 -max-pass 15 -pass-complex 8</code>	To find complex passwords
<code>docker run -v /path/to/my/files:/files -rm rzepsky/dumpsterdiver -p /files</code>	Using docker
<code>docker run -v /path/to/my/config/config.yaml:/config.yaml /path/to/my/config/rules.yaml:/rules.yaml -v /path/to/my/files:/files -rm rzepsky/dumpsterdiver -p /files</code>	To override one of the configuration files

<code>python3 entropy.py f2441e3810794d37a34dd7f8f6995df4</code>	Count an entropy of a character in a single word
<code>python3 DumpsterDiver.py -p ./test/ --grep-words *aws_access_key_id* *aws_secret_access_key* -a</code>	Looking for any occurrence of aws_access_key_id or aws_secret_access_key
<code>python3 DUMpsterDiver.py -p ./source_folder/ -a -s -grep-words *Target Website</code>	To find common access keys, any complex, hardcoded password, or any mail address in the target website
<code>python3 DumpsterDiver.py -p ./source_folder/ --level 3</code>	Searching for any key
<code>python3 DumpsterDiver.py -p [PATH_TO_FOLDER] --min-key 40 --max-key 40 --entropy 4.3</code>	Searching for AWS secret access key
<code>python3 DumpsterDiver.py -p [PATH_TO_FOLDER] --min-key 66 --max-key 66 --entropy 5.1</code>	Searching for Azure shared key
<code>python3 DumpsterDiver.py -p [PATH_TO_FOLDER] --min-key 76 --max-key 76 --entropy 5.1</code>	Searching for SSH private key
<code>python3 DumpsterDiver.py -p [PATH_TO_FOLDER] --min-pass 10 --max-pass 15 --pass-complex 8</code>	Find complex passwords