



Certified Penetration Testing Professional

Nbtstat Cheat Sheet

Nbtstat

Source: <https://www.microsoft.com>

Nbtstat displays NetBIOS over TCP/IP (NetBT) protocol statistics, NetBIOS name tables for both the local computer and remote computers, and the NetBIOS name cache. Nbtstat allows a refresh of the NetBIOS name cache and the names registered with Windows Internet Name Service (WINS). Used without parameters, nbtstat displays help.

Syntax

```
nbtstat [/a <remotename>] [/A <IPaddress>] [/c] [/n] [/r] [/R] [/RR]
[/s] [/S] [<interval>]
```

Nbtstat Parameters

Parameter	Description
/a	Displays the NetBIOS name table of a remote computer, where <i>remoteName</i> is the NetBIOS computer name of the remote computer
/A	Displays the NetBIOS name table of a remote computer, specified by the IP address (in dotted decimal notation) of the remote computer
/c	Displays the contents of the NetBIOS name cache, the table of NetBIOS names and their resolved IP addresses
/n	Displays the NetBIOS name table of the local computer. The status of registered indicates that the name is registered either by broadcast or with a WINS server
/r	Displays NetBIOS name resolution statistics
/R	Purges the contents of the NetBIOS name cache and then reloads the #PRE-tagged entries from the Lmhosts file

<code>/RR</code>	Releases and then refreshes NetBIOS names for the local computer that is registered with WINS servers
<code>/s</code>	Displays NetBIOS client and server sessions, attempting to convert the destination IP address to a name
<code>/S</code>	Displays NetBIOS client and server sessions, listing the remote computers by destination IP address only
<code>/?</code>	Displays help at the command prompt
<code>interval</code>	Redisplays selected statistics, pausing the number of seconds specified in Interval between each display. Press CTRL+C to stop redisplaying statistics. If this parameter is omitted, nbtstat prints the current configuration information only once

Nbtstat Commands

Command	Description
<code>nbtstat /c</code>	Shows the contents of the NetBIOS name cache, which contains NetBIOS name-to-IP address mappings
<code>nbtstat /n</code>	Displays the names that have been registered locally on the system by NetBIOS applications such as the server and redirector
<code>nbtstat /A 10.0.0.99</code>	Displays the NetBIOS name table of the remote computer assigned the IP address of 10.0.0.99
<code>nbtstat /r</code>	Displays the count of all NetBIOS names resolved by broadcast and by querying a WINS server
<code>nbtstat /S</code>	Lists the current NetBIOS sessions and their statuses.
<code>nbtstat /R</code>	Used to purge the NetBIOS name cache and reload the #PRE-tagged entries in the local Lmhosts file
<code>nbtstat /RR</code>	Release NetBIOS names registered with the WINS server and re-register them
<code>nbtstat /a CORP07</code>	Displays the NetBIOS name table of the remote computer with the NetBIOS computer name of CORP07
<code>nbtstat /S 10</code>	Display NetBIOS session statistics by IP address every 10 seconds