



Certified Penetration Testing Professional

Sn1per Cheat Sheet

Sn1per

Source: <https://github.com>

Sn1per is an automated scanner that can be used to enumerate and scan for vulnerabilities. It automates the process of reconnaissance, scanning, and reporting on target hosts and networks. It combines multiple tools and techniques to gather information and identify vulnerabilities.

Syntax
<code>sniper [options] -t <target></code>

Options	
<code>-t</code>	Target URL or IP address
<code>-m</code>	Mode to run (e.g., passive, active, full)
<code>-w</code>	Enable web module
<code>-r</code>	Enable reporting
<code>-f</code>	Enable full scan
<code>-n</code>	Enable non-intrusive mode
<code>-o</code>	Output directory
<code>-q</code>	Quiet mode
<code>-v</code>	Verbose mode
<code>-h</code>	Display help message
<code>--dns</code>	Enable DNS enumeration
<code>--osint</code>	Enable OSINT collection
<code>--recon</code>	Enable reconnaissance

<code>--brute</code>	Enable brute-force attacks
<code>--nmap</code>	Enable Nmap scanning
<code>--ssl</code>	Enable SSL/TLS enumeration
<code>--update</code>	Update Sn1per to the latest version
<code>--check</code>	Check for Sn1per updates
<code>--report</code>	Generate a report from previous scan results
<code>--list</code>	List all available modules

Sn1per Commands

Command	Description
<code>sniper -t <TARGET></code>	Normal mode
<code>sniper -t <TARGET> -o -re</code>	Normal mode + osint + recon
<code>sniper -t <TARGET> -m stealth -o -re</code>	Stealth mode + osint + recon
<code>sniper -t <CIDR> -m discover -w <WORKSPACE_ALIAS></code>	Discover mode
<code>sniper -t <TARGET> -m port -p <portnum></code>	Scan only specific port
<code>sniper -t <TARGET> -fp</code>	Full port only scan mode
<code>sniper -t <TARGET> -m web</code>	Web mode - port 80 + 443 only!
<code>sniper -t <TARGET> -m webporthttp -p <port></code>	Http web port mode
<code>sniper -t <TARGET> -m webporthttps -p <port></code>	Https web port mode
<code>sniper -t <TARGET> -m webscan</code>	Http webscan mode
<code>sniper -t <TARGET> -b</code>	Enable brute-force
<code>sniper -f targets.txt -m airstrike</code>	Airstrike mode
<code>sniper -f targets.txt -m nuke -w <WORKSPACE_ALIAS></code>	Nuke mode with target list
<code>sniper -f targets.txt -m massportscan</code>	Mass port scan mode

<code>sniper -f targets.txt -m massweb</code>	Mass web scan mode
<code>sniper -f targets.txt -m masswebscan</code>	Mass webscan scan mode
<code>sniper -f targets.txt -m massvulnscan</code>	Mass vuln scan mode
<code>sniper -t <TARGET> -m port -p <PORT_NUM></code>	Port scan mode
<code>sniper --list</code>	List workspaces
<code>sniper -w <WORKSPACE_ALIAS> -d</code>	Delete workspace
<code>sniper -w <WORKSPACE_ALIAS> -t <TARGET> -dh</code>	Delete host from workspace
<code>sniper --status</code>	Get sniper scan status
<code>sniper -w <WORKSPACE_ALIAS> --reimport</code>	Loot reimport function
<code>sniper -w <WORKSPACE_ALIAS> --reload</code>	Loot reload function
<code>sniper -w <WORKSPACE_ALIAS> --reimportall</code>	Loot reimportall function
<code>sniper -w <WORKSPACE_ALIAS> --export</code>	Loot export function
<code>sniper -w <WORKSPACE_ALIAS> -s daily weekly monthly</code>	Scheduled scans
<code>sniper -c /path/to/sniper.conf -t <TARGET> -w <WORKSPACE_ALIAS></code>	Use a custom config
<code>sniper -u --update</code>	Update sniper