



CESSNA 172P AV-30-Cs • GPSMAP 696

PRE & POST FLIGHT CHECKLISTS SEE NOTICE BEFORE USE IN QRH REVISION 3.0

PRE-FLIGHT

PRE-FLIGHT ACTION (NWKRAFT)

NOTAMS CHECKED
WEATHER BRIEFED
KNOWN ATC DELAYS OBTAINED
RUNWAY LENGTHS OBTAINED
ALTERNATIVES PLANNED
FUEL REQUIREMENTS COMPUTED
TAKEOFF DATA (WEIGHT & BALANCE / PERFORMANCE)..... CALCULATED

AIRCRAFT DOCUMENTS (SPARROW)

SUPPLEMENTS PRESENT
PLACARDS (INCLUDING EXTERNAL DATA PLATE)..... IN PLACE
AIRWORTHINESS CERTIFICATE VISIBLE
REGISTRATION CHECK & VISIBLE
RADIO OPERATORS LICENSE (INT. FLIGHTS ONLY)..... IN POSSESSION
OPERATING LIMITATIONS / POH ONBOARD
WEIGHT & BALANCE SHEET (IN BACK OF POH)..... ONBOARD

VOR CHECK LOG (COMPLETE NEW CHECK IF EXPIRED)..... CURRENT
PILOT DOCUMENTS IN POSSESSION
PERSONAL EQUIPMENT (EFBs / ADS-B / HEADSETS / BAGS / VESTS / ACCESSORIES)..... SET
SEAT HEIGHT ADJUSTED
PARKING BRAKE SET
FUEL QUANTITY (30 GALLONS MINIMUM / AS REQUIRED)..... CHECK
FUEL PUMPS (2 TOTAL – ONE STRAINER / INSPECTED FOR WATER & CONTAMINANTS)..... CHECK
AIRPLANE COVERS / CHALKS / CONES REMOVED
WINDSHIELD & WINDOWS CLEANED

CABIN

CONTROL WHEEL LOCK REMOVED
RUDDER PEDALS & LINKAGES (FREE OF FOREIGN OBJECTS)..... CHECK
FLIGHT CONTROLS FREE & CORRECT
IGNITION SWITCH OFF
FIRE EXTINGUISHER (HALON – SECURED – IN THE GREEN)..... CHECK
FUEL SELECTOR (CHECK MOVEMENT)..... BOTH
ELEVATOR & RUDDER TRIM (CHECK MOVEMENT)..... SET FOR TAKEOFF
MIXTURE IDLE CUTOFF
THROTTLE CLOSED
ALTERNATE STATIC SOURCE CHECKED & OFF
CIRCUIT BREAKERS (EXCEPT INOP)..... CHECKED & IN
ELECTRICAL SWITCHES (EXCEPT BEACON – & NAV IF NIGHT)..... OFF
AVIONICS SWITCH OFF
MASTER SWITCH ON
FUEL GAUGES (MATCHES GAL. MEASURED)..... CHECKED
AMPS DISCHARGING
AVIONICS SWITCH (CYCLE & LISTEN FOR FAN)..... CYCLED & OFF
FLAPS (CHECK INCREMENTALLY)..... FULL & CONFIRMED
EXTERIOR LIGHTS & PITOT HEAT (CAUTION PITOT HOT)..... ON & CHECK
LOW VOLTS LIGHT (WHEN LESS THAN 24V)..... ILLUMINATED
PITOT HEAT & EXTERIOR LIGHTS (EXCEPT BEACON – & NAV IF NIGHT)..... OFF
MASTER SWITCH OFF
HOBBS & TACH METERS NOTED
FLIGHT CIRCLE AIRCRAFT RESERVATION DISPATCHED

EMPENNAGE

AIRCRAFT KIT / SURVIVAL KIT / LOAD / TOW BAR PRESENT & SECURED
BAGGAGE DOOR CLOSED & LOCKED
SKIN & INSPECTION PANELS (THROUGHOUT)..... INSPECTED & SECURED
LEFT HORIZ. STAB. / ELEVATOR / WICKS INSPECTED
ELEVATOR & RUDDER LINKAGES (NUTS & AND SAFETY PINS/WIRE THROUGHOUT)..... INSPECTED
(ELEVATOR & RUDDER HINGES & BONDING STRAPS / ELEVATOR TORQUE TUBE / ELEVATOR BELL CRANK
RUDDER BELL CRANK / CONTROL STOPS / ELEVATOR & RUDDER SHACKLES / RUDDER CLEAVES / CABLES)
TAIL TIE DOWN / SKID PLATE REMOVED / INSPECTED
VERTICAL STABILIZER / RUDDER / WICKS INSPECTED
ELEVATOR TRIM TAB (INCLUDING PUSH-PULL HORN ASSEMBLY & BOLTS)..... INSPECTED
RIGHT HORIZ. STAB. / ELEVATOR / WICKS INSPECTED
SKIN & INSPECTION PANELS INSPECTED & SECURED
ANTENNAS (ADS-B / NAVS X2 / ELT / COMMS X2 / OAT / XPDR)..... CHECK
UPPER WING SURFACES INSPECTED

PROJECT ACES

CESSNA 172P AV-30-C • GPSMAP 696

NORMAL CHECKLISTS

SEE NOTICE BEFORE USE IN QRH

REVISION 3.0

BEFORE START

PARKING BRAKE SET
PREFLIGHT INSPECTION COMPLETED
FLIGHT CIRCLE DISPATCH COMPLETED
PASSENGER / CREW BRIEF COMPLETED
(SEATS & SEATBELTS / HEADSETS / LIGHTS / VENTS / DOORS & WINDOWS / ESCAPE / FIRE EXTINGUISHER
PIC / FLIGHT PLAN / STERILE COCKPIT CRITICAL PHASES OF FLIGHT / 3-WAY + TRANSFER OF CONTROLS)
SEATS & SEATBELTS UPRIGHT-LOCKED & ON
FUEL SELECTOR BOTH
CIRCUIT BREAKERS IN
ELECTRICAL SWITCHES (EXCEPT BEACON – & NAV IF NIGHT)..... OFF
AVIONICS SWITCH OFF
SUN SHADE REMOVED & STOWED

ENGINE START

MASTER SWITCH ON
MIXTURE RICH
CARB HEAT COLD – IN & OFF

COLD ENGINE START

THROTTLE OPEN 1/8 INCH
FUEL PRIMER (NONE IF WARM ENGINE)..... 2-6 STROKES & LOCKED

FLOODED ENGINE START

THROTTLE (BE PREPARED FOR SWIFT REDUCTION UPON START)..... HALF FULL
DURING FLOODED STARTS – WHEN ENGINE BEGINS TO START:
(ADVANCE MIXTURE TO 2/3 RICH AND THEN FULL RICH ONCE ENGINE FULLY STARTS –
A BUMP OF THROTTLE MIGHT ALSO BE NEEDED TO FURTHER START THE ENGINE)

ENGINE START CONTINUED

FLAPS (EXCEPT DURING COLD OR LOW BATTERY OPERATIONS)..... UP & CONFIRMED
PROP & BLAST AREA CLEAR
BRAKES HOLD
IGNITION (10 SECONDS MAX CRANK – COOLDOWN 20 SECONDS)..... START

WHEN ENGINE STARTS

THROTTLE 1200 RPM
OIL PRESSURE (IN THE GREEN WITHIN 30 SECONDS)..... CHECKED
AMPS (POSITIVE CHARGE)..... CHECKED
LOW VOLTS & CO ANNUNCIATORS (NONE SHOWN)..... CHECKED
MIXTURE LEAN FOR PEAK RPM / TAXI
THROTTLE (FOR ALL FURTHER IDLE OPERATIONS)..... 1000-1200 RPM

AFTER START

AVIONICS SWITCH ON
HEADSETS (VOLUME & SQUELCH)..... CHECKED & SET
INTERIOR LIGHTS & AVIONICS BRIGHTNESS SET
GPSMAP 696 (DATABASES SET / TOS ACCEPTED)..... SET
AV-30-Cs INITIALIZED
ATIS-AWOS-ASOS / CLEARANCE (IFR / FLIGHT FOLLOWING)..... AS REQUIRED OR DEFERRED
COMMS / NAVS SET
ALTIMETER SETTINGS (INCLUDING AV-30-C)..... SET
XPDR (AS ASSIGNED OR VFR)..... SET & ON ALT
FLIGHT INSTRUMENTS NO RED FLAGS
FLIGHT PLAN & GPS CONFIGURED OR DEFERRED
(MAPS SET / GPS FLIGHT PLAN SET / DEPARTURE PROCEDURES SET / ARRIVAL & APPROACH PROCEDURES SET)
INSTRUMENT & SYSTEMS CHECK COMPLETED OR DEFERRED
(MAG COMPASS / CLOCK / AIRSPEED / TAS / ATTITUDE / ALTIMETER / RATE OF TURN / SLIP SKID /
DG – HEADING INDICATOR SLAVED OR MATCHING / VSI / VOR & CDI / GPS STATUS / CARBON MONOXIDE)

BEFORE TAXI

PARKING BRAKE RELEASED
LIGHTS (TAXI LIGHT ON)..... SET
BRAKE CHECK COMPLETED
AIRPORT DIAGRAM (MAP RANGE / HOT SPOTS & TAXI ROUTES)..... SET & BRIEFED
TAXI CLEARANCE / ADVISORY (CLASS D DEPARTURE REQUEST)..... OBTAINED / COMPLETED

INSTRUMENT TAXI & BRAKE SYMMETRY CHECK COMPLETE
(SLIP SKID OPPOSITE / ATTITUDE LEVEL / RATE OF TURN SAME / DG & MAG COMPASS ROTATING)

TAXI LIGHTS OFF WHEN STOPPED AND WHILE YIELDING TO TRAFFIC AT NIGHT AS A COURTESY TO OTHER PILOTS

USE APPROPRIATE WIND CORRECTION CONTROL INPUTS AT ALL TIMES

REVISION 3.0

PROJECT ACES
COPYRIGHT © 2026

RUN UP

PARKING BRAKE(NOSE WHEEL CENTERED – TAXI LIGHT OFF)..... SET
FLIGHT CONTROLS BOX CHECK & FREE
FUEL SELECTOR BOTH
WINDOWS CLOSED FOR RUN-UP
MIXTURE RICH
THROTTLE(1700 RPM / FULL ABOVE 3000' MSL)..... SET
MIXTURE(RICH BELOW 3000' MSL / ABOVE LEAN FOR PEAK RPM)..... SET
MAGNETOS(MAX 125 RPM DROP / MAX 50 RPM BETWEEN DROPS)..... CHECK
CARB HEAT(PULL OUT – ON / CHECK FOR RPM DROP)..... TESTED & OFF
ENGINE INSTRUMENTS(IN THE GREEN / FUEL QTY. CHECK)..... CHECKED
VOLTS & AMPS / ALTERNATOR CHECK(NO LIGHT / NO DISCHARGE)..... CHECKED
IDLE(CONFIRM ENGINE STABLE AT MINIMUM RPM)..... CHECKED
THROTTLE 1000-1200 RPM
MIXTURE LEANED FOR PEAK RPM / TAXI

BEFORE TAKEOFF

ATIS-AWOS-ASOS / CLEARANCE(IFR / FLIGHT FOLLOWING)..... UPDATED / OBTAINED
FLIGHT PLAN & GPS CONTINUED & CONFIGURED
INSTRUMENT & SYSTEMS CHECK(NO RED FLAGS)..... CONTINUED & COMPLETED
COMMS / NAVS(ENROUTE FLIGHT MONITORING GUARD 121.5)..... SET
ALTIMETER SETTINGS(INCLUDING AV-30-C)..... SET
HDG BUG / OBS SET
XPDR(AS ASSIGNED OR VFR)..... SET & ON ALT
TAKEOFF BRIEFING COMPLETE
(PIC / ABORTED TAKEOFF / LOSS OF POWER IN PHASES OF CLIMB / TYPE TAKEOFF / INITIAL HDG & ALT)
ELEVATOR & RUDDER TRIM SET FOR TAKEOFF
FLAPS SET & CONFIRMED
DOORS & WINDOWS LATCHED PRIOR TO TAKEOFF
PARKING BRAKE REMOVED

FINAL ITEMS BEFORE ENTERING RUNWAY FOR TAKEOFF

(MAP RNG SET / LIGHTS ON / FINAL CLEAR / CARB HT OFF / MIXTURE SET / TIMER ON / RUNWAY VRFY)

CLIMB

FLAPS ZERO & CONFIRMED
THROTTLE FULL
MIXTURE(PEAK RPM OR 50° RICH OF PEAK EGT ABOVE 3000' MSL EVERY 1000')..... SET
LIGHTS / CARB HEAT / PITOT HEAT & DEFROST CHECKED & SET
CBs / FLIGHT & ENGINE INSTRUMENTS(INCLUDING CO DETECTOR)..... CHECKED

CRUISE / PRE-MANEUVER

POWER / AIRSPEED / TRIM(IN THE GREEN 2100-2500 RPM)..... SET
MIXTURE(50° RICH OF PEAK EGT / RICH BELOW 3000' MSL)..... SET
LIGHTS / CARB HEAT / PITOT HEAT & DEFROST CHECKED & SET
CBs / FLIGHT & ENGINE INSTRUMENTS(SET TAS / CHECK CO DETECTOR)..... CHECKED & SET
FLIGHT PLAN CHECKED / SET & BRIEFED
(FUEL QTY. CHECK / FUEL SELEC. SET BOTH FOR MANEUVERS / MAP RANGE SET / AREA CLEAR / BUGS SET)

IN RANGE / DESCENT / LANDING

ATIS-AWOS-ASOS / ATC REQUESTS OBTAINED
ALTIMETER SETTINGS(INCLUDING AV-30-C)..... SET
GPS / DESCENT & APPROACH PROCEDURES(MAP RANGE)..... SET & BRIEFED
COMMS / NAVS SET & IDENTIFIED
HDG BUG / OBS / TIMER SET & READY
XPDR(AS ASSIGNED OR VFR)..... SET & ON ALT
FUEL SELECTOR BOTH FOR LANDING
MIXTURE(ENRICH EVERY 1000' DESCENDED / RICH BELOW 3000' MSL)..... SET
CARB HEAT PULL OUT – ON BEFORE DESCENTS
LIGHTS / PITOT HEAT & DEFROST CHECKED & SET
CBs / FLIGHT & ENGINE INSTRUMENTS(INCLUDING CO DETECTOR)..... CHECKED
SEATS & SEATBELTS UPRIGHT-LOCKED & ON
RUDDER TRIM SET NEUTRAL FOR LANDING

FINAL ITEMS BEFORE LANDING – FAF OR ABEAM

(BRAKES – DOESN'T ROLL TO THE FLOOR / CARB HEAT – ON / EOWL-FLAPS / GAS – FUEL SELEC. BOTH
UNDERCARRIAGE – UNDAMAGED / MIXTURE – SET / PROGS / PLUMBS / SWITCHES – FLAPS SET)

AFTER LANDING

LIGHTS / PITOT HEAT SET / OFF
COMMS SET
CARB HEAT COLD – IN & OFF
THROTTLE 1000-1200 RPM
MIXTURE LEANED FOR PEAK RPM / TAXI
FLAPS ZERO & CONFIRMED
ELEVATOR & RUDDER TRIM SET FOR TAKEOFF
TAXI CLEARANCE / ADVISORY(AIRPORT DIAGRAM OUT / MAP RANGE SET)..... COMPLETE

SHUTDOWN

PARKING BRAKE SET
THROTTLE IDLE
AVIONICS SWITCH(HEADSETS OFF)..... OFF
MAGNETOS GROUND(IGNITION QUICKLY OFF THEN BACK TO BOTH)..... VERIFY GROUNDING
THROTTLE 1200 RPM
MIXTURE TWIST TO IDLE CUTOFF
IGNITION SWITCH(KEYS PLACED VISIBLE ON DASH)..... OFF
ELECTRICAL SWITCHES(EXCEPT BEACON)..... OFF
MASTER SWITCH OFF
HOBBS & TACH METERS NOTED
FUEL SELECTOR LEFT OR RIGHT
CONTROL WHEEL LOCK INSTALLED
PARKING BRAKE(IF MOVING AIRCRAFT ON FLAT GROUND)..... REMOVED

RIGHT WING

SKIN & INSPECTION PANELS(THROUGHOUT)..... INSPECTED & SECURED
FLAP(ROLLER BEARINGS & BALL JOINT LUBRICATED & FREE)..... SECURED & INSPECTED
AILERON / WICKS(BALL JOINT LUBRICATED & FREE)..... SECURED & INSPECTED
(PIANO HINGES SECURED & SAFETY PINNED / COUNTERWEIGHTS SECURED / BONDING STRAP)
WING TIP / NAV & STROBE HOUSINGS INSPECTED
LEADING EDGE CLEAN & INSPECTED
TIE DOWN REMOVED
MAIN GEAR / WHEEL / TIRE / BRAKES(CHECK CONDITION & INFLATION)..... INSPECTED
OVERHEAD CABIN VENT INLETS CLEAR
FUEL CAP SECURED

FORWARD FUSELAGE

CO-PILOT SIDE DOOR HINGES PINNED & SECURE
CABIN AIR INLET CLEAR & SECURED
ENGINE COWLING(CAM-LOCKS SEATED)..... INSPECTED & SECURED
OIL QUANTITY(DO NOT OVER-TIGHTEN OIL CAP)..... CHECKED
(LOCAL FLIGHTS: MINIMUM OIL QTY. 6 QUARTS / EXTENDED FLIGHTS: MINIMUM OIL QTY. 6.5 QUARTS)
NOSE GEAR WHEEL & TIRE(CONDITION & INFLATION)..... INSPECTED
NOSE GEAR STRUT / LINKAGES(NUTS & AND SAFETY PINS/WIRE THROUGHOUT)..... INSPECTED
(WHEEL FORK / OLEO STRUT 3-5" OF EXTENSION & NO LEAKS / TORQUE LINKS / SHIMMY DAMPER
STEERING COLLAR / RUDDER LINKAGES AND BALL JOINTS / STRUT BARREL HOUSING & MOUNTS)
EXHAUST STACK(CAUTION POSSIBLY HOT)..... SECURE
ALTERNATOR BELT SECURE
PROPELLER & SPINNER INSPECTED & SECURE
ENGINE COOLING AIR INLETS INSPECTED & CLEAR
LANDING & TAXI LIGHT HOUSINGS CLEAN & INSPECTED
INDUCTION INLET / FILTER INSPECTED & CLEAR
ENGINE COWLING(CAM-LOCKS SEATED)..... INSPECTED & SECURED
UNDERBODY DRAIN LINES INSPECTED
(CRANKCASE BREATHER / BATTERY DRAIN / RAIN DRAINS – ALL NO ABNORMAL LEAKS)
EXTERNAL POWER DOOR SECURE
STATIC PORT CLEAR
PILOT SIDE DOOR HINGES PINNED & SECURE

LEFT WING

SKIN & INSPECTION PANELS(THROUGHOUT)..... INSPECTED & SECURED
FUEL CAP SECURED
OVERHEAD CABIN VENT INLETS CLEAR
LEADING EDGE CLEAN & INSPECTED
PITOT TUBE(INCLUDING DRAIN HOLE)..... INSPECTED & CLEAR
FUEL VENT CLEAR
STALL WARNING INLET CLEAR
TIE DOWN REMOVED
WING TIP / NAV & STROBE HOUSINGS INSPECTED
AILERON / WICKS(BALL JOINT LUBRICATED & FREE)..... SECURED & INSPECTED
(PIANO HINGES SECURED & SAFETY PINNED / COUNTERWEIGHTS SECURED / BONDING STRAP)
FLAP(ROLLER BEARINGS & BALL JOINT LUBRICATED & FREE)..... SECURED & INSPECTED
MAIN GEAR / WHEEL / TIRE / BRAKES(CHECK CONDITION & INFLATION)..... INSPECTED

PRE-BOARDING

PRE-FLIGHT 360 WALK-AROUND COMPLETED
IMSAFE & PAYE(RISK ASSESSMENT)..... PASSED
GO / NO-GO(CAN BE CHANGED ANYTIME)..... **DECIDE**
PARKING BRAKE(IF PULLING OUT)..... REMOVED
AIRCRAFT(PULLED OUT / TIRES INSPECTED)..... IN POSITION
PASSENGERS BOARDED

POST-FLIGHT SECURE

PARKING BRAKE(ON SLOPES & HIGH WINDS)..... SET
TIE DOWNS / CHALKS / COVERS INSTALLED
SUN SHADE INSTALLED
PARKING BRAKE REMOVED
FLIGHT PLAN CLOSED
FUEL(RETURN TO 30 GALLONS OR AS REQUESTED)..... ORDERED
PERSONAL EQUIPMENT & TRASH REMOVED
CABIN POST FLIGHT INSPECTION COMPLETED

COMPLETE WITHOUT CHECKLIST

LOCK DOORS COMPLETE
POST-FLIGHT 360 WALK-AROUND COMPLETE
FLIGHT CIRCLE AIRCRAFT RESERVATION **CHECK-IN**

FOR KSNA FUEL CALL ACI JET (949) 201-2550

PROVIDE AIRCRAFT TAIL NUMBER – AIRCRAFT LOCATION (DOVE STREET) – SPOT NUMBER
REQUESTED FUEL QUANTITY IN 100LL AVGAS – BILLED TO THE ACCOUNT ON FILE

FOR OFFSITE FUEL PURCHASES

RETAIN RECEIPT FOR ACCOUNT CREDIT AT KSNA FUEL RATE WITHIN FLIGHT CIRCLE CHECK IN

FOR DUAL INSTRUCTION FLIGHTS: INSTRUCTORS WILL ORDER FUEL

