

```

Windows PowerShell
+ FullyQualifiedErrorId : RedirectionNotSupported

PS C:\Users\karin\workspace\SemanaTec-TC> git checkout -b "dev"
Switched to a new branch 'dev'
PS C:\Users\karin\workspace\SemanaTec-TC> dir

Directorio: C:\Users\karin\workspace\SemanaTec-TC

Mode                LastWriteTime         Length Name
----                -
-a-----          09/05/2022  10:54 p. m.           113 credenciales.json
-a-----          09/05/2022  10:42 p. m.           267 README.md

PS C:\Users\karin\workspace\SemanaTec-TC> git remote -v
curso_fuente      https://github.com/thePhoenix/SemanaTec-TC.git (fetch)
curso_fuente      https://github.com/thePhoenix/SemanaTec-TC.git (push)
origin (GIT_PATH) (fetch)
origin (GIT_PATH) (push)
PS C:\Users\karin\workspace\SemanaTec-TC> git remote rename origin fuente
error: Unknown subcommand: rename
usage: git remote [-v] [--verbose]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>
or: git remote rename [--[no-]progress] <old> <new>
or: git remote remove <name>
or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
or: git remote [-v | --verbose] show [-n] <name>
or: git remote prune [-n | --dry-run] <name>
or: git remote [-v | --verbose] update [-p | --prune] [{<group> | <remote>}...]
or: git remote set-branches [--add] <name> <branch>...
or: git remote get-url [--push] [--all] <name>
or: git remote set-url [--push] <name> <newurl> [<oldurl>]
or: git remote set-url --add <name> <newurl>
or: git remote set-url --delete <name> <url>

-v, --verbose          be verbose; must be placed before a subcommand

PS C:\Users\karin\workspace\SemanaTec-TC> git remote rename origin fuente
PS C:\Users\karin\workspace\SemanaTec-TC> git remote add origin "https://thePhoenix:ghp_2EAGM04ImxoXnT2ecEGdFY2ney250TKRV6@github.com/thePhoenix/SemanaTec-TC.git"
PS C:\Users\karin\workspace\SemanaTec-TC> git remote -v
curso_fuente      https://github.com/thePhoenix/SemanaTec-TC.git (fetch)
curso_fuente      https://github.com/thePhoenix/SemanaTec-TC.git (push)
fuente (GIT_PATH) (fetch)
fuente (GIT_PATH) (push)
origin (https://thePhoenix:ghp_2EAGM04ImxoXnT2ecEGdFY2ney250TKRV6@github.com/thePhoenix/SemanaTec-TC.git) (fetch)
origin (https://thePhoenix:ghp_2EAGM04ImxoXnT2ecEGdFY2ney250TKRV6@github.com/thePhoenix/SemanaTec-TC.git) (push)
PS C:\Users\karin\workspace\SemanaTec-TC> git config --global user.email "karifer16.20@gmail.com"
PS C:\Users\karin\workspace\SemanaTec-TC> git config --global user.name "Karina Maldonado"
PS C:\Users\karin\workspace\SemanaTec-TC> echo "Agregando una línea de texto a mi README, desde Terminal -dev" >> README.md
PS C:\Users\karin\workspace\SemanaTec-TC> git add .

```

```
Windows PowerShell

on: git remote set-url [--push] <name> <newurl> [<oldurl>]
on: git remote set-url --add <name> <newurl>
on: git remote set-url --delete <name> <url>

-v, --verbose           be verbose; must be placed before a subcommand

PS C:\Users\karin\workspace\SemanaTec-TC> git remote rename origin fuente
PS C:\Users\karin\workspace\SemanaTec-TC> git remote add origin "(https://thephoenix:ghp_2EADM04imxoXnT2ecEGdFY2ney250TKRV6@github.com/thephoenix/SemanaTec-TC.git)"
PS C:\Users\karin\workspace\SemanaTec-TC> git remote -v
curso_fuente      https://github.com/thephoenix/SemanaTec-TC.git (fetch)
curso_fuente      https://github.com/thephoenix/SemanaTec-TC.git (push)
fuente            (GIT_PATH) (fetch)
fuente            (GIT_PATH) (push)
origin            (https://thephoenix:ghp_2EADM04imxoXnT2ecEGdFY2ney250TKRV6@github.com/thephoenix/SemanaTec-TC.git) (fetch)
origin            (https://thephoenix:ghp_2EADM04imxoXnT2ecEGdFY2ney250TKRV6@github.com/thephoenix/SemanaTec-TC.git) (push)
PS C:\Users\karin\workspace\SemanaTec-TC> git config --global user.email "karifer16.26@gmail.com"
PS C:\Users\karin\workspace\SemanaTec-TC> git config --global user.name "Karina Maldonado"
PS C:\Users\karin\workspace\SemanaTec-TC> echo "Agregando una línea de texto a mi README, desde Terminal -dev" >> README.md
PS C:\Users\karin\workspace\SemanaTec-TC> git add .
hint: core.useBuiltinFSMonitor will be deprecated soon; use core.fsmonitor instead
hint: Disable this message with "git config advice.useCoreFSMonitorConfig false"
PS C:\Users\karin\workspace\SemanaTec-TC> git commit -m "CAMBIO README TERMINAL -DEV"
hint: core.useBuiltinFSMonitor will be deprecated soon; use core.fsmonitor instead
hint: Disable this message with "git config advice.useCoreFSMonitorConfig false"
[dev a70fe7a] CAMBIO README TERMINAL -DEV
1 file changed, 0 insertions(+), 0 deletions(-)
PS C:\Users\karin\workspace\SemanaTec-TC> git status
hint: core.useBuiltinFSMonitor will be deprecated soon; use core.fsmonitor instead
hint: Disable this message with "git config advice.useCoreFSMonitorConfig false"
On branch dev
nothing to commit, working tree clean
PS C:\Users\karin\workspace\SemanaTec-TC> git push origin dev
fatal: protocol '(https)' is not supported
PS C:\Users\karin\workspace\SemanaTec-TC> git push origin main
fatal: protocol '(https)' is not supported
PS C:\Users\karin\workspace\SemanaTec-TC> git push origin
fatal: The current branch dev has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin dev

PS C:\Users\karin\workspace\SemanaTec-TC> git push --set-upstream origin dev
fatal: protocol '(https)' is not supported
PS C:\Users\karin\workspace\SemanaTec-TC> git push
fatal: The current branch dev has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin dev

PS C:\Users\karin\workspace\SemanaTec-TC>
```

