




Board Stackupn [JLC06161H-1080A(Finished thickness1.57mm±10%)]

L1 = Fast Signals + JTAG : L2 = GND (+ SHIELD RING)

L3 = +5V : L4 = +3V3

L5 = GND (+ SHIELD RING) : L6 = Slow Signals + JTAG

Enigmatic

Sheet:

File: enigma_controller.kicad_pcb

Title: Enigma – Programmer – PCB


Size: A4

Date: 2026-01-09

Rev: 1

KiCad E.D.A. 9.0.7

Id: 1/1



Board Stackupn [JLC06161H-1080A(Finished thickness1.57mm±10%)]

L1 = Fast Signals + JTAG : L2 = GND (+ SHIELD RING)

L3 = +5V : L4 = +3V3

L5 = GND (+ SHIELD RING) : L6 = Slow Signals + JTAG

Enigmatic

Sheet:

File: enigma_controller.kicad_pcb

Title: Enigma – Programmer – PCB


Size: A4

Date: 2026-01-09

Rev: 1

KiCad E.D.A. 9.0.7

Id: 1/1



Board Stackupn [JLC06161H-1080A(Finished thickness1.57mm±10%)]

L1 = Fast Signals + JTAG : L2 = GND (+ SHIELD RING)

L3 = +5V : L4 = +3V3

L5 = GND (+ SHIELD RING) : L6 = Slow Signals + JTAG

Enigmatic

Sheet:

File: enigma_controller.kicad_pcb

Title: Enigma – Programmer – PCB

Size: A4

Date: 2026-01-09

Rev: 1

KiCad E.D.A. 9.0.7

Id: 1/1

