



02 : 53 : 58

HRS MIN SEC

# Shopee Code League 2022 - Qualification Round

LIVE

INVITE ONLY ACCESS

Mar 19, 2022, 02:00 PM WIB - Mar 19, 2022, 05:00 PM WIB

INSTRUCTIONS

PROBLEMS

SUBMISSIONS

LEADERBOARD

ANALYTICS

JUDGE

[← Problems](#) / Shopee Xpress Delivery

## Shopee Xpress Delivery

Max. score: 100

00	0	1	2	3	4	5	6	7
0	go					1		
1		1					2	
2								
3				1				
4						2		2
5								
6			3					3
7				2				end

### Description

Bob is a Shopee Xpress deliveryman and is delivering a package to his destination. He started his journey from one of our Shopee warehouses at position  $(0, 0)$ , and his destination is at the bottom-right corner of the map. For example, if the map is an  $8 \times 8$  grid, the destination is  $(7, 7)$ .

Each step, his car can move 1 square up, down, left, or right. If his car reaches a black hole, it can teleport to any other location connected to the black hole at no cost, he also can skip the teleport feature. For example, if the car reaches black hole A at position  $(1, 1)$ , Bob can teleport to position  $(0, 5)$  without costing an additional step.

Find the least number of steps (shortest path) that Bob can take to move from  $(0, 0)$  to the destination.



So, one path of least steps for example map is:

$0,0 \rightarrow 0,1 \rightarrow 1,1/0,5 \rightarrow 1,5 \rightarrow 1,6/7,3 \rightarrow 7,2 \rightarrow 6,2/6,7 \rightarrow 7,7$ , the answer is 7.

### Input:

The first line contains two numbers  $M, N$  ( $1 \leq M, N \leq 100$ ).  $M$  refers to the number of rows in the map, and  $N$  refers to the number of columns in the map.

The next  $M$  rows contain  $N$  values  $x_{ij}$  ( $0 \leq x[i][j] \leq 255$ ), where 0 means that position  $(i, j)$  is an empty square, and non-zero values mean that a black hole is present in the square. Non-zero values are guaranteed to have at least 2 or more instances on the map.

### Output:

To print the integer of the least number of steps needed.

#### SAMPLE INPUT



```
8 8
0 0 1 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0
0 0 0 0 0 0 1 0
0 0 0 0 0 0 0 0
```

#### SAMPLE OUTPUT



```
4
```

### Explanation

NA

**Time Limit:** 1.0 sec(s) for each input file.

**Memory Limit:** 256 MB

**Source Limit:** 1024 KB

**Marking Scheme:** Score is assigned when all the testcases pass.

**Allowed Languages:** Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, Java 14, JavaScript(Rhino), JavaScript(Node.js), Julia, Kotlin, Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, Python 3.8, Racket, Ruby, Rust, Scala, Swift-4.1, Swift, TypeScript, Visual Basic




Save

Language




vscode

 **Tip:** You can submit any number of times you want. Your best submission is considered for computing total score.

Your Rating:

Like 0

Share

 [View all comments](#)

Resources

Solutions

CompanyService &





+1-650-461-4192

contact@hackerearth.com



Tech Recruitment  
Blog

Product Guides

Developer hiring  
guide

Engineering Blog

Developers Blog

Developers Wiki

Competitive  
Programming

Start a  
Programming Club

Practice Machine  
Learning

Assess Developers

Conduct Remote  
Interviews

Assess University  
Talent

Organize  
Hackathons

About  
Us

Press

Careers

**Support**

Technical  
Support

Contact Us