



SPARKLINE EQUIPMENTS PVT.LTD.
PLOT NO. 38, F- II BLOCK, M.I.D.C., PIMPRI, PUNE-411018.
TEL PHONE: 27470589 / 27460224 TELEFAX : 27475707
E-MAIL : sales@sparkline.co.in

INSTALLATION REPORT

CUSTOMER NAME	Viger Manufacturing Technologies PVT Ltd	
ADDRESS	A- 6/7 MIDC Ranjangon Tal Shirur Dist pune - 412210	
P.O.NO. & DATE	1700176	28/11/2017
PROJECT CODE	VHK 041-1718 Hoist sr.no- 3227028	
EQUIPMENTS DESCRIPTION	Type of crane: EOT crane Capacity of the crane: 10 Ton Cross travel: - Long travel: - HA Height of lift: - 5 mtr	
INSTALLATION AND COMMISSIONING ON	09/04/2018	
PERSON CONTACTED & HIS MOBILE NO	S.N Ambhore 9765558406	
CUSTOMER REMARKS	1) Load Test done - EOT used to load 2) TW320 H SP Machine in Box packed 3) Condition and loaded on the trailer. 4) crane-NO - SG EOT - 17-010-1423 5) 6)	

INSTALLED BY

Raju Kondane

SIGNATURE OF ERECTION ENGINEER
FOR SPARKLINE EQUIPMENTS PVT.LTD.

VERIFIED BY


SIGNATURE OF CUSTOMER

INSTALLATION & COMMISSIONING REPORT

CUSTOMER NAME	Raptech Engineering Pvt. Ltd.	
CUSTOMER ADDRESS	Sr.No.30/19, unity Industrial estate, Near Prabhat press, Narhe-Dhayari road Dhayari Pune	
	Purchase Order No.	PX/17-18/00003
	PO Date:	09/12/2017
PROJECT CODE	R1K043_1718 & R1I124_1718	QTY:- 01 NOS
EQUIPMENTS DETAILS	Location..... :	
	Type of Equipment..... : SGEOT with EMH Hoist	
	Equipment Number..... : SGEOT - 17-003-1430	
	Hoist Serial Number..... :	
	Capacity of the system..... : 03 TON	
	Cross Travel [CT]..... : 13.415 MTR	
	Long Travel [LT]..... : 25 MTR	
Height Of Lift [HOL]..... : 8.5 MTR		
COMMISSIONING DATE	02/03/2018	
PERSON CONTACTED	Mr. Sameer Katolkar	Mobile No: 9764392698
CUSTOMER REMARKS	1)	
	2)	
	3)	
	4)	
	5)	


Equipment Supplied, Installed & Commissioned Working Satisfactorily.

INSTALLED BY


 Raju Kondare
 02/03/18

SIGNATURE OF ERECTION ENGINEER
FOR SPARKLINE EQUIPMENTS PVT.LTD.


VERIFIED BY


 Sameer Katolkar
 SIGNATURE OF CUSTOMER

INSTALLATION & COMMISSIONING REPORT


CUSTOMER NAME	JCB INDIA LIMITED	
CUSTOMER ADDRESS	Village Bagru Khurd & Kalwara, Tehsil-Sanganer, Off Jaipur-Ajmer Road, NH-8, District-Jaipur, Rajasthan-302037	
Purchase Order No.	6600001384	PO Date: 04/11/2016
PROJECT CODE	JHK054_1617 & JHI127_1617 QTY:- 01 NOS	
EQUIPMENTS DETAILS	Location..... :	
	Type of Equipment..... : GANTRY GIRDER ASSLY	
	Equipment Number..... : JHK054_1617	
	Hoist Serial Number..... : NA	
	Capacity of the system..... : 05 Ton	
	Cross Travel [CT]..... : NA	
	Long Travel [LT]..... : 22 MTR	
Height Of Lift [HOL]..... : NA		
COMMISSIONING DATE	25/02/2018	
PERSON CONTACTED	Mr. Akash Kumar	Mobile No: 9660456222
CUSTOMER REMARKS	1)	
	2)	
	3)	
	4)	
	5)	

Equipment Supplied, Installed & Commissioned Working Satisfactorily.

INSTALLED BY


Rajakondare



SIGNATURE OF ERECTION ENGINEER
FOR SPARKLINE EQUIPMENTS PVT.LTD.

VERIFIED BY


Anoop

SIGNATURE OF CUSTOMER

INSTALLATION & COMMISSIONING REPORT

CUSTOMER NAME	TATA MOTORS Ltd	
CUSTOMER ADDRESS	CVBU, J12 BLOCK North End Pune 411018	
Purchase Order No.	PO00000000 & PO00021021	PO Date: 26/09/2017
PROJECT CODE	TM1080_1718 & TM1081_1718 QTY:- 01 NOS	
EQUIPMENTS DETAILS	Location : J 12 BLOCK, North End	
	Type of Equipment : SGUS Crane with Gantry Girder	
	Equipment Number : SGUS -17-001-1410	
	Hoist Serial Number : 3321208 3321208	
	Capacity of the system : 01 TON	
	Cross Travel [CT] : 10.800 MTR	
	Long Travel [LT] : 11.200 MTR	
	Height Of Lift [HOL] : 5 MTR	
COMMISSIONING DATE	22/03/2018	
PERSON CONTACTED	Mr. Vishal Kothawade	Mobile No: 7276097934
CUSTOMER REMARKS	1)	
	2)	
	3)	
	4)	
	5)	
<u>Equipment Supplied, Installed & Commissioned Working Satisfactorily.</u>		
INSTALLED BY	VERIFIED BY	
 SIGNATURE OF ERECTION ENGINEER FOR SPARKLINE EQUIPMENTS PVT.LTD.		
 SIGNATURE OF CUSTOMER		
 Pagar S.M., APL/TML 28/3/18 <small>SEPL/I&C/IR01</small>		

PATIL INDUSTRIAL EQUIPMENT COMPANY
FORM NO 11

(See rules 62 and 64) Ref No- P/22/2018 / TML / 1061

Report of examination of Hoist, Lift, Lifting machines, chains ropes and Lifting Tackles.

PARTICULARS

1.	Name of occupier	:	TATA MOTORS LTD
2.	Name & address of factory	:	PIMPRI PUNE 411018
3.A	Type, identification number and description of hoist lift, lifting machine chains, ropes, and lifting tackles	:	Single Girder Goliath Crane. No SGGC-16-005-1350 with Stahl Wire Rope Hoist No 3226198 Capacity 5M T. 4 Falls Rope Dia 12.5mm Location: - E block North Side. HOL- 8 Mtr 2017-18 17 / 02 / 2018
	Date of construction or reconstruction and the date when the hoist , lift, lift machine, chains, ropes, and Lifting tackles were first taken into use in the factory.	:	
4	Date of last examination made under section 28	:	17 / 02 / 2018 First Exam
(1) (a) (ii) and 29 (1) (a) (iii) and by whom it was carried out	:	S G Patil C P C No P/22/2017	
5(A)	Maintenance (list of parts , if any which were Inaccessible)	:	N.A
	Are the following parts of the hoist or lift properly Maintained and in good working order? If not state what defects have been found.		
(a)	Enclosure of hoist way or lift way	:	N.A.
(b)	Landing gates and cage gate (s)	:	N.A.
(c)	Interlocks on the landing gates and cage gate (s)	:	N.A.
(d)	Other gates fastenings.	:	N.A.
(e)	Cage and platform and fitting cage guides buffers , interior of the hoist way or lift way	:	N.A.
(f)	Overrunning devices.	:	N.A.
(g)	Suspension ropes or chains and their attachment.	:	N.A.
(h)	Safety gear, i.e arrangements for preventing fall of platform or cage brakes.	:	N.A.
(i)	Brakes.	:	N.A.
(j)	Worm or spur gearing	:	N.A.
(k)	Other electrical equipment.	:	N.A.
(l)	Other parts	:	N.A.
5(B)	Date and number of the certificate relating to any test and examination made under sub rule (1) of rule 64 together with the name of the person who issued the certificate.	:	17 / 02 / 2018 First Exam S G Patil C P C No P/22/2018
5(C)(i)	Date of annealing or the heat treatment of the Chain and lifting tackle carried out under sub rule (5) of rule 64 and by whom it was carried out.	:	N.A.
(ii)	Particulars of any defect at any such examination or after annealing and affecting the safe working Load and of the steps taken to remedy such defect.	:	Nil
6	Repairs renewals or alterations (if any) required and the period within which they should be executed and Maximum safe working load subject to repairs , renewals Or alterations (if any)	:	Nil . Visually examined, Loads Tested, Found no defect affecting Safe working Load.

I/We certify that on 17 / 02 / 2018 I/We thoroughly examined the hoist , lift and lifting machine , ropes and lifting tackles & details of examination/ test carried out are enclosed herewith and that the above is a correct report of the result.

Signature

Name- S.G. PATIL.

Qualification :- B.E. (Mech) D.E.E , M.I.E,
COMPETENT PERSON
C.P.C NO- P/22/2018
CHARTERED ENGINEER. M061452-6

Counter signature

If employed by a company or a Association

PATIL IND EQUIP COMPANY

Flat no- A-2, Suvarnyug Coop Hsg Soc.
New D. P. Road, Aundh, Pune- 411007
Phone- 020-25886155
Mob- 94220-88626

Date- : 17 / 02 / 2018
Next testing Due Date : 16 / 02 / 2019



N.S. KULKARNI
19/02/18

PATIL INDUSTRIAL EQUIPMENT COMPANY
FORM NO 11

(See rules 62 and 64) Ref No- P/22/2018 / ECPL / 1060

Report of examination of Hoist, Lift, Lifting machines, chains ropes and Lifting Tackles.

PARTICULARS

1.	Name of occupier	: Eclipse Combution Pvt. Ltd
2.	Name & address of factory	: Plot No 2, Gat No 181 : Village Fulgaon ,Tal Haveli : Dist Pune 412216
3.A	Type, identification number and description of hoist lift, lifting machine chains, ropes, and lifting tackles	: Single Girder E O T Crane. No SGEOT-17 .005-1413 : with Elmech Wire Rope Hoist : Capacity 5M T. 4 Falls Rope Dia 12mm : Location: -Assly of Valves train Shop : 2017-18 : 08 / 02 / 2018
	Date of construction or reconstruction and the date when the hoist , lift, lift machine, chains, ropes, and Lifting tackles were first taken into use in the factory.	
4	Date of last examination made under section 28	: 08 / 02 / 2018 First Exam
	(1) (a) (ii) and 29 (1) (a) (iii) and by whom it was carried out	: S G Patil C P C No P/22/2017
5(A)	Maintenance (list of parts , if any which were Inaccessible)	: N.A
	Are the following parts of the hoist or lift properly Maintained and in good working order? If not state what defects have been found.	
(a)	Enclosure of hoist way or lift way	: N.A.
(b)	Landing gates and cage gate (s)	: N.A.
(c)	Interlocks on the landing gates and cage gate (s)	: N.A.
(d)	Other gates fastenings.	: N.A.
(e)	Cage and platform and fitting cage guides buffers , interior of the hoist way or lift way	: N.A.
(f)	OVERRUNNING devices.	: N.A.
(g)	Suspension ropes or chains and their attachment.	: N.A.
(h)	Safety gear, i.e arrangements for preventing fall of platform or cage brakes.	: N.A.
(i)	Brakes.	: N.A.
(j)	Worm or spur gearing	: N.A.
(k)	Other electrical equipment.	: N.A.
(l)	Other parts	: N.A.
5(B)	Date and number of the certificate relating to any test and examination made under sub rule (1) of rule 64 together with the name of the person who issued the certificate.	: 08 / 02 / 2018 First Exam : S G Patil C P C No P/22/2018
5(C)(i)	Date of annealing or the heat treatment of the Chain and lifting tackle carried out under sub rule (5) of rule 64 and by whom it was carried out.	: N.A.
(ii)	Particulars of any defect at any such examination or after annealing and affecting the safe working Load and of the steps taken to remedy such defect.	: Nil
6	Repairs renewals or alterations (if any) required and the period within which they should be executed and Maximum safe working load subject to repairs , renewals Or alterations (if any)	: Nil . Visually examined, Loads Tested, Found no defect affecting Safe working Load.

I/We certify that on 08 / 02 /2018 I /We thoroughly examined the hoist , lift and lifting machine , ropes and lifting tackles & details of examination/ test carried out are enclosed herewith and that the above is a correct report of the result.


Signature

Name- S.G. PATIL.
Qualification :- B.E. (Mech) D.E.E , M.I.E,
COMPETENT PERSON
C.P.C NO- P/22/2018
CHARTERED ENGINEER. M061452-6

Counter signature
If employed by a company or a Association

PATIL IND EQUIP COMPANY
Flat no- A-2, Suvarnyug Coop Hsg Soc.
New D. P. Road, Aundh, Pune- 411007
Phone- 020-25886155
Mob- 94220-88626

Date- : 08 / 02 /2018
Next testing Due Date : 07 / 02 / 2019



PATIL INDUSTRIAL EQUIPMENT COMPANY
FORM NO 11

(See rules 62 and 64) Ref No- P/22/2018 / TML / 1074

Report of examination of Hoist, Lift, Lifting machines, chains ropes and Lifting Tackles.

PARTICULARS

1.	Name of occupier	:	TATA MOTORS LTD
2.	Name & address of factory	:	PIMPRI PUNE 411018
3.A	Type, identification number and description of hoist lift, lifting machine chains, ropes, and lifting tackles	:	Single Girder U/Slung Crane. No SGUS-17-001-1410 with Stahl Chain Hoist No3321208 Capacity 1 M T.2 Falls Chain Dia 7 mm Location: -J Block . North End HOL- 5 Mtr
4	Date of last examination made under section 28	:	2017-18
5(A)	(1) (a) (ii) and 29 (1) (a) (iii) and by whom it was carried out Maintenance (list of parts , if any which were Inaccessible)	:	22 / 03 / 2018 First Exam S G Patil C P C No P/22/2017 N.A
	Are the following parts of the hoist or lift properly Maintained and in good working order? If not state what defects have been found.		
(a)	Enclosure of hoist way or lift way	:	N.A.
(b)	Landing gates and cage gate (s)	:	N.A.
(c)	Interlocks on the landing gates and cage gate (s)	:	N.A.
(d)	Other gates fastenings.	:	N.A.
(e)	Cage and platform and fitting cage guides buffers , interior of the hoist way or lift way	:	N.A.
(f)	Overrunning devices.	:	N.A.
(g)	Suspension ropes or chains and their attachment.	:	N.A.
(h)	Safety gear, i.e arrangements for preventing fall of platform or cage brakes.	:	N.A.
(i)	Brakes.	:	N.A.
(j)	Worm or spur gearing	:	N.A.
(k)	Other electrical equipment.	:	N.A.
(l)	Other parts	:	N.A.
5(B)	Date and number of the certificate relating to any test and examination made under sub rule (1) of rule 64 together with the name of the person who issued the certificate.	:	22 / 03 / 2018 First Exam S G Patil C P C No P/22/2018
5(C)(i)	Date of annealing or the heat treatment of the Chain and lifting tackle carried out under sub rule (5) of rule 64 and by whom it was carried out.	:	N.A.
(ii)	Particulars of any defect at any such examination or after annealing and affecting the safe working Load and of the steps taken to remedy such defect.	:	Nil
6	Repairs renewals or alterations (if any) required and the period within which they should be executed and Maximum safe working load subject to repairs , renewals Or alterations (if any)	:	Nil . Visually examined, Loads Tested, Found no defect affecting Safe working Load.

I/We certify that on 22 / 03 / 2018 I/We thoroughly examined the hoist , lift and lifting machine , ropes and lifting tackles & details of examination/ test carried out are enclosed herewith and that the above is a correct report of the result.

Signature


Name- S.G. PATIL.

Qualification :- B.E. (Mech) D.E.E , M.I.E,
COMPETENT PERSON
C.P.C NO- P/22/2018
CHARTERED ENGINEER. M061452-6

Counter signature
If employed by a company or a Association

PATIL IND EQUIP COMPANY
Flat no- A-2, Suvarnyug Coop Hsg Soc.
New D. P. Road, Aundh, Pune- 411007
Phone- 020-25886155
Mob- 94220-88626

Date- : 22 / 03 /2018
Next testing Due Date : 21 / 03 / 2019



Received
Bogar
Pagar S-M.
APL-TML.
28/3/18