


A. Inspection Report for EOT Crane Structure




LOCATION / POSITION	A		B		SPAN-S		HOL	
	DAP	ACTUAL	DAP	ACTUAL	DAP	ACTUAL	DAP	ACTUAL
300	145	300	145	17000	17100	17100	8000	8000
300	145	300	145	17000	17100			
300	145	300	145		17100			
300	145		145					
300	145		145					
300	145		145					
300	145		145					
300	145		145					
300	145		145					

NOTE: ALL DIMENSION IN MM, TOLERANCE WITHIN ± 3 mm.


Type of I-Beam : 500

I-Beam flange width : 300 - C-channel


CUSTOMER SIGNATURE & NAME


Chondra Kumar

SEPL PERSON SIGNATURE & NAME


Rajendra K.
SPCL

A. Inspection Report for EOT Crane Structure



LOCATION / POSITION	A office side		B		SPAN-S		HOL	
	DAP	ACTUAL	DAP	ACTUAL	DAP	ACTUAL	DAP	ACTUAL
	300	145	300	145	17000	17100	3000	8000
		75		675	17000	17100		
		145		145				
		145						
		145						
		145						
		145						
		145						
		145						

NOTE: ALL DIMENSION IN MM, TOLERANCE WITH IN ± 3 mm.

Type of I-Beam :


I-Beam flange width :

CUSTOMER SIGNATURE & NAME

SEPL PERSON SIGNATURE & NAME

Rajendra K.

A. Inspection Report for EOT Crane Structure



NOTE: ALL DIMENSION IN MM, TOLERANCE WITHIN ± 3 mm.

Type of I-Beam :

I-Beam flange width:

CUSTOMER SIGNATURE & NAME

SEPL PERSON SIGNATURE & NAME

Ravindra K. 