

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

EXHIBIT A – SCOPE OF WORK

BASIC SERVICES

CONSULTANT shall provide professional environmental services for OWNER as follows:

The following Scope of Work is based upon our understanding of environmental conditions required for the City of Cheyenne Lower Capitol Basin Brownfield Redevelopment project. The purpose of the proposed work is to proactively manage brownfield redevelopment efforts, investigate soil and ground water impacts in the project area, plan for and evaluate remedial options, prepare remedial action options reports, and prepare and contribute to community involvement activities associated with the project. Ayres Associates will assist the Coalition (City) in meeting these objectives by completing the following tasks:

TASK 1: PROGRAMMATIC COSTS

Ayres Associates has a variety of experience working with EPA with regard to project coordination, reporting, and planning efforts. This includes submission of EPA quarterly reports, EPA property profile and quarterly expenditure reports, annual financial summaries, and project close-out procedures. In addition, Ayres will work directly with EPA and WDEQ with direct site-by-site project reporting requirements and associated regulatory concerns. Ayres Associates staff will prepare and provide to the City of Cheyenne staff these grant programmatic reports which are necessary to maintain budgets, time schedules, reimbursement requests from the EPA, and report submissions.

Your core tracking device throughout the BC-RLF process is your active Administrative Record (AR), the public report that documents all the activities associated with your grant. We have provided a general outline below of the typical contents of your AR, and each one is prepared for our clients as a three-ring binder for easy access and also updated electronically upon completion of distinct milestones associated with the project. Each individual site addressed during the clean-up process has a sub-section for ready access and review by staff or members of the public.

A sample of sections of the AR we will be providing is bulleted below:

- Assessment and Clean-up Protocol
- Eligibility Determinations
- Phase 1 Environmental Site Investigation
- Health and Safety Plan (HSP)
- Field Sampling Plan (FSP)
- Phase 2/NR 716 Site Investigation Reports
- Remedial Action Report or Remedial Action Options Report (RAOR)
- Analysis of Brownfield Cleanup Alternatives (ABCA)
- Decision Document
- Public Comments
- DNR Comments
- Clean-up Activities: Bidding Specifications, Contractor Permits
- Redevelopment Information

Prepare Progress Reports

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

These programmatic services meet your primary grant requirements and include preparing the required forms to communicate the progress of grant activities to the EPA. Participation in the EPA cooperative agreements brings a significant programmatic administrative burden, and compliance with the programmatic requirements must be documented in each project's administrative record. Ayres Associates has experience working with the EPA on project coordination, reporting, and planning efforts and will assist the Coalition Partners by preparing these reports on your behalf. This includes submission of EPA quarterly reports, EPA property profiles (Assessment, Cleanup, and Redevelopment Exchange System – ACRES); EPA documents (5700-52a DBE/WBE utilizations forms, SF425 financial forms, 5700-53 lobbying and litigation forms); Davis Bacon bid requirements; and associated project closeout procedures. Ayres Associates staff will assist the City with these grant programmatic processes and requirements to maintain budgets, time schedules, and submission of reports.

TASK 2: COMMUNITY OUTREACH

As a multi-disciplinary firm, Ayres Associates has a long history of active participation not only with various state agencies, but also with communities and community members. Ayres Associates works closely with community residents daily in performing real estate appraisals and acquisitions for local road and WYDOT reconstruction projects following the PlanCheyenne organizational platforms (Snapshot, Structure, Shape, and Build), we schedule and manage public information meetings for transportation, storm water, environmental impact statement reviews, and Brownfield planning sessions with council members, municipal representatives, and residents to allow smooth progression of a project throughout its development. We work directly with community members in planning public charettes to solicit ideas and open discussions regarding community projects that may impact numerous individuals and businesses.

Ayres Associates will work directly with Coalition representatives assisting in the preparation of public meetings/forums to discuss the storm water planning and environmental assessment work being conducted and the results of those activities, and the remedial action plans and associated costs related to the cleanup of any contamination identified within the Brownfield assessment areas. Ayres Associates will provide assistance with future public meetings as they relate to the initial environmental assessment work and remedial action planning.

As part of the work plan for this grant, the City has agreed to keep residents informed and involved in the U.S. EPA process. The newly created Brownfield Advisory Committee (BAC) meetings will be one method of keeping the neighborhood, downtown businesses, and other stakeholders informed of the intent and clean-up progress of redevelopment activities. Additionally, City staff and the BAC will meet routinely with various community groups to identify and discuss potential brownfield redevelopment sites. The BAC and Ayres' staff will also hold meetings after the completion of each phase of work and determine how to best disseminate the information to City residents and area businesses. The City and Ayres Associates will provide information on EPA grant activities through its web page, newsletters, open houses, and newspaper announcements. These informational publications allow local residents to be kept informed about the brownfield redevelopment activities being conducted in their neighborhoods. As in past projects that we have worked on with our brownfield grant clients, Ayres Associates will participate in the community outreach process by working with you to develop a Community Relations Plan (CRP) and creating technical communication materials such as fliers or handouts, as well as attending and participating in public meetings/presentations as deemed appropriate during the grant period. A typical CRP we prepare with clients includes:

- Identification of a spokesperson for the project
- Establishment of an administrative record
- Description of the target sites: location, history, nature of the threat to public health and the environment, and options considered for redevelopment
- Providing a basic profile of the community (demographics and socioeconomic data)

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

- Preparing a chronology of community involvement in the project
- Summarizing key community concerns regarding health and redevelopment
- Planning for future community involvement in redevelopment

TASK 3: SITE INVENTORY, SELECTON AND PLANNING

Existing Site Conditions Review

Ayres Associates will compile and review background information pertaining to the project corridor. This task will include a review of information on the regional and local topography, soils, hydrology, geology, and hydrogeology of the project area, as well as individual facility operating history. The purpose of this review is to obtain a thorough understanding of potential contaminant sources and site conditions to evaluate the potential for contaminant migration. An understanding of the depositional history of the sites, in conjunction with an understanding of previous site uses, will facilitate an effective investigation while limiting the project scope and costs.

Ayres Associates' intends to conduct a Brownfields Site Inventory & Prioritization Process. City planning staff and select Coalition Partners will identify potential sites, with the assistance of the City Engineer, who will give cursory review of sites and their potential for contamination. The identification process is an important community involvement opportunity, and staff will spend time to perform outreach to knowledgeable community members. The Process will result in a ranking of Brownfields properties in the Lower Capitol Basin that reflects environmental, redevelopment, and community concerns and opportunities for storm water mitigation and economic redevelopment. This process will provide a clear plan for initiating assessment at Petroleum and Hazardous Substances sites.

Ayres has extensive experience modeling the Lower Capitol Basin and will utilize the Capitol Basin EPA SWMM model to evaluate storm water mitigation opportunities within the prioritized Brownfields corridor. The incorporation of flood control and storm water quality BMPs with Brownfields remediation within the prioritized corridor will provide the community with a much improved, more cost-effective approach for storm water management in the Lower Capitol Basin than previous recommendations. Engineers have estimated that the next major flood event in the lower Capitol Basin will cause property damages of more than \$65 million. These estimates exceed \$100 million when indirect costs are included. This catastrophic economic loss will reverberate through the entire Cheyenne community, hurting many of our residents and negatively affecting our economy for many years to follow. These flood risks exist for even minor storm events occurring in the lower Capitol Basin. Impending TMDL compliance issues for the receiving drainage of Crow Creek significantly affect the downtown and near west side as well.

Previous engineering proposals for flood control for the lower Capitol Basin have included large storm sewer mains to intercept stormwater flow upstream of downtown and convey it directly to Crow Creek. The downtown lies in a sump area at the catchment for the lower Capitol Basin. Previously recommended approaches for flood control will adversely affect the nearby Ames underpass and likely cause additional closures throughout the year. Previous approaches also do not provide sufficient water quality treatment for compliance with the Crow Creek TMDL. Incorporating flood control and stormwater quality into a large park amenity along the west edge of downtown would alleviate adverse effects to traffic operation of the Ames underpass as well as provide significant opportunity for addressing stormwater quality for the lower basin. Brownfields remediation of the near west side would incorporate essential stormwater drainage management and stormwater quality features within a park amenity, which will feature trees and curved walkways linked with social gathering spaces and public connectivity to the Greater Cheyenne Greenway System. The newly created centralized park and connected parkway system would preserve the historic character of the near west side while creating new vibrant public

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

venues. Moreover, this approach will provide the community with multiple benefits that can be enjoyed daily and create the catalyst for significant economic redevelopment of the downtown and near west side.

As brownfield properties are identified and prioritized, Ayres' staff will work closely with City staff to develop appropriately sized storm water infrastructure to address critical flooding hazards and water quality issues affecting the Lower Capitol Basin. As the project develops, Ayres' staff will develop logical project phasing and assist City staff in identification of potential funding sources. There is ample opportunity to incorporate flood control and water quality facilities into the Brownfields remediation of the near west side. Significant parcels are already owned by the City and discussions have been initiated by the governing body to set aside revenue for additional property acquisition costs and match funds for potential project grant opportunities.

A multi-step process will be used to identify and prioritize these brownfield sites, focused on the Lower Capitol Basin priority areas. The process begins with an intensive work session initiated by the City and Ayres Associates to identify known and suspected brownfield parcels in the priority areas.

TASK 4: SITE ASSESSMENT

Site Eligibility Determinations: The EPA requires site-eligibility determinations for each parcel identified for assessment using federal funds. Those sites identified for expenditure of EPA funds must have site eligibility determinations prepared and approved by EPA prior to expending grant funds. Working with the City of Cheyenne and Coalition Partners, Ayres Associates will help identify, prepare, and submit documentation under USEPA regulations for those sites as described within the Brownfield EPA Assessment Grant workplan.

Ayres Associates will compile and review background information pertaining to the project corridor. This task will include a review of information on the regional and local topography, soils, hydrology, geology, and hydrogeology of the project area, as well as individual facility operating history. The purpose of this review is to obtain a thorough understanding of potential contaminant sources and site conditions to evaluate the potential for contaminant migration. An understanding of the depositional history of the sites, in conjunction with an understanding of previous manufacturing operations, will facilitate an effective investigation while limiting the project scope and costs. This task has been completed due to Ayres Associates familiarity with the project.

Phase 1 ESAs: Ayres Associates will complete Phase 1 Environmental Site Assessments (ESA) on an as needed basis within the City of Cheyenne and Coalition Partners jurisdictional boundaries. These properties are primarily believed to include properties yet identified within the proposed Lower Capitol Basin Downtown Redevelopment area.

The Phase I ESA will be performed in accordance with industry standards set forth in ASTM Practice E1527-05. Tasks to be completed during the Phase I Environmental Assessments include:

- Research the history of the property to identify uses of the property and an ownership history dating back 60 years. This task includes interviewing property owners/occupants and other knowledgeable individuals to identify activities that may have adversely affected the property. Property records to be reviewed will include client records, building permits, and/or property deeds.
- Review regulatory agency documents and interview agency staff to identify adverse environmental conditions affecting the subject property including the quality of potable water supplies and known releases of hazardous materials.
- Review federal, state, and local documents and databases to locate known hazardous waste sites and hazardous waste treatment, storage, and disposal (TSD) facilities within 1-mile of the property; registered

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

waste disposal sites and leaking underground storage tanks (LUSTs) within ½-mile of the property; and hazardous substance spills, registered underground (USTs) and above ground storage tanks (ASTs), the national priorities listing (NPL), comprehensive environmental response, compensation, and liability act listing (CERCLIS) and hazardous waste handling facilities on the subject property or adjoining properties.

- Review published geological and hydrological reports for information regarding the site and surrounding areas.
- Interview local, county, or state personnel as appropriate to research property history.
- Review environmental licenses, permits, or orders issued with respect to the real property.
- Conduct a site reconnaissance to observe the environmental conditions of the properties including improvements. During the site reconnaissance, the condition of surface features observed on the property (distressed vegetation, stained surface soil, depressions, etc.) will be noted and photographed. Access to the property will be arranged by the City of Cheyenne and/or its Coalition Partners.
- Render a professional opinion of environmental conditions affecting the subject property and offer recommendations for further environmental site assessment activities that may be necessary and appropriate.
- Document results of the ESAs in a separate report for each site. Reports will include results, conclusions, recommendations for further action, and color photographs and other graphics illustrating the property and recognized environmental conditions, as appropriate. Two original signature copies of each report will be delivered to the client and one additional copy will be provided for submittal to EPA.

Work Plans and Phase 2 Site Assessments

Performance of an efficient and cost-effective program begins with accurate and complete project scoping and development of a work plan. Improper or incomplete scoping can result in unanticipated cost overruns and schedule delays. The work plan details the scope of work to be performed within the project and guides overall project direction and implementation. The work plan outlines the rationale and significant details of the project and consists of the following core elements - a quality assurance plan, field-sampling plan, waste management plan, and a site health and safety plan.

EPA Project Work Plans

Quality Assurance Project Plan: The quality assurance project plan (QAPP) describes quality assurance/quality control protocols required to perform the remedial investigation. The QAPP addresses procedures involved in the collection, preservation, packaging, and transport of samples; field-testing; decontamination procedures; data management; chain-of-custody procedures; laboratory analysis; and other matters to promote collection of reliable data. A pre-QAPP meeting with the U.S. Environmental Protection Agency (USEPA) is required as a condition of the assessment contract. A QAPP must be submitted for review and approval by the USEPA prior to performing field sampling.

Field Sampling Plan: The field sampling plan (FSP) outlines the objectives of the sampling program and describes in detail the sample equipment, sample procedures, and handling techniques used to guide the implementation of the project.

Health and Safety Plan: A site specific Health and Safety Plan (HSP) will be prepared for the project prior to performing fieldwork. The purpose of the HSP is to assign responsibilities, establish personal protection standards and mandatory safety practices and procedures, and provide contingencies for situations that may arise during site operations. The provisions of the plan are mandatory for all employees who are engaged in hazardous material management and construction activities. The plan will be developed under USEPA

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

guidelines and will comply with all applicable regulations, including Occupational Safety and Health Administration (OSHA) standards [29 Code of Federal Regulations (CFR) 1910 and 1926].

Waste Management Plan: In addition to the EPA required QAPP, HSP, and FSP plans, Ayres Associates will prepare a waste management plan to address the handling of investigative derived waste materials. The plan will address the anticipated waste types and on-site management procedures for each activity performed.

Ayres Associates will prepare a draft QAPP/FSP for EPA and City of Cheyenne review and approval followed by a final plan incorporating EPA and City of Cheyenne comments. In addition, Ayres Associates will prepare a single, final HSP and Waste Management Plan for submittal to the EPA and City of Cheyenne. A single copy of each plan will be provided to the City of Cheyenne and/or the Coalition Partners, the EPA, and WDEQ.

Phase 2 Site Assessments

Ayres Associates will evaluate each of the properties of interest for known or potential environmental impacts. An investigation strategy will be developed following completion of phase 1 environmental site assessments and sample locations selected for each of the properties based on this preliminary evaluation. Sample locations and rationale will be summarized within the FSP. Site-specific conditions, as well as overall project objectives will be considered in formulating our project approach. Field investigation tasks which may be common to one or more project sites and will be addressed by Ayres Associates include:

Permitting

Permit and land access agreements will be required to install and sample the monitoring wells on any privately owned properties adjacent to the sites. Ayres Associates will work with the WDEQ, USEPA, and City of Cheyenne/Coalition Partners to obtain the necessary required permits and resolve site access issues.

Soil Investigation

Drilling and Soil Sampling Methods

Borings advanced for the installation of monitoring wells will be drilled using hollow stem auger techniques. The augers will have a minimum inside diameter of 4¼-inches. Sampling performed to exclusively evaluate soil quality may be performed using Geoprobe™ System hydraulic push techniques.

Continuous samples will be collected from the ground surface to the depth of exploration when advancing the borings or probes. Conventional split-spoon-sampling techniques will be used for borings advanced using hollow stem auger and probes. Samples of the unconsolidated material will be collected for detailed lithologic description, laboratory analysis, and possible soil analysis for physical properties. Geologic information obtained from the boreholes will be documented on WDEQ Soil Boring Log Information Forms.

Borehole Abandonment

Each borehole advanced during this investigation, and not converted into a monitoring well, will be properly abandoned. All boreholes requiring abandonment will be abandoned in accordance with Wyoming Administrative Code. Bentonite chips no greater than 3/8-inch diameter will be used to seal

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

all boreholes. Borehole abandonment will be properly documented using WDEQ Well/Borehole Abandonment Forms.

Ground Water Investigation

Water Table Observation Well Installation

Water table observation wells may be installed in borings advanced below the water table. Potential water table wells will be installed at varying depths dependent on the depth to ground water within the Brownfield Redevelopment area. The purpose of the water table observations wells is to evaluate ground water flow and potential contaminant transport at the water table. Water table observation wells will be constructed of 2-inch inside diameter (ID) schedule 40 PVC riser and screen. Water table observation well will be constructed with a 10-foot length of 0.01-inch slot PVC screen. Monitoring wells will be installed in accordance with Wyoming Administrative Code.

Piezometer Installation

Should piezometers be required, they will be installed at depth within the unconfined, unconsolidated aquifer. The purpose of the piezometers is to evaluate water quality and ground water flow conditions at depth within the aquifer. Piezometers will be located adjacent to existing water table observation wells to create well nests. Data obtained from the well nests will be used to evaluate vertical ground water gradients and the extent of vertical migration of potential constituents of interest. Water quality data obtained from the well nests will be used to evaluate the vertical extent of ground water impacts. A summary of proposed monitoring wells will be presented within the FSP. All well construction details will be documented on WDEQ Monitoring Well Construction Forms.

Well Development

Monitoring wells will be developed after construction to remove fine-grained materials from within the well screen and filter pack. The wells will be developed by removing at least 10 times the volume of water stored in the well casings and filter pack. Logs of all well development procedures will be maintained. Purge water will be drummed or permission will be obtained to discharge the water directly to the sanitary sewer. Well development procedures will be documented on WDEQ Monitoring Well Development Forms.

Monitoring Well Survey

Monitoring wells will be surveyed to determine their elevations and horizontal locations. At each monitoring well, the elevations of the top of the well casing will be surveyed to the nearest 0.01-foot. Ground surface elevation will be surveyed to the nearest 0.1-foot.

Hydraulic Conductivity Testing

In-situ hydraulic conductivity tests (slug tests) will be performed on each new water table well and piezometer installed. Slug tests will be performed by rapidly lowering a solid PVC cylinder into the well to cause an instantaneous rise in water level (falling head test) within the well, and then measuring the return of the water level to static conditions. A second test will be performed by measuring the water level response when the cylinder (rising head test) is removed. Water level measurements will be collected with a data logger and pressure transducer. The hydraulic conductivity data will be analyzed using Waterloo Hydrologic Aquifer Test v.3 graphical analysis and reporting software. Hydraulic conductivity data will be evaluated using the methods of Bouwer and Rice (1976) for unconfined aquifers.

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

Falling head tests (slug in) will be performed on both water table observation wells and piezometers to evaluate the relative response of the aquifer prior to performing a rising head test (slug out). This will be done to ensure the data logger is properly programmed, and the equipment is functioning properly. The results of the tests are also useful for comparing the relative values to ensure consistency in testing and analysis. However, falling head tests performed in water table observation wells will not be used to calculate the average hydraulic conductivity of the aquifer.

Laboratory Analysis of Soil and Ground Water Samples

Soil Samples

Soil samples will be collected for laboratory analysis from each boring advanced during this investigation. The soil analytical program will be detailed in the work plan FSP and will include volatile organic compounds (VOC), Resource Conservation and Recovery Act (RCRA) metals, polynuclear aromatic compounds (PAH), polychlorinated biphenols (PCB) diesel range organics (DRO), and gasoline range organics (GRO). Soil samples collected from select borings will also be analyzed for percent organic matter.

Samples will be selected for analysis based on visual and olfactory observation, PID field screening results, conditions of the subsurface geology, and results of previous investigations performed at the sites. The physical/chemical properties of the analytes will also be considered in selecting soil samples for analysis. Decisions on the type and number of analyses to be performed will be made by the field scientist and the project hydrogeologist.

Ground Water Samples

To effectively evaluate the need for and/or type of remediation required at the site, a complete and accurate assessment of ground water quality is required. Data on contaminant types, concentrations, and distribution will be evaluated in conjunction with the physical/chemical properties of the constituents to determine their persistence and mobility within the subsurface.

One round of ground water samples will be collected from each of the monitoring wells installed in the project area. Subsequent sampling rounds will be performed based on the results of the first round of sampling (and existing data). Prior to sample collection, water levels will be obtained from each of the monitoring wells. Four times the volume of water standing in the casing will be removed using a bailer or submersible pump.

Ground water samples collected from the water table wells and piezometers will be obtained using disposable polyethylene bottom-filling bailers. Samples will be collected in pre-cleaned containers provided by the laboratory. Ground water sampling information will be documented on standard Ayres Associates ground water monitoring field-sampling forms.

The ground water analytical program will be detailed in the FSP. Laboratory analysis for samples collected from the wells installed during this phase of investigation will include one or more of the following: volatile organic compounds (VOC), Resource Conservation and Recovery Act (RCRA) metals, polynuclear aromatic compounds (PAH), polychlorinated biphenols (PCB), diesel range organics (DRO), E. Coli, and gasoline range organics (GRO). Laboratory analysis for samples collected from existing wells will be analyzed for PVOs, E. Coli, or VOCs, depending upon findings of the Phase 1 ESA for that subject parcel.

A suite of inorganic parameters will be analyzed on samples collected from select monitoring wells at the site. These parameters include: dissolved calcium, magnesium, sulfate, phosphorous, nitrate-

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

nitrite nitrogen, kjeldahl nitrogen, ammonia nitrogen, iron, manganese, hardness, chemical oxygen demand, and total dissolved solids. These data will be used to evaluate the geochemistry of the aquifer, and the type of reactions that may be occurring in the ground water flow system.

Real time data on temperature, pH, specific conductance, dissolved oxygen, ferrous iron, and oxidation-reduction (Redox) potential will be collected to compliment the analytical data. These data will be used to construct a “geochemical model” of conditions at the site to assist in the interpretation and understanding of attenuation and or transformation processes that may be occurring in the aquifer, and the potential fate of the constituents of interest.

Physical Soils Analysis

Soils laboratory testing will be performed on selected samples collected from the borings. Moisture content, organic matter fraction, gradation analysis (including sieve and hydrometer analysis), and Atterberg limits will be performed on the soil samples as appropriate for the soil type. Moisture content, sieve and hydrometer analysis, and Atterberg limit tests will be performed using American Society for Testing and Materials (ASTM) Methods D2974-87, D422-63, and D4318-84, respectively. A minimum of one sample per boring or soil unit will be selected for analysis. These data will be used for subsequent ground water modeling, if performed, evaluation of contaminant transport, evaluation of remedial alternatives, and evaluation and construction of the storm water detention basin.

Data Evaluation: Data obtained through the background data review and environmental investigation will be analyzed and interpreted by Ayres Associates. The objectives of the analysis will be to determine the presence and significance of regulated chemical impacts to soil and ground water related to historical activities at the site. Data evaluation will include analysis of remedial alternatives.

Site Investigation Report: A draft report summarizing findings of the site will be submitted to the City of Cheyenne and Coalition partners for review and comment. The report will be prepared in accordance with Wyoming DEQ Administrative Codes. The report will include a description of site conditions, subsurface geology, results and interpretation of the laboratory analytical data. A final report will be prepared following the City’s review of the draft report. Reporting activities will include completion and submission of required reports and forms to all applicable state and local agencies. Monthly project memoranda will also be prepared to keep the City’s project team and regulatory agencies apprised of project activities.

TASK 5: REMEDIATION PLANNING

The key to success with this project is compiling all the contamination issues within one focused effort and then - through complete communication and open discussion with environmental agencies, prepare a comprehensive Remedial Action Plan, also known as an Analysis of Brownfields Clean up Alternatives (ABCA) that addresses individual site (and perhaps combine multiple adjoining sites) contamination present.

A comprehensive remedial action plan report will be prepared in accordance with Wyoming Department of Environmental Quality (WDEQ) Administrative Code. The purpose of the feasibility study or remedial action plan is to identify remedial alternatives for the project area that will effectively mitigate risk associated with contaminants of concern at each investigated site, and that are protective of human health and the environment during and after implementation of remediation. Key elements in performing this evaluation include: identification and screening of potential alternatives, detailed evaluation of reasonable alternatives identified during the screening phase, and selection of one or more remedial options for implementation. Evaluation of the alternatives will be performed using the evaluation criteria presented in Wyoming Department of Environmental Quality (WDEQ) Administrative Code.

EXHIBIT A – SCOPE OF WORK

Project Name: Downtown Cheyenne Lower Capitol Basin Brownfield Project

In addition, Ayres Associates will prepare a Remedial Action Options Report (ROAR) and submit this to the Wyoming Department of Environmental Quality (WDEQ). In order to properly address developers concerns and their timetables, and keep the project on schedule, the ROAR will take into consideration the entire project acreage or area as opposed to individual site criteria. Two copies of each report will be provided to the City of Cheyenne/Coalition Partners, two additional copies of each report will be prepared, one for EPA and one for WDEQ submittals.

ADDITIONAL SERVICES

If authorized in writing by OWNER, CONSULTANT shall furnish or obtain from others Additional Services as described below. These services are not included as part of Basic Services and will be paid for by as the Coalition Partners according to the terms and conditions and fee schedule presented in this agreement..

- EPA Brownfield Cleanup, Remedial Planning, and Implementation
- GIS and digital orthophotography
- Preparation of designs and specifications
- Park and Recreation Planning and Design
- Site civil design and ALTA and Boundary Survey
- Asbestos and lead-based paint inspections and surveys
- Demolition and ACM plans and specifications
- Soil and groundwater remediation of affected properties
- State and Federal Funding searches and strategic planning
- Grant and Loan preparation and funding administration