

D. White

Date: Jan 8, 2013

RESOLUTION NO. _____

ENTITLED: "A RESOLUTION DETERMINING THAT CONDITIONS FOR ANNEXATION REQUIRED BY WYO. STAT. §15-1-402 EXIST FOR A PARCEL OF LAND BEING SITUATED IN A PORTION OF THE EAST HALF OF THE EAST HALF OF THE SECTION 20 AND A PORTION OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 21, TOWNSHIP 14 NORTH, RANGE 66 WEST OF THE 6TH P.M., LARAMIE COUNTY, WYOMING, (LOCATED APPROXIMATELY 1,500 FEET NORTH OF THE INTERSECTION OF CONVERSE AVENUE AND OGDEN ROAD)."

WHEREAS, a public hearing to receive public input and comments on the proposed annexation of the above described property was held before the governing body on January 14, 2013; and

WHEREAS, the governing body finds that the following conditions exist as set forth in Wyo. Stat. §15-1-402:

- (i) The annexation of the area is for the protection of the health, safety and welfare of the persons residing in the area and in the city or town;
- (ii) The urban development of the area sought to be annexed would constitute a natural, geographical, economical and social part of the annexing city or town;
- (iii) The area sought to be annexed is a logical and feasible addition to the annexing city or town and the extension of basic and other services customarily available to residents of the city or town shall, within reason, be available to the area proposed to be annexed;
- (iv) The area sought to be annexed is contiguous with the City of Cheyenne;
- (v) The City of Cheyenne does not own or operate its own electric utility, and its governing body is prepared to issue one (1) or more franchises as necessary to serve the annexed area pursuant to Wyo. Stat. §15-1-410;
- (vi) The City of Cheyenne, not less than twenty (20) business days prior to the public hearing required by Wyo. Stat. §15-1-405(a), has sent by certified mail to all landowners and affected public utilities within the territory a summary of the proposed annexation report as required under subsection (c) of Wyo. Stat. §15-1-402 and notice of the time, date and location of the public hearing required by Wyo. Stat. §15-1-405(a).

NOW, THEREFORE, BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF CHEYENNE, WYOMING, that the above described property meets the requirements for annexation under Wyo. Stat. §15-1-402 (a) (i-vi).

PRESENTED, READ AND ADOPTED THIS _____ DAY OF _____, 2013.

RICHARD L. KAYSEN, MAYOR

SEAL:
ATTEST:

CAROL INTLEKOFER, CITY CLERK

ANNEXATION REPORT & STAFF REPORT

The Bluffs 9th Filing Summation

Annexation

CASE NUMBER: Annexation-12-00003

FILE CODE: TBA-A

PUBLIC HEARING: January 14, 2013

REQUIRED

DOCUMENTS: All required documents have been submitted and reviewed by staff.

RECOMMENDATION:

Staff recommends *against* adoption of the attached resolution. Adopting the resolution would find that the proposal meets the required criteria and is therefore eligible for annexation to the City under applicable state law. As further described in this report, the proposed development does not meet these criteria.

According to State Statute, if the area does not comply with the criteria set forth in Wyo. Stat. §15-1-402 (a) “no further action shall be taken on the proposed annexation.”

If the resolution is adopted, an ordinance to annex the property will be introduced at a later date.

ANNEXATION REPORT & STAFF REPORT

The Bluffs 9th Filing

Annexation

CASE NUMBER: Annexation-12-00003 **FILE CODE:** TBA-A

OWNER: United Western Corporation 307-634-4577
c/o Frank Cole
2220 Dell Range Blvd
Suite 200
Cheyenne, WY 82009

AGENT: Casey Palma 307-634-7273
c/o Steil Surveying Services, LLC
PO Box 2073
Cheyenne, Wyoming 82003

REQUEST: Annexation to the City of Cheyenne

LOCATION:

- 1) Legal Description: Portion of E1/2E1/2 of Section 20 and a portion of SW1/4SW1/4NW1/4 of Section 21, Township 14 North, Range 66 West of the 6th p.m., Laramie County, Wyoming
- 2) General Location: Approximately 1,500' north of the intersection of Converse Avenue and Ogden Road
- 3) Address: Vacant land

CURRENT ZONING: A-1 (County)

PROPOSED ZONING: MR-2 – Medium-density Residential-Developing

EXISTING LAND USE: Vacant land (+/- 8.84 total acres)

PROPOSED LAND USE: Single-family housing development (28 buildable lots)

January 9, 2013

SUMMARY:

Wyoming State Statutes require that prior to annexing territory to the City certain steps must be followed, including the governing body conducting a public hearing and finding that the territory is eligible for annexation. The Statutes list six criteria that must be met for the territory to be eligible for annexation. As described in detail later in this report, the proposed development does not meet these criteria.

The main concern with the annexation is that it is a piecemeal annexation that excludes adjacent property under the same ownership for no apparent reason. The adjacent land is proposed to serve as stormwater detention for a portion of the proposed development on the subject property.

The property owner submitted concurrently with the annexation a preliminary plat application and an application to change the zoning from A-1 Agricultural and Rural Residential (County) to MR-2 Medium-density Residential-Developing. These applications are in process, a recommendation having been tabled by Planning Commission at its January 7, 2013 meeting due to the numerous outstanding issues relating to proposed plat.


A brief overview of the concerns identified in the plat review and zone change process is provided here in summary:

1. The application does not reflect extension of the street connecting Converse Avenue to Ogden Road. Half of the street has already been platted by the City with the platting of the parcel to the north. Extending existing platted streets is required (UDC § 4.3.3.f). The street is also referenced in the transportation master plan and critical for the provision of a four-way intersection onto Converse Avenue.
2. The application claims an existing detention pond as an exception to the open space requirement, but the stormwater detention pond in question does not have sufficient capacity and design standard to serve the proposed development. The open space provided in the proposal does not appear to meet the open space requirements (UDC § 4.4).
3. Stormwater run-off for part of the proposed development would be addressed with a detention pond that is outside the City's jurisdiction.

DESCRIPTION OF SITE AND SURROUNDINGS:

The owner of this 8.84-acre area east of and adjacent to Converse Avenue, north of Ogden Road, Mr. Frank Cole of United Western Corporation, has petitioned the City to annex the land in order to develop a 28-lot single-family subdivision. Adjacent to the subject property but not included in the annexation or plat is a 3.35-acre parcel under the same ownership where a detention pond has been developed. North of that parcel is a 21.32-acre parcel owned by Mr. Cole along with members of his immediate family. To the east of it, north of Anderson Elementary are two parcels owned by Freedom Land Limited Partnership, a partnership of Cole family members. These are the only unincorporated parcels in this area east of Converse.

The proposed plat contains 28 buildable lots. The plat proposes to utilize a city maintained stormwater facility south of the site and the stormwater facility east and north of the site recently developed in the County mentioned above. The proposal terminates Apache Street and Pattison Avenue into a cul-de-sac and proposes no access onto Converse Avenue.



The subject property is outlined above. Shaded areas are unincorporated land.

COMPREHENSIVE PLAN:

LAND-USE: The future land-use plan in PlanCheyenne indicates Mixed-Use Residential Emphasis and Urban Residential for this area.

The proposal as a whole is not substantially consistent with the comprehensive plan. These deficiencies relate primarily to the street layout, stormwater systems, and open space systems established with the proposal. If these broader issues are resolved, the proposed zoning proposal of large-lot single family units is generally consistent with the comprehensive plan.

However, according to PlanCheyenne, "Future neighborhoods should also include well planned amenities such as parks and open space." (pg. 3-13) Policy 2.2.d states: "Developers should provide amenities, including parks, open space (especially for higher density housing), or community centers. These should include centralized neighborhood-gathering spaces and pocket parks that are large enough for residents to congregate, especially where lot sizes are small. These should include landscaped areas that are suitable for children's play areas, including appropriately sized turf areas."

January 9, 2013

Rather than annexing all of the property in this area and taking a comprehensive approach to siting a neighborhood park that meets the City's criteria for minimum size, the proposal continues the piecemeal development of the area requiring the park land dedication to be considered in isolation from the remaining yet to be developed areas. Individually annexing and platting separate segments of the area fragments the parks and open space system into small areas that would be inefficient from a future maintenance perspective and ineffective from the recreation perspective if none of the areas is large enough to incorporate desired amenities such as play structures and shelters. Ribbons of open space with trees and trails may be desirable features of the park system as well; however, they should be used to connect existing and future pedestrian destinations. Detention ponds may be included in open space calculations if they meet certain conditions in code.

TRANSPORTATION: The Master Transportation Plan establishes a network of collector and arterial roads and a corresponding traffic model is also developed to plan for a future transportation system that can be effectively maintained by the City. The transportation and land-use plans also establish reasonable expectations for urban land-uses and future transportation improvements by surrounding landowners.

Policy 4.3.d of PlanCheyenne states, in part: "New neighborhoods should contain street systems that encourage internal pedestrian, bike, and auto circulation." To this end the Cheyenne Unified Development Code (UDC) requires that "All new streets shall align with any existing or proposed streets on adjacent property, and shall continue and extend arterial, collector, and local streets within the proposed subdivision externally to the parcel boundary..." (UDC § 4.3.3.f)

The vacant property to the north has already dedicated half of the street width for a collector connection in anticipation of this proposal submitting the same. The omission of any right-of-way along the north side of the proposed Bluffs 9th Filing is a significant deviation from the transportation master plan.

ANNEXATION ELIGIBILITY DATA/ANALYSIS: Before any territory is eligible for annexation, the governing body must find that the following criteria are met (Wyo. Stat. §15-1-402 (a)):

- 1) "An annexation of the area is for the protection of the health, safety and welfare of the persons residing in the area and in the city or town." **Findings:** The City of Cheyenne has adopted a comprehensive plan (PlanCheyenne), zoning and subdivision regulations (the UDC), and other City codes to assure new and existing development will provide for the health, safety and welfare of those future residents and users of the annexed area and the community as a whole. The proposed development deviates substantially from PlanCheyenne and does not comply with criteria in the Unified Development Code. The health, safety and welfare of future residents of this property and current and future residents in the surrounding area are potentially threatened by the exclusion from the annexation of the adjacent land containing the area proposed to serve as stormwater detention for the proposed development. This proposal would keep the privately owned stormwater facility outside of the jurisdiction of the City.
- 2) "The urban development of the area sought to be annexed would constitute a natural, geographical, economical and social part of the annexing city or town." **Findings:** Annexing the territory along with adjacent lands under common ownership and platting the area concurrently could constitute a natural, geographical, economical, and social part

of the City; however, the proposed development constitutes piecemeal development that serves no purpose other than keeping as much territory as possible out of the City.

- 3) “The area sought to be annexed is a logical and feasible addition to the annexing city or town and the extension of basic and other services customarily available to the residents of the city or town shall, within reason, be available to the area proposed to be annexed.”

Findings: Piecemeal annexations such as this make it difficult to provide efficient City services. The proposed development precludes a four-way intersection on Converse, which limits the extension of the City’s transportation network and transit system. No pedestrian or bike connection to Converse is proposed. The development proposes strips of open space 10 to 20 feet in width, which would have limited usefulness but require City resources to maintain.

- 4) “The area sought to be annexed is contiguous with or adjacent to the annexing city or town, or the area meets the requirements of W.S. 15-1-407.” **Findings:** The property is approximately 72% contiguous with existing City limits.
- 5) “If the city or town does not own or operate its own electric utility, its governing body is prepared to issue one (1) or more franchises as necessary to serve the annexed area pursuant to W.S. 15-1-410.” **Findings:** Franchises are in place to serve this property.
- 6) “The annexing city or town, not less than twenty (20) business days prior to the public hearing required by W.S. 15-1-405(a), has sent by certified mail to all landowners and affected public utilities within the territory a summary of the proposed annexation report as required under subsection (c) of this section and notice of the time, date and location of the public hearing required by W.S. 15-1-405(a).” **Findings:** The required information was sent December 14, 2012.

The required criteria for annexation eligibility are not met.

ANNEXATION REPORT DATA: In compliance with 15-1-402 (c) the following information is provided:

- (i) A map is not required for this report based on the absence of exercising the authority granted under W.S. 15-3-202 (b) (ii).
- (ii) The total estimated cost of infrastructure improvements required of the landowners by the City related to the annexation is approximately \$0.00. All improvements are deferred until time of development.
- (iii) Services customarily available to City residents include water, sewer, sanitation, police and fire protection. Water and sewer services are available to the property from the property to the south and from Converse. Water and sewer services are provided upon application and payment to the Board of Public Utilities, with sanitation services occurring concurrently. Provision of these services is initiated by the property owner.
- (iv) Fees for water, sewer, and sanitation services are variable based upon volume. Tap fees vary based on the size of the tap required.
- (v) The current property tax mill levy imposed is 66.00 and projected property tax mill levy imposed by the city is 71.00.
- (vi) Requirements for off-site improvements will be evaluated at the time of development.

January 9, 2013

REVIEWING AGENCY AND REVIEWERS COMMENTS:**City Surveyor:**

1. The azimuths and distances provided in the LAND DESCRIPTION do not match those found on the map drawing. Therefore I cannot determine which set of figures should be used for properly identifying these boundaries. This correction is required prior to approval.
2. In the LAND DESCRIPTION involving Section 20, the degree symbol appears to not be properly turned on. This correction is required.

Development:

The proposal does not meet numerous development standards and is not consistent with planning documents. As such it does not appear that the health safety and welfare is provided for and annexation at this time is not recommended.

Engineering:

This annexation area should be expanded to include the detention pond and water main easement located between this annexation area and Ogden Road. It would be preferable to see all of the developer's land located east of Converse and south of Storey annexed at this time. Doing so would simplify jurisdictional questions like arose earlier this year with the Ogden Road detention pond and facilitate future phases of the Bluffs.

The preliminary Soils Map submitted with the annexation does not satisfy the requirements pursuant to Section 1.16.030(B)(2) of City Code, however the City Engineer's Office is amenable to postponing submittal of the final soils report until such time as detailed construction plans are submitted for the public infrastructure.

Drainage Engineering:

Recommend the existing stormwater detention pond between Ogden Road and this 9th Filing also be included in the annexation.

Traffic Engineering:

1. A Transportation Worksheet to determine TIA/TIS requirements was provided with the Preliminary Map Application (ref. Article 3, Section 3.1.1.c, UDC). The request for TIS Waiver was initialed K.H. The number of trips generated is less than the threshold amount which triggers a TIA or TIS, however this is the 9th filing of the same subdivision. The proposed development is in the vicinity of a street or intersection with a history of safety and/or accident problems and the scale of the overall proposed development is likely to lead to less than acceptable levels of service on adjacent public streets and intersections. The waiver request is hereby denied. A Transportation Impact Study is required.
2. The Cheyenne Area Master Plan has a Buildout Roadway Vision Plan, herein referred to as the Plan. The Plan designates roadways and corridors that should be preserved for future use. The proposed Transportation Network Plan differs substantially from the Plan. The proposed Network Plan does not provide a highly connected street network, namely extension of Plainview Road with Converse Avenue. For development to occur, the developer will need to build or fund construction of any roadways or infrastructure that is necessary to provide access, increase capacity and/or mitigate adverse impacts of development. Costs and responsibilities associated with transportation often lie entirely on developers in designing and building any infrastructure necessitated by the proposed development.
3. The long-term improvements shall be those documented in the Cheyenne Area Master Plan and any other Long term improvements adopted through the Cheyenne MPO and/or included in the State Transportation Improvement Program (Article 3, Section 3.1.3.f, UDC). It is important that the alignment, right-of-way needs, and details of streets be identified well ahead of actual

January 9, 2013

development so that proper planning of areas can occur. The application does not reflect sound planning and urban design principals with respect to existing and potential future development in the vicinity, including consideration of current and future streets, open spaces, blocks and lots, and public utilities or facilities (Article 2, Section 2.1.2.d.2, UDC).

4. The Transportation Network Plan, Exhibit G. i., shows only existing roadways and their classification and alignment. The Network plan does not show the proposed roadways and corridors that should be reserved and is not consistent with the long term improvements identified in the Cheyenne Area Master Plan. With no projected build-out of the area, it would appear that the growth in vehicle traffic will far outpace any transportation system roadway improvements necessary to mitigate capacity and access issues. A Master Transportation Study for the remaining undeveloped area in the Bluffs between Storey Boulevard and Dell Range Boulevard and Converse Avenue and Ridge Road should precede the Transportation Impact Study for each individual phase of the project.

5. It is imperative that the studies be completed and provided for review and approval to insure that the right-of-way for future use is preserved and that the proposed infrastructure will provide capacity and access to accommodate all subsequent future growth. It is important that the alignment, right-of-way needs, and design details of streets and highways be identified well ahead of actual development so that proper planning of areas can occur. A Master Transportation Planning Study would identify the full impacts associated with a phased approach that the development will have on existing and proposed transportation systems, both at the immediate location and in the general area, and the milestones that trigger the need for additional improvements to mitigate those impacts.

6. The continued approval of Development Actions preceding an approved Master Transportation Planning Study will only build on the success or failure of the existing roadway system. We need to take steps to prevent past mistakes from recurring.

Fire:

We will need to review fire hydrant placement as utility plans are available.

School District #1:

This development site falls within the East Triad -- student's home attendance boundaries are East High School, Carey Junior High School and Anderson Elementary Schools.

The current attendance for these schools is as follows:

Anderson Elementary - at capacity with no space available.

Carey Junior High - below capacity with space available in both grades.

East High -- at or above capacity with no space available.

MPO:

The detention pond that was recently constructed should be annexed with this development. To leave it within the County sets up the possibility of an unincorporated island parcel surrounded by city parcels.

Board of Public Utilities:

On July 14, 2003 the Cole Family (Landowners) enter into a Memorandum of Agreement with the City of Cheyenne and the Cheyenne Board of Public Utilities. Contract #4475 Master Agreement for Storey Blvd.-Converse Ave. Extension, Section 17 & 20, T14N R66W, 6th. PM, Laramie County, Wyoming for the construction of the Storey Blvd. and Converse Ave. Extension. In Paragraph 14 of this Agreement, it speaks about reimbursement for the water and sewer utilities that were constructed along Storey Blvd. and the Converse Ave. Paragraph 14 also states that Landowners agreed to reimburse the City for the portion of the water and sewer main

January 9, 2013

improvements at the time of and in conjunction with development action by the Landowners. The portion of water and sewer facilities improvement to be reimbursed at the time of development will be based on a reimbursement schedule in this document. All reimbursements for the water and sewer will be based on a maximum size of eight inches.

Please see Table - 2 Converse Ave. for the Sewer main reimbursement along the property being developed at The Bluff 9th Filing.

Station 208+75 thru Station 217+17, 1,014 feet of 8" Sanitary Sewer Main at 50%

Reimbursement at \$18.90 LF (50% = \$9.45 LF)

$1,014' \times \$9.45 \text{ LF} = \$9,582.30 / 2 = \$4,791.15$

Station 208+75 thru 214+75

Four Manholes at 100% Reimbursement at \$1,461.20 each = \$5,844.80

Sewer Main Reimbursement = \$4,791.15 + \$5,844.80 = \$10,635.95

Please see Table - 4 Converse Ave. for the Water main reimbursement along the property being developed at The Bluff 9th Filing.

Station 208+87 thru 215+25

640' feet of 8" Water main at 100% Reimbursement at \$20.30 LF

$640' \times \$20.30 \text{ LF} = \$12,992.00 / 2 = \$6,496.00$

Station 208+87 Extension to LT

98' feet of 8" Water main at 100% Reimbursement at \$20.30 LF

$98' \times \$20.30 \text{ LF} = \$1,989.40$

One, 8" Tee at \$257.00

One, 8" Valve at \$498.00

One, Cap at \$82.00

Station 215+25 Extension to RT

30' feet of 8" Water main at 100% Reimbursement at \$20.30 LF

$30' \times \$20.30 \text{ LF} = \609.00

One, 8" Tee at \$257.00

One, 8" Valve at \$498.00

One, Cap at \$82.00

Water Main Reimbursement = \$6,496.00 + \$1,989.40 + \$257.00 + \$498.00 + \$82.00

+ \$609.00 + \$257.00 + \$498.00 + \$82.00 = \$10,768.41

The total Sewer and Water Reimbursement to the Cheyenne Board of Public Utilities for this development The Bluffs 9th Filing is $\$10,635.95 + \$10,768.41 = \$21,404.36$ x (CPI-U) Index.

The unit price based on the Consumers Price Index. Annual inflation will be base on the Consumers Price Index and all Urban Consumers (CPI-U) Index. The base month CPI-U index in August 2003 was 184.60, and in October 2012, it was 231.31 = 1.2531

The total Sewer and Water Reimbursement to the Cheyenne Board of Public Utilities for this development The Bluffs 9th Filing is

Sewer \$10,635.95 + Water 10,768.41 = \$21,404.36 x 1.2531 = \$26,821.7

A Wyoming Professional Engineer will need to submit proposed site plans with all utilities and overall projected design, plans and profiles to the Board of Public Utilities. After BOPU's review and signature of approval, the design engineer will need to send the plans to the (D.E.Q.) for approval and a permit to construct. When the D.E.Q. permit is issued, City's Engineer's Office and Cheyenne Fire Department have reviewed and signatures of approval are on the cover sheet. Then the Agent/Owner may employ a licensed contractor to install the utilities, apply for all applications for water/sewer tap permits from the BOPU, and request a preconstruction meeting with all parties involved prior to construction.

January 9, 2013

All water and sanitary sewer utilities need to be designed and constructed in accordance with the latest City of Cheyenne and Board of Public Utilities Construction Specifications Standards and Standard Drawings and the latest Rules & Regulations for Establishing Policies & Design Criteria of the Board of Public Utilities Cheyenne, Wyoming.


AGENCIES RESPONDING WITHOUT COMMENT: County Assessor, County Planning, GIS, Parks and Recreation.

AGENCIES NOT RESPONDING: City Attorney, County Clerk, County Fire District 2, Police, Laramie County Conservation District.

OTHER COMMENTS RECEIVED: None

Encl: Annexation Resolution
Annexation Map

cc: Agent
Property owner
File



LAND DESCRIPTION

Parcel 1
Township 14 North, Range 66 West of the 6th P.M., Laramie County, Wyoming.

Section 20: A portion of the E1/2 E1/2 E1/2, being more particularly described as follows:
Beginning at the E1/4 corner of said Section 20; thence 179° 55' 22", a distance of 177.16 feet; thence 269° 55' 41", a distance of 304.32 feet to a point on the east boundary of the Converse Avenue right-of-way; thence northwesterly along said Converse Avenue boundary line along a curve concave to the northeast, having a radius of 746.32 feet and a central angle of 20° 47' 29" (chord azimuth of 349° 38' 18", chord distance of 269.34 feet); thence 359° 41' 16", a distance of 572.83 feet; thence 89° 58' 31", a distance of 352.39 feet; thence 179° 43' 03", a distance of 660.39 feet to the point of beginning.

Containing 291,063sf (6.68 acres) more or less.

Parcel 2
Township 14 North, Range 66 West of the 6th P.M., Laramie County, Wyoming.

Section 21: A portion of the SW1/4 SW1/4 NW1/4, being more particularly described as follows:
Beginning at the W1/4 corner of said Section 21; thence 359° 43' 03" for a distance of 188.01 feet, to a point on the west boundary of a 40 foot Board of Public Utilities Easement (recorded in Book 766 Page 555 at the Laramie County Office of Records); thence 90° 13' 49", a distance of 40.00 feet to a point on the east boundary of said easement; thence, 359° 43' 03" along said east boundary line, a distance of 120.00 feet; thence 90° 13' 49", a distance of 262.90 feet to a point on the west boundary of Ogden Road right-of-way; thence 171° 54' 47" along said Ogden Road boundary line, a distance of 136.50 feet; thence southeasterly along said Ogden Road boundary line along a curve concave to the southwest, having a radius of 1195.50 feet and a central angle of 08° 19' 02" (chord azimuth of 176° 04' 18", chord distance of 173.39 feet); thence 270° 13' 49" a distance of 332.46 feet to the point of beginning.

Containing 94,220sf (2.16 acres) more or less.

LEGEND

- FOUND 3/4" X 24" LONG REBAR WITH 1 1/2" ALUMINUM CAP STAMPED "P.L.S. 2927"
- SET 3/4" X 24" LONG REBAR WITH 1 1/2" ALUMINUM CAP STAMPED "SSS P.L.S. 5910"
- ⊙ FOUND 1/4 CORNER BRASS CAP STAMPED "L.S. 519"
- (M) DENOTES MEASURED DATA THIS SURVEY
- (P) DENOTES DATA PER PLATS OF RECORD
- △ CITY OF CHEYENNE CONTROL MONUMENTS
- AREA TO BE ANNEXED
- ▨ OTHER LANDS CURRENTLY IN ANNEXATION PROCESS
- ▩ OTHER LANDS CURRENTLY OUTSIDE OF THE CITY OF CHEYENNE CORPORATE LIMITS (COUNTY)
- ▧ LANDS CURRENTLY INCORPORATED WITHIN THE CITY OF CHEYENNE CORPORATE LIMITS

NOTES

- 1) BASIS OF AZIMUTH - CITY OF CHEYENNE DATUM REFERENCED FROM CITY CONTROL MONUMENTS "DELL RANGE NO.4 RESET" & "HUDSON".
- 2) NO PORTION OF THE SUBJECT PROPERTY FALLS WITHIN FEMA SPECIAL 100-YEAR FLOOD HAZARD AREA AS SHOWN ON F.I.R.M. PANEL # 56021C1091F, DATED JANUARY 17, 2007.
- 3) WATER AND SEWER TO BE PROVIDED BY CITY OF CHEYENNE BOPU.

APPROVALS

Approved by the Council of the City of Cheyenne, Wyoming this ____ day of ____ 2012.

Mayor _____ ATTEST: _____ City Clerk

FILING RECORD

CERTIFICATE OF SURVEYOR

I, Jeffrey B. Jones, Registered Professional Land Surveyor in the State of Wyoming, for and on behalf of Steil Surveying Services, LLC, hereby state, to the best of my knowledge, information and belief, that this map was prepared from field notes taken during an actual survey made by me or under my direct supervision; and that this map correctly shows the results of said survey and that the monuments found or set are as shown.

**ANNEXATION
MAP
FOR
THE BLUFFS
9TH FILING**

SITUATED IN THE E1/2 OF SECTION 20, AND THE SW1/4 NW1/4 OF SECTION 21; T.14N., R.66W., 6TH P.M., LARAMIE COUNTY, WYOMING.

Prepared October, 2012



STEIL SURVEYING SERVICES, LLC
PROFESSIONAL LAND SURVEYORS

1102 W. 19th ST. CHEYENNE, WY. 82001 (307)634-7273
756 GILCHRIST ST. WHEATLAND, WY. 82201 (307)322-9789

