

CITY OF CHEYENNE – CITY COUNCIL AGENDA ITEM SHEET

DATE OF COUNCIL MEETING: July 8, 2013

TYPE OF DOCUMENT: (☐ ORDINANCE) (☒ RESOLUTION) (☐ PRELIMINARY PLAT/
PRELIM PUD ZONE CHANGE) (☐ LEASE/CONTRACT) (☐ CHANGEORDER/CONTRACT
MODIFICATION) (☐ CONSIDER BID) (☐ APPLICATIONS/LICENSES/PERMITS)
(☐ APPOINTMENTS) (☐ ANNOUNCEMENTS/REPORTS/MOTIONS) (☐ OTHER)

SPONSOR: (ORDINANCE OR RESOLUTION) Sean Allen

EXACT WORDING FOR AGENDA: A Resolution authorizing the Mayor and the City Clerk to sign a Final Plat for Polk Addition, a replat of Tracts 145-148, Sunnyside Addition, 5th Filing, a replat of a portion of vacated Van Buren Avenue, a replat of a portion of vacated Cheyenne Street, Cheyenne, Wyoming (located at the northeast corner of the intersection of E. Pershing Boulevard and Polk Avenue).

(1% Sales Tax Funding/Years) N/A

(Other Funding _____)

CONTACT PERSON: Donna Ferguson PHONE: 638-4342 DEPT: Development Office

OTHER CITY DEPTS AFFECTED: N/A

OTHER GOV'T AGENCIES AFFECTED: N/A

FINANCIAL IMPACT PROPOSED OR CONDITIONS WHICH AFFECT CITY: N/A

CONTRACT TERM: N/A STARTING DATE: N/A

	YES	NO	N/A
Is funding budgeted?	(☐)	(☐)	(☒)
Were Bids called for?	(☐)	(☐)	(☒)
Affected parties notified of Council procedure and dates?	(☒)	(☐)	(☐)
Has bond, insurance or other security been arranged?	(☐)	(☐)	(☒)
Have legal descriptions been checked?	(☒)	(☐)	(☐)

Agenda Item approved / reviewed by :

Risk Mgr (☐) City Attorney (☐) Dept. Head (☒)

General Comments: The Cheyenne Planning Commission recommended approval of the above described Final Plat by a unanimous vote of 4 to 0 at their meeting on July 1, 2013. See the attached Staff Report for more definitive information.

=====

Submitted by: Brandon Cammarata Title: Planning & Dev Dir. Date: July 2, 2013

UPON PASSAGE OF THE AGENDA ITEM, COPIES SHOULD BE SENT TO:

City Clerk's Office

Engineering Tech Branch

Development Office

Building Safety Office

STAFF REPORT
“Polk Addition”
Summation

Final Plat

CASE NUMBER: UDC-13-00214

FILE CODE: POLK-FPV

PREPARED BY: Donna Ferguson

MEETING July 1, 2013 – Planning Commission

DATES: July 8, 2013 – City Council

Required documents submission:

All required documents have been submitted and reviewed by staff.

- Application
- Final Plat Map
- Traffic Worksheet
- Transportation Network Plan – N/A (No new streets proposed)
- Drainage Study
- Open Space Worksheet - N/A (Civic open space not required in LI zone district)
- Environmental Impact Assessment

RECOMMENDATION: The Development Office recommends approval of the Final Plat pursuant to the review criteria outlined in Article 2, Section 2.1.3.d (1-3) of the Cheyenne Unified Development Code (UDC).

STAFF REPORT UPDATE (07/02/13): At its meeting on Monday, July 1, 2013, the City of Cheyenne Planning Commission recommended approval of the above described Final Plat by a unanimous vote of 4 to 0.


STAFF REPORT
"Polk Addition"

Final Plat

CASE NUMBER:	UDC-13-00214	File Code:	POLK-P
PREPARED BY:	Donna Ferguson		
SUBMITTED:	May 24, 2013		
PRE-APP MEETING:	January 17, 2013		
MEETING DATES:	July 1, 2013 – Planning Commission July 8, 2013 – City Council		
OWNER:	Michel Simon Winsome Capitol Group LLC 4 Pine Spring Lane Owing Mills, MD 21117		
APPLICANT:	Doug Walker 6908 Foxgrove Road Cheyenne WY 82009 421-4265		
AGENT:	Brad Emmons AVI p.c. 1103 Old Town Lane, Ste 101 Cheyenne, WY 82009 778-8236		
WORK DESCRIPTION:	Platting of three lots and street vacations for Light Industrial use		
DOCUMENTS:	Application, Final Plat Map, Traffic Worksheet, Drainage Study, Environmental Impact Study		
OTHER:	N/A		
LEGAL:	A replat of Tracts 145-148, Sunnyside Addition, 5 th Filing, a replat of a portion of vacated Van Buren Avenue, a replat of a portion of vacated Cheyenne Street, Cheyenne, Wyoming		
LOCATION:	Northeast corner of East Pershing Boulevard and Polk Avenue		
PROPERTY SIZE:	8.82 acres		
CURRENT ZONING:	AR Agricultural Residential		
PROPOSED ZONING:	LI Light Industrial		
LAND USE:	Vacant		
PROPOSED LAND USE:	Storage units (Storage Park)		

SURROUNDING LAND USES:

DIRECTION	LAND USE(S)	ZONING	ANNEXATION STATUS
West	Rural Residential, Storage Park, Single-Family Residential, Vacant Commercial	AR, PUD, MU	County
North	Rural Residential	AR	County
East	Rural Residential	AR	County
South	Single-Family Residential	MR-2	City



SUMMARY:

This Final Plat proposes to subdivide a total of 8.82 acres, consisting of 8.00 acres of vacant property and .82 acres of vacated portions of Van Buren Avenue and Cheyenne Street into three lots. The subject property is located on the east side of the City on the northeast corner of Polk Avenue and Pershing Boulevard. This Final Plat is being requested in conjunction with a Street Vacation, a Zone Change request from AG Agricultural Residential to LI Light Industrial and a proposal to construct commercial storage facilities on the site. The Street Vacation and Zone Change are being processed

concurrently with this Final Plat. Street improvements and a Greenway path are planned for Polk Avenue. The applicant is dedicating 5' of additional right-of-way toward the development of the Greenway as well as a 20' drainage easement for storm water drainage. Furthermore, the applicant is aware that he will be required to reimburse the City for 50% of Polk Avenue's Road and Greenway construction costs for the portion of the road and path which is adjacent to the subject property. The construction of the storage park is proposed to be completed in phases; beginning with the buildout of the north lot and then moving south down the property. The applicant is proposing to install sanitary sewer lines, a detention pond and water lines for the property before the City begins construction of the Polk Avenue Road and Greenway. An expectation of right-of-way improvements along Pershing Boulevard has also been communicated to the applicant. The details of such will be determined at the time of the south lot's development. Minimum required Civic Open Space is not required in the LI zoning district thus none is being pursued with this application. However, the final plat will require payment of Park Development fees.

FINAL PLAT DATA:

The applicant is proposing to subdivide a total of 8.82 acres into three lots. These lots will be platted horizontally down the property. The north lot is proposed to be 3.74 acres, the middle lot 2.53 acres, and the south lot 2.55 acres. This final plat is being requested in conjunction with a proposal to change the zoning from AG Agricultural Residential to LI Light Industrial and to construct commercial storage facilities on the site. After review of a Traffic Worksheet by the City's Traffic Engineer it was determined that the Traffic Study requirement could be waived. However, if development occurs in a manner which does not keep with the land use assumptions provided in the Traffic Worksheet a TIA or TIS may be required. With this application, a Drainage Study as well as an Environmental Impact Assessment were required and submitted. Because no new streets were proposed with this application, a Transportation Network Plan was not required. Also, because the proposed LI zoning district does not have a Civic Open Space requirement, an Open Space Worksheet was not required.

FINAL PLAT REVIEW CRITERIA ANALYSIS:

In reviewing, providing comments, and making recommendations and decisions on a proposed preliminary plat, the Staff, Planning Commission and City Council shall use the following criteria:

1. The layout and design of the final plat is in substantial compliance with the approved preliminary plat considering the number of lots or parcels, street and block layout, and access, and any deviations in the final plat brings the application in further compliance with the Comprehensive Plan.

The subject property was annexed to the City in 2005 with AR Agricultural Residential zoning and has not been rezoned since that time. The 8.82 acre parcel is square in shape and measures approximately 617'x 626'. The parcel is located on the northeast side of the City along Pershing Boulevard and east of Polk Avenue. To the west, U.S. 30 crosses Pershing Boulevard at a 45 degree angle which chops the area into a triangle and creates a physical barrier between the subject property and the residential land uses to the north. Dry Creek cuts along the northeast corner of the subject property and as a result portions of this corner reside in a FEMA floodway or a 100-year FEMA floodplain.

This plat assumes that portions of Van Buren Avenue and portions of Cheyenne Street will be vacated. A separate Vacation Map and Petition to vacate have been received by all affected property owners. The street vacation will take place before or concurrently to the Final Plat. In no case will the Final Plat Map be signed before the street vacation is complete.

This plat is also being processed concurrently with a zone change request to change the zoning from AR Agricultural Residential to LI Light Industrial zoning.

Minor deviations in utility easements have been made to the Final Plat but pose no impactful changes to the Final Plat. Overall, the Final Plat is in substantial compliance with the approved Preliminary Plat.

2. The application meets any conditions or modifications of the approved preliminary plat.
There were no conditions or modification of the approved Preliminary Plat.

3. The application meets the purposes, intent, and applicable standards of Article 4.

The applicant is proposing to construct a storage park on the property. The construction of the storage park is proposed to be completed in phases; beginning with the buildout of the north lot and then moving south down the property. The applicant is proposing to first install the north lot's water line, sanitary sewer line and the detention pond before the City's construction of Polk Avenue and the Greenway path begins (a project funded by a Wyoming Business Council grant). The installation of sanitary sewer lines on the middle and south lots are dependent upon future development actions and are proposed to be installed, if at all, at the time of the lot's buildout and coordinated with the Board of Public Utilities. It is expected that the water and sanitary sewer lines will be designed to accommodate future connection by other homes in the immediate vicinity. Additionally, the applicant is aware that they will be required to reimburse the City for 50% of Polk Avenue's road construction costs, including access approaches, for the portion of Polk Avenue which is adjacent to the subject property. It is expected that reimbursement will occur after the road is constructed. The details of the reimbursement arrangement are still being finalized.

The Greenway path is planned to run north/south along the east side of Polk Avenue. The applicant is dedicating to the City 5' of additional right-of-way toward the development of this Greenway and a 20' drainage easement for storm water drainage. Additionally, the applicant is aware that they will be required to reimburse the City for 50% of the Greenway path's construction costs for the portion of the Greenway path which is adjacent to the subject property as this is part of the applicant's share of required right-of-way improvements. It is expected that reimbursement will occur after the Greenway path is constructed. The details of the reimbursement arrangement are still being finalized.

The Final Plat proposes two easements for the property; a 30' access, drainage and utility easement where the Cheyenne Street vacation is to occur and a rectangular drainage easement on the northeast corner of the property near Dry Creek. The final plat does not include, as indicated on the Preliminary plat, three other 20' utility easements. This is because the exact placement of future utilities will be dependent upon future development actions. The applicant and the Board of Public Utilities have agreed to coordinate any future utility easements as needed.

The applicant is providing the 30' access, drainage and utility easement at the top of the northern property so that the property owner to the north can have access to their internal lots and to

provide storm water and other utility services to the area.

The applicant is responsible for developing sewer and water along Polk Avenue. The applicant is expected to request reimbursement from adjacent properties for any utilities installed and as such is responsible for filing for reimbursement with the City accordingly.

An expectation of right-of-way improvements along Pershing Boulevard has been communicated to the applicant. The details of the expected right-of-way improvements will be determined at the time of the south lot's development through the site plan process.

The final plat will require payment of Park Development fees as outlined below.

Land Acquisition Fee	\$350 x	8.8 acres	=	3,080
Infrastructure Fee	\$350 x	8.8 acres	=	3,080
Total Due w/ Plat				<u>6,160</u>
Enhancement Fee	\$1,100 x	8.8 acres	=	9,680
Total Due w/ Building Permit				<u>9,680</u>
TOTAL PARK FEES				<u>15,840</u>

The proposed Final Plat is expected to meet the purposes, intent and all applicable subdivision standards outlined in Article 4. The Final Plat proposes an appropriate block and lot design, a utility plan and open space system. It is also expected to provide for necessary right-of-way improvements and the required Park Development fees.

It is important to note that the future land use map does not indicate an LI zone district for this parcel, however, an LI zone district may be appropriate for this parcel based on the existing development patterns and natural and built features of the area. For example, existing land uses to the west of the subject property consists of mixed uses which include an existing outdoor storage unit. Also, the parcels are largely separated from residential uses by major roadways to the north and south and Dry Creek to the east which provides buffers between the proposed use and the existing residential uses in the area. Additionally, at the site level the lots are large enough to provide buffers if necessary to mitigate any potential land use conflicts between it and adjacent uses. Lastly, the parcels' adjacency to Dry Creek and its floodway and floodplain may be more appropriate for the proposed use as opposed to a residential one.

REVIEWING AGENCIES AND REVIEWER'S COMMENTS:

City Surveyor

Boundary data and legal descriptions appear in order.

County Planning

1. The proposed rezoning from AR-Agricultural to LI -- Light Industrial is not consistent with PlanCheyenne's urban residential designation and is not compatible with existing residential land uses in the area.

Note: To be addressed in the respective Zone Change request.

2. An amendment to PlanCheyenne should be considered first. The proposed rezoning creates "spot zoning", as the nearest Industrial zone is almost one mile distant. This would also create the potential for wholesale land use change in this unincorporated area. If this is the City's intent, there should be a larger conversation with the County and community.

Note: To be addressed in the respective Zone Chang request.

3. The application states a proposed use as storage. An existing storage facility cited (Sunnyside 5th Tracts 141, 142) was developed as a Planned Unit Development, approved 16 July 1996. This PUD restricts permitted uses and adopts setbacks, coverage, parking and lighting requirements consistent with the CB Community Business zone. A PUD may mitigate impacts on the community which the Industrial zoning does not.

Note: To be addressed in the respective Zone Change request.

4. The Road Vacation Map for Cheyenne Street & Van Buren Avenue would leave legally divided parcels without legal public access (Sunnyside Addition 5th Filing Tracks 130, 131).

Note: To be addressed in the respective Street Vacation request.

5. A portion of Van Buren Ave was vacated by the Laramie County Board 19 July 1994, Dry Creek flood control project. A utility easement was reserved for Cheyenne Light, Fuel and Power.

Note: This easement is reflected on the Final Plat Map.

6. The proposed road vacation would also leave parcels to the north and east partially annexed to the City, possibly leading to confusion over land use authority. If the ROW is vacated, the split parcel areas should be de-annexed.

Note: To be addressed in the respective Street Vacation.

Drainage Engineering

The Rational Method C-value of 0.35 used for the Pre-Project 20-year event appears incorrect. Table RO-5 of the Urban Drainage and Flood Control District's Volume 1 indicates this value is appropriate for the 100-year event, but a value less than 0.25 would be appropriate for the 20-year event. The use of the 0.35 for the Post-Project calculations appears correct.

Note: Per Mike Vinso, these are technical items which do not impact the Final Plat determination.

General Engineering

Please clarify on all easements whether they are currently of record (with Book and Page, as applicable) or being dedicated by this plat.

Note: Resolved, easements have been clarified.

Traffic Engineering

1. A Transportation Worksheet to determine TIA/TIS requirements was provided as required (ref. Article 3, Section 3.1.1.c, UDC). The request for TIS Waiver was signed as required. The number of trips generated is less than the threshold amount which triggers a TIA or a TIS. The waiver request is hereby granted. If development occurs in a manner not in keeping with the land use assumptions contained in the Worksheet for Polk Addition, a Transportation Impact Analysis or Study shall be required.

2. A driveway approach for minor arterial design street type should be radial curb (ref.

Article 4, Section 4.3.4, UDC). A driveway approach for local street type should be flared curb. Design standards for intersections of public streets can be utilized where high speed or frequent vehicle access is expected (generally access points with anticipated ADT more than 500 vehicles).

3. The Sight Distance Triangle shall maintain adequate, unobstructed sight distance in both directions from the access driveway (ref. Article 4, Section 4.3.5.c, UDC). This triangular space is to be kept free from all obstructions to vision, including plant materials and vegetation, between the heights of 2.5 and 12 feet above the street grades. The sight distance triangle should be calculated utilizing criteria for controlled intersections. Site triangles should be shown on the site plan and the landscape plan.

4. Curb ramps meeting ADA Accessibility Standards shall provide a direct, non-diverted approach along the block, into the pedestrian crossing (ref. Article 4, Section 4.3.5.e, UDC).

5. Appropriate access design is highly dependent on context, specific transportation goals, and site variables (ref. Article 4, Section 4.3.6.b, UDC). Alternative standards that better meet the intent of Block and Lot Access may be approved based on a Transportation Impact Study. Trip generation and trip distribution as well as ADT information is needed to design the driveway approach for type, width, and throat length. The driveway throat length is typically defined as the distance measured from the back of sidewalk or stop bar exiting the site to the first point of conflict in the driveway. Primary driveways into mixed use, commercial and employment centers shall be of sufficient length to allow vehicles to enter and not be impacted from on-site conflicts in which traffic backs out onto the street system. Parking spaces backing into the driveway throat will impact the internal circulation and could result in stacking of vehicles on the roadway and should be avoided. The access design, number, location, width and driveway length shall meet with the approval of the City Engineer.

6. Lot access width shall be limited based upon the lot frontages subject to the standards in Table 4-13 (ref. Article 4, Section 4.3.6.c, UDC). Standards for specific street classifications or street design types may supersede these general allowances.

7. Lot access points shall be separated from streets and other access points along a single block face and from the street edge of the intersection as specified for each specific street design type (ref. Article 4, Section 4.3.6.d, UDC). The minimum access spacing for minor arterial streets from a property corner or another access is 330 feet. The minimum access spacing for Commercial/Industrial local streets from a property corner or another access is 100 feet and 30 feet, respectively.

8. At pedestrian crossings at access points that are greater than 22 feet wide, a crosswalk differentiated from vehicle surfaces by different materials, texture or color, or a speed table should be used (ref. Article 4, Section 4.3.6.e.2, UDC).

9. Pedestrian crossings at access points where high speed or frequent vehicle access is expected (generally access points with anticipated ADT more than 500 vehicles), lot access at street grade may be allowed provided design standards for intersections of public streets, including intersection design are used (ref. Article 4, Section 4.3.6.e.3, UDC).

10. Parking or loading areas that require backing onto a public street are prohibited (ref. Article 4, Section 4.3.6.g.5, UDC).

11. Sight distance requirements for street intersections should be applied to driveways where volumes and speed of traffic in the street and volumes for the access point warrant treating it as a street intersection (ref. Article 4, Section 4.3.6.g.5, UDC).

12. The location of access to properties on opposite sides of collector roadways shall be coordinated so they do not interfere with one another (ref. Article 4, Section 4.3.7.e, UDC). Driveway approaches directly opposite each other are desirable. Show opposing driveways

on the site plan.

13. The builder and/or the developer are responsible for the construction of sidewalks (ref. Article 4, Section 4.5.2.b, UDC).

14. All mandatory signage and striping (ref. Article 4, Section 4.5.2.d, UDC) are to be shown in the project civil improvement drawings in conformity with the City of Cheyenne Standards and the Manual on Uniform Traffic Control Devices (MUTCD).

15. All situations where a sidewalk or pedestrian facility intersects with an internal vehicle circulation shall be treated by one of the following manners: (1) the material, layout and grade of the pedestrian access shall be continuous as it crosses the grade of the driveway; or (2) a crosswalk differentiated from vehicle surfaces by different materials, texture or color, or a speed table (ref. Article 6, Section 6.2.3.a, UDC).

16. The number, location, dimension, and signing of accessible parking stalls shall be in accordance with the current ADA Standards for Accessible Design (ref. Article 6, Section 6.2.4.d, UDC).

17. Stall layout width and length and aisle width for angle parking is as specified in Article 6 of the UDC (ref. Article 6, Section 6.2.8.b, UDC).

18. All parking, circulation and loading areas shall be graded for proper drainage and be paved (ref. Article 6, Section 6.2.8.c, UDC). The maximum grade shall not exceed 8%. The maximum desirable grade in any direction is 5%.

19. As part of the project, the applicant shall provide in sufficient detail the project's proposal to provide pedestrian and bicycle connections within the site to the local offsite pedestrian and bicycle destinations in close proximity to the project (ref. Appendix E, UDC). This assessment shall describe the directness of the route to and from various parts of the project, the continuity of the pedestrian and bicycle system to reach these destinations and the design elements to assure safe access.

20. Easements shall be graded to facilitate the passage of sewer maintenance vehicles without high centering. Paved or gravel access shall be provided to all manholes that are to be owned and maintained by the BOPU, which are on sewer mains that are twelve (12) inches in diameter or smaller. The paved or gravel access shall be capable of supporting an H20 vehicle under all weather conditions (Section 02700, City of Cheyenne & BOPU Construction Standards and Specifications).

Note: Items 2-20 to be addressed during the site plan review process.

GIS Engineering

Coordinates are wrong.

Note: Resolved, coordinates have been corrected.

Environmental Health Organization

Property is in the 201 Facilities Management Area and contiguous to the city corporate boundaries. Public sewer will be required for sanitary facilities. Sanitary sewer should be designed to accommodate future connections by other homes in the immediate vicinity.

Fire Department

Extend water mains with fire hydrants to comply with the 2006 edition of the International Fire Code Appendix "C".

Note: Item to be addressed during the site plan review process.

Metropolitan Planning Organization

1. If the 30' access easement is allowed at the Van Buren location other accesses on the north

side of Pershing Blvd, a minor arterial, will be restricted to a 330' spacing requirement. UDC section 4.3.4.

Please remove the access easement on the final plat, as this landowner will not be accessing his property from Pershing Blvd.

Resolved, access easement removed.

FYI To the landowner directly to the east of Doug Weaver's property: If the triangle piece of property bordered by Pershing on the south, Dry Creek channel on the northeast and the vacated Van Buren on the west would need access in the future it should be aligned with the access on the south of Pershing at 5219 E. Pershing Blvd.

Urban Planning

Easements need to show dimensions.

Note: Resolved, dimensions have been provided.

REVIEWING AGENCIES WITH NO COMMENT:

Board of Public Utilities

Parks and Recreation

Suncor Pipeline

REVIEWING AGENCIES NOT RESPONDING:

Century Link

Cheyenne Light Fuel and Power

1% Construction

Department of Environmental Quality

Development

General Engineering

High West Energy

Optimum

Phillips Pipeline

OTHER COMMENTS RECEIVED:

None

Encl: Staff Aerial Map
Final Plat Map

cc: Applicant
Agent
Owner

Files: POLK-FPV, UDC-13-00214

RESOLUTION NO. _____

ENTITLED: "A RESOLUTION AUTHORIZING THE MAYOR AND THE CITY CLERK TO SIGN A FINAL PLAT FOR POLK ADDITION, A REPLAT OF TRACTS 145-148, SUNNYSIDE ADDITION, 5TH FILING, A REPLAT OF A PORTION OF VACATED VAN BUREN AVENUE, A REPLAT OF A PORTION OF VACATED CHEYENNE STREET, CHEYENNE, WYOMING (LOCATED AT THE NORTHEAST CORNER OF THE INTERSECTION OF EAST PERSHING BOULEVARD AND POLK AVENUE)."

WHEREAS, Doug Walker has subdivided said land in accordance with the statutes in such cases made and provided; and

WHEREAS, the owner, Doug Walker, of the above described land, has caused a subdivision plat of said land to be made, acknowledged, and certified, particularly describing the lots, block, easements and right-of-way; and

WHEREAS, the above described subdivision plat has been presented to the City of Cheyenne Planning Commission for consideration and has been recommended for approval to the governing body and the plat has been duly executed by the Development Office.

NOW, THEREFORE BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF CHEYENNE, WYOMING, THAT the subdivision described as Polk Addition, a replat of Tracts 145-148, Sunnyside Addition, 5th Filing, a replat of a portion of vacated Van Buren Avenue, a replat of a portion of vacated Cheyenne Street, Cheyenne, Wyoming, be and the same hereby is approved and confirmed as presented, and that the Mayor and the City Clerk be and are hereby authorized, empowered, and directed to execute said plat when Community Facility Fees have been paid in full.

PRESENTED, READ AND ADOPTED THIS _____ DAY OF _____, 2013.

RICHARD L. KAYSEN, MAYOR

(SEAL)
ATTEST:


CAROL INTLEKOFER, CITY CLERK

Polk Addition

Zoning District



Future Land Use Map



Final Plat UDC-13-00214

This map is made possible through the Cheyenne and Laramie County Geographic Information Systems (GIS) Program and is for display purposes only. The GIS data is provided as a courtesy and does not constitute a warranty. The City of Cheyenne and Laramie County are not responsible for any errors or omissions in this data.



2010 Aerial



Created by Donna Ferguson: 6/21/2013



