

RESOLUTION NO. _____

ENTITLED: "A RESOLUTION AUTHORIZING THE MAYOR AND THE CITY CLERK TO SIGN A FINAL PLAT FOR HARMONY VALLEY, FIRST FILING, A PLAT OF A PARCEL OF LAND IN OF THE SOUTH HALF AND THE SE¼NE¼ OF SECTION 7, T. 13 N., R. 66 W., 6TH P.M.; AND A REPLAT OF LOT 2, BLOCK 168, INTERIOR HEIGHTS 2ND FLING; AND A PORTION OF LOT 5, BLOCK 4, AND A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CHEYENNE, LARAMIE COUNTY, WYOMING, (LOCATED NORTH OF AND ADJACENT TO W. COLLEGE DRIVE, WEST OF WALTERSCHEID BOULEVARD)."

WHEREAS, Tru Grit Land Development, LLC, has subdivided said land in accordance with the statutes in such cases made and provided; and

WHEREAS, Tru Grit Land Development, LLC, the owners of the above described land, has caused a subdivision plat of said land to be made, acknowledged, and certified, particularly describing the lots, block, easements, and right-of-way; and

WHEREAS, the above described subdivision plat has been presented to the City of Cheyenne Planning Commission for consideration; the Planning Commission has recommended that said plat be approved by the governing body; and the plat has been duly executed by the Development Office; and

NOW, THEREFORE BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF CHEYENNE, WYOMING, THAT the subdivision described as Harmony Valley, First Filing, Cheyenne, Wyoming, be and the same hereby is approved and confirmed as presented, and that the Mayor and the City Clerk be and are hereby authorized, empowered, and directed to execute said plat, when Community Facility Fees have been paid in full.

PRESENTED, READ AND ADOPTED THIS _____ DAY OF _____, 2019.

MARIAN J. ORR, MAYOR

(SEAL)
ATTEST:

KRISTINA F. JONES, CITY CLERK

DEDICATION

KNOW ALL PERSONS BY THESE PRESENTS THAT: TRI-GRIT LAND DEVELOPMENT LLC, A WYOMING LIMITED LIABILITY COMPANY OWNERS IN FEE SIMPLE OF A PARCEL OF LAND IN THE SOUTH HALF 56th AND THE SE 1/4th OF SECTION 7, T. 13 N., R. 66 W., 6TH P.M., LOT 2, BLOCK 168, INTERIOR HEIGHTS 2nd FILING AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF LOT 38, BLOCK 1, HARMONY HILL ALSO BEING A POINT OF THE EAST LINE OF PARSLEY BOULEVARD A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE S. 00°02'39" W. ALONG THE S&D EAST LINE OF PARSLEY BOULEVARD A DISTANCE OF 450.88 FEET TO THE INTERSECTION OF THE S&D EAST LINE AND THE NORTH LINE OF COLLEGE DRIVE A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 89°30'01" E. ALONG THE S&D NORTH LINE OF COLLEGE DRIVE A DISTANCE OF 262.00 FEET TO A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 89°55'59" E. CONTINUING ALONG THE S&D NORTH LINE A DISTANCE OF 155.88 FEET TO A FOUND ALUMINUM CAP, THENCE N. 89°58'54" E. CONTINUING ALONG THE S&D NORTH LINE A DISTANCE OF 162.52 FEET TO THE SOUTHWEST CORNER OF TRIUMPH ADDITION, 2nd FILING A FOUND 1 1/2" ALUMINUM CAP, THENCE N. 00°18'07" E. ALONG THE WEST LINE OF S&D TRIUMPH ADDITION, 2nd FILING A DISTANCE OF 510.15 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE N. 00°14'09" E. CONTINUING ALONG THE S&D WEST LINE OF S&D TRIUMPH ADDITION, 2nd FILING A DISTANCE OF 73.98 FEET TO A POINT OF THE SOUTH LINE OF INTERIOR HEIGHTS, FOURTH FILING A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 89°54'20" W. ALONG THE S&D SOUTH LINE A DISTANCE OF 322.88 FEET TO THE SOUTHWEST CORNER OF S&D INTERIOR HEIGHTS, FOURTH FILING A FOUND 1 1/2" IRON PIPE, THENCE N. 00°02'21" W. ALONG THE WEST LINE OF S&D INTERIOR HEIGHTS, FOURTH FILING A DISTANCE OF 89.14 FEET A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 00°02'21" W. ALONG THE NORTH LINE OF S&D INTERIOR HEIGHTS, FOURTH FILING A DISTANCE OF 1316.39 FEET TO THE NORTHEAST CORNER OF S&D INTERIOR HEIGHTS, FOURTH FILING A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE S. 00°09'27" W. ALONG THE EAST LINE OF S&D INTERIOR HEIGHTS, FOURTH FILING A DISTANCE OF 653.53 FEET TO THE SOUTHWEST CORNER OF S&D INTERIOR HEIGHTS, FOURTH FILING A FOUND 1 1/2" ALUMINUM CAP, THENCE N. 89°55'43" E. ALONG THE NORTH LINE OF S&D TRIUMPH ADDITION, 2nd FILING A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 89°55'43" E. ALONG THE S&D NORTH LINE A DISTANCE OF 113.16 FEET TO THE NORTHEAST CORNER OF LOT 2, BLOCK 1, TRIUMPH ADDITION, 2nd FILING AND A POINT OF THE WEST LINE OF GRAND HARMONY BOULEVARD A FOUND 1 1/2" ALUMINUM CAP, THENCE N. 89°55'43" E. A DISTANCE OF 60.00 FEET TO A POINT ON THE WEST LINE OF LOT 4, BLOCK 4, HARMONY CENTER A FOUND 1 1/2" IRON PIPE, THENCE N. 00°07'00" E. ALONG THE S&D WEST LINE A DISTANCE OF 64.84 FEET TO THE NORTHWEST CORNER OF S&D LOT 4 AND THE NORTHWEST CORNER OF HARMONY MEADOWS, 2nd FILING A FOUND 2" ALUMINUM CAP, THENCE N. 00°16'22" E. ALONG THE WEST LINE OF S&D SUBDIVISION A DISTANCE OF 1372.66 FEET TO THE NORTHWEST CORNER OF S&D SUBDIVISION A SET 1 1/2" ALUMINUM CAP, THENCE N. 48°12'51" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 132.54 FEET TO A FOUND 2" ALUMINUM CAP, THENCE N. 51°01'04" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 100.86 FEET TO A FOUND 2" ALUMINUM CAP, THENCE N. 51°29'58" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 71.88 FEET TO A FOUND 2" ALUMINUM CAP, THENCE N. 47°42'31" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 84.28 FEET TO A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 38°19'46" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 92.92 FEET TO A FOUND 2" ALUMINUM CAP, THENCE N. 26°19'11" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 92.30 FEET TO A FOUND 2" ALUMINUM CAP, THENCE N. 11°58'18" E. ALONG THE NORTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 145.85 FEET TO THE NORTHWEST WEST CORNER OF LOT 32, BLOCK 58, HARMONY MEADOWS, 2nd FILING ALSO BEING A POINT ON THE SOUTH LINE OF ALLISON ROAD A FOUND 2" ALUMINUM CAP, THENCE N. 82°29'46" W. ALONG THE S&D SOUTH LINE OF ALLISON ROAD A DISTANCE OF 74.10 FEET TO A FOUND 1/2" IRON PIPE AND POINT OF CURVATURE, THENCE CONTINUING ALONG THE S&D SOUTH LINE THROUGH A CURVE CONCAVED TO THE NORTH HAVING A CENTRAL ANGLE OF 18°03'02" A RADIUS OF 373.61 FEET (CH - N. 80°22'44" W. CHL - 372.07 FEET) ALONG SAID CURVE A DISTANCE OF 373.61 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE N. 71°20'22" W. ALONG THE S&D SOUTH LINE A DISTANCE OF 241.30 FEET TO A FOUND 1 1/2" ALUMINUM CAP AND POINT OF CURVATURE, THENCE CONTINUING ALONG THE S&D SOUTH LINE THROUGH A CURVE CONCAVED TO THE SOUTH HAVING A CENTRAL ANGLE OF 8°43'58" A RADIUS OF 129.96 FEET (CH - N. 74°38'38" W. CHL - 129.88 FEET) ALONG SAID CURVE A DISTANCE OF 129.96 FEET TO THE NORTHEAST CORNER OF SOUTH CHEYENNE HIGH SCHOOL SUBDIVISION A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 04°38'14" W. ALONG THE EAST LINE OF S&D SUBDIVISION A DISTANCE OF 310.38 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 85°36'19" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 243.70 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 71°02'28" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 101.98 FEET TO A FOUND 1/2" IRON PIPE, THENCE S. 00°02'18" W. ALONG THE EAST LINE OF S&D SUBDIVISION A DISTANCE OF 315.05 FEET TO A FOUND #5 REBAR, THENCE S. 53°05'46" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 108.22 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 74°16'42" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 89.32 FEET TO A FOUND #5 REBAR, THENCE S. 76°55'59" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 702.35 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 55°02'41" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 284.98 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 69°29'07" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 258.58 FEET TO THE SOUTHWEST CORNER OF S&D SUBDIVISION ALSO BEING THE SOUTHWEST CORNER OF BIG SKY ESTATES, SECOND FILING A FOUND 2" ALUMINUM CAP, THENCE S. 89°32'42" W. ALONG THE SOUTH LINE OF S&D BIG SKY ESTATES, SECOND FILING A DISTANCE OF 155.32 FEET TO A POINT AND THE NORTHEAST CORNER OF HARMONY HILL, THENCE S. 00°26'48" E. ALONG THE EAST LINE OF S&D HARMONY HILL A DISTANCE OF 231.85 FEET TO A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE S. 47°02'44" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 153.82 FEET TO A FOUND #5 REBAR, THENCE S. 89°54'14" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 133.95 FEET TO A FOUND #5 REBAR, THENCE S. 47°54'15" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 686.65 FEET TO A FOUND 1 1/2" ALUMINUM CAP, THENCE S. 29°17'15" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 86.46 FEET TO A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE S. 71°10'16" W. ALONG THE SOUTHEAST LINE OF S&D SUBDIVISION A DISTANCE OF 123.13 FEET TO A SET 1 1/2" ALUMINUM CAP STAMPED "PLS 9834", THENCE N. 42°04'31" W. ALONG THE SOUTHWEST LINE OF S&D SUBDIVISION A DISTANCE OF 183.33 FEET TO THE POINT OF BEGINNING.

EXCEPTING THEREFROM LOTS 30-34, BLOCK 168, INTERIOR HEIGHTS, SECOND FILING, CITY OF CHEYENNE, (CONTAINING 0.36 AC, OR 15,825 SQ. FT.) AND THE 7.5' ALLEY RIGHT-OF-WAY DIRECTLY EAST OF THE LOTS (CONTAINING 938 SF)

SAID PARCEL CONTAINS 4,836.53 SQ. FT. OR 111.03 AC, MORE OR LESS.

HAS CAUSED THE SAME TO BE SURVEYED, VACATED, RE-PLATTED AND KNOWN AS HARMONY VALLEY FIRST FILING, AND DO HEREBY DECLARE THE SUBDIVISION OF SAID LAND AS IT APPEARS ON THIS RE-PLAT, TO BE THEIR FREE ACT AND DEED AND IN ACCORDANCE WITH THEIR DESIRES AND DO HEREBY DEDICATE FOR THE USE OF THE PUBLIC THE STREETS AND GRANT THE EASEMENTS FOR THE PURPOSES INDICATED HEREON.

TRI-GRIT LAND DEVELOPMENT LLC, A WYOMING LIMITED LIABILITY COMPANY

EDWARD J. ERNSTE, MANAGER

ACKNOWLEDGEMENTS

STATE OF WYOMING)
 SS
COUNTY OF LARAMIE)

THE DEDICATION INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS _____ DAY OF _____, 2019,
EDWARD J. ERNSTE, MANAGER OF TRI-GRIT LAND DEVELOPMENT LLC, A WYOMING LIMITED LIABILITY COMPANY.

NOTARY PUBLIC, LARAMIE COUNTY, WYOMING

MY COMMISSION EXPIRES _____

OWNER / APPLICANT

TRI-GRIT LAND DEVELOPMENT, LLC
140 WATERSHEAD BLVD
CHEYENNE, WY 82007
PHONE: 307-756-8550
CONTACT: EDWARD ERNSTE

SURVEYOR

JONES LAND SURVEYING, INC.
6750 S&Y KALLY RD.
CHEYENNE, WY 82009
PHONE: 307-630-4550
CONTACT: COTTON JONES

ENGINEER

CIVILWORK, LLC
1807 CAPITOL AVENUE, SUITE 206
CHEYENNE, WY 82001
PHONE: 307-614-1012
CONTACT: JUSTIN BECKNER

GENERAL NOTES


- 1.) BASIS OF AZIMUTH - CITY OF CHEYENNE DATUM REFERENCED FROM CITY CONTROL MONUMENTS "ORCHARD" AND "GREETLEY".
- 2.) THE PLATTED AREA DOES NOT FALL WITHIN A FEMA SPECIAL FLOOD HAZARD AREA AS OF THE RECORDING DATE OF THIS DOCUMENT.
- 3.) UTILITY EASEMENTS ALONG STREETS ARE 10' WIDE UNLESS OTHERWISE NOTED.
- 4.) THE WATER AND SEWER UTILITY EASEMENTS (HEREINAFTER REFERRED TO AS THE "BOPU UTILITY EASEMENT"), AS SHOWN AND DESCRIBED HEREON, IS GRANTED TO THE BOARD OF PUBLIC UTILITIES OF THE CITY OF CHEYENNE ("BOPU"), NO OTHER UTILITIES MAY INSTALL FACILITIES ON OR WITHIN THE BOPU UTILITY EASEMENT, EXCEPT AS FOLLOWS: OTHER UTILITIES MAY CROSS THE BOPU UTILITY EASEMENT, IF AND ONLY IF:
 - i.) A UTILITY'S FACILITIES CROSS THE BOPU FACILITIES AT NO LESS THAN A 90 DEGREE ANGLE
 - ii.) A MINIMUM OF 24 INCHES VERTICAL CLEARANCE IS PROVIDED BETWEEN THE BOPU FACILITIES AND THE CROSSING FACILITIES, UNLESS OTHERWISE APPROVED BY BOPU.
 - iii.) A COPY OF ANY UTILITY EASEMENT AUTHORIZING THE CROSSING OF THE BOPU UTILITY EASEMENT IS PROVIDED TO THE BOPU PRIOR TO ANY CONSTRUCTION WITHIN THE BOPU UTILITY EASEMENT.
- 5.) DISTANCES SHOWN ON PLAT ARE GROUND DISTANCE.

VACATION STATEMENT

- 1.) IT IS THE INTENT OF THIS RE-PLAT TO VACATE THE LOT LINES, RIGHT-OF-WAY, AND EASEMENTS AS NOTED ON THE RE-PLAT AND AS CONTAINED WITHIN THE BOUNDARIES OF THIS RE-PLAT.

LEGEND

- SET 1 1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 1 1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- ⊙ FOUND 2 1/2" ALUMINUM CAP
- ⊙ FOUND NUMBER 5 REBAR "NO CAP"
- (W) DENOTES MEASURED DATA THIS SURVEY
- (R) DENOTES RECORDED DATA
- EASEMENT
- PROPERTY LINE
- ROAD RIGHT-OF-WAY



VICINITY MAP

SCALE 1" = 1500'

FILING RECORD

APPROVALS

APPROVED BY THE CHEYENNE PLANNING COMMISSION THIS _____ DAY OF _____, 2019.

DEVELOPMENT DIRECTOR _____

APPROVED BY THE CITY COUNCIL OF THE CITY OF CHEYENNE, WYOMING, THIS _____ DAY OF _____, 2019.

MAYOR _____ ATTEST: _____ CITY CLERK

LAND USE TABLE				
PARCEL	AREA	PERCENT	USE	OWNED & MAINTAINED BY
BLOCK 1 LOT 1	21.395 SF	0.49 AC	0.44% OPEN SPACE AND UTILITY EASEMENTS FUTURE ROW DEDICATION	HOA UNIT, TRANSFERRED TO WYDOT
*BLOCK 1 LOT 1	286.576 SF	6.58 AC	5.20% FUTURE DEVELOPMENT	LOT OWNER
BLOCK 1 LOT 3	153.366 SF	3.52 AC	3.17% OPEN SPACE, DRAINAGE AND UTILITY EASEMENTS	HOA
BLOCK 3 LOT 17	4.280 SF	0.10 AC	0.09% OPEN SPACE, DRAINAGE AND UTILITY EASEMENTS	HOA
BLOCK 5 LOT 13	4.385 SF	0.10 AC	0.09% OPEN SPACE, DRAINAGE AND UTILITY EASEMENTS	HOA
BLOCK 6 LOT 10	4.385 SF	0.10 AC	0.09% OPEN SPACE, DRAINAGE AND UTILITY EASEMENTS	HOA
BLOCK 6 LOT 10	4.385 SF	0.10 AC	0.09% OPEN SPACE, DRAINAGE AND UTILITY EASEMENTS	HOA
BLOCK 7 LOT 1	284.964 SF	5.82 AC	5.06% PARK	HOA
BLOCK 8 LOT 1	29.724 SF	0.68 AC	0.61% OPEN SPACE AND UTILITY EASEMENTS FUTURE ROW DEDICATION	HOA UNIT, TRANSFERRED TO WYDOT
*BLOCK 8 LOT 1	290.200 SF	6.67 AC	6.01% FUTURE DEVELOPMENT	LOT OWNER
BLOCK 9 LOT 1	144.992 SF	3.31 AC	2.95% DETENTION, OPEN SPACE AND UTILITY EASEMENTS	HOA
BLOCK 9 LOT 1	5.969 SF	0.13 AC	0.12% OPEN SPACE AND UTILITY EASEMENTS FUTURE ROW DEDICATION	HOA UNIT, TRANSFERRED TO WYDOT
BLOCK 10 LOT 1	1,052.567 SF	24.16 AC	21.76% FUTURE DEVELOPMENT	LOT OWNER
BLOCK 10 LOT 1	1,096.399 SF	25.17 AC	23.67% FUTURE DEVELOPMENT	LOT OWNER
R.O.W.	348.589 SF	12.59 AC	11.34% RIGHT OF WAY	CITY OF CHEYENNE
578 RESIDENTIAL LOTS	946,517 SF	21.75 AC	19.65% RESIDENTIAL	HOMEOWNERS
TOTAL	4,837.696 SF	111.06 AC	100.0%	

NOTES:
"BLOCK 1, LOT 2" SHALL BE RESTRICTED TO A MAXIMUM OF 25% COMMERCIAL DEVELOPMENT WITH A MAXIMUM OF 50 RESIDENTIAL UNITS ACROSS THE REMAINDER OF SAID LOT. IF BLOCK 1, LOT 2 IS RESIDENTIAL ONLY THE MAXIMUM NUMBER OF UNITS WILL INCREASE TO 50 UNITS. ACCESS TO BLOCK 1, LOT 2 SOUTH OF ERNSTE DRIVE WILL BE LIMITED TO SHARED ACCESSSES. FOR COMMERCIAL DEVELOPMENT, ACCESS IS LIMITED TO COLLEGE DRIVE AND/OR PARSLEY BOULEVARD, UNLESS OTHERWISE APPROVED BY THE CITY OF CHEYENNE TRAFFIC ENGINEER, SUBJECT TO THE CITY AND WYOMING DEPARTMENT OF TRANSPORTATION REVIEW AND APPROVAL.

"* BLOCK 8 LOT 1 SHALL BE RESTRICTED TO A MAXIMUM OF 58 RESIDENTIAL UNITS WITH SHARED ACCESSSES UNLESS OTHERWISE APPROVED BY THE CITY OF CHEYENNE TRAFFIC ENGINEER.

SURVEYORS CERTIFICATE:

I, COTTON D. JONES, DO HEREBY STATE, THAT I AM A LICENSED PROFESSIONAL LAND SURVEYOR LICENSED UNDER THE LAWS OF THE STATE OF WYOMING, THAT THIS PLAT IS A TRUE, CORRECT, AND COMPLETE PLAT OF "HARMONY VALLEY, 1ST FILING" AS PLATTED, DEDICATED, AND SHOWN HEREON, THAT SUCH PLAT WAS MADE FROM AN ACTUAL SURVEY OF SAID PROPERTY BY ME AND/OR UNDER MY DIRECT SUPERVISION AND CORRECTLY SHOWS THE LOCATION AND DIMENSIONS OF THE LOTS, EASEMENTS, AND STREETS OF SAID SUBDIVISION AS THE SAME ARE STAKED UPON THE GROUND IN COMPLIANCE WITH THE CITY OF CHEYENNE REGULATIONS GOVERNING THE SUBDIVISION OF LAND.

FINAL PLAT FOR HARMONY VALLEY 1st FILING



A PARCEL OF LAND IN THE SOUTH HALF 56th AND THE SE 1/4th OF SECTION 7, T. 13 N., R. 66 W., 6TH P.M., AND A RE-PLAT OF LOT 2, BLOCK 168, INTERIOR HEIGHTS 2nd FILING AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING.

PREPARED JULY 2019 SHEET 1 OF 9



LEGEND

- SET 1-½" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 1-½" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- ⊙ FOUND 2-½" ALUMINUM CAP
- ⊙ FOUND NUMBER 5 REBAR "NO CAP"
- (M) DENOTES MEASURED DATA THIS SURVEY
- (R) DENOTES RECORDED DATA
- EASEMENT
- PROPERTY LINE
- ROAD RIGHT-OF-WAY



A PARCEL OF LAND IN THE SOUTH HALF 2ND AND THE SEVERALS OF SECTION 7, T. 13 N., R. 68 W., 6TH P.M., AND A REPLAT OF LOT 3, BLOCK 10, INTERIOR HEIGHTS 2ND FILING, AND A PORTION OF LOT 3, BLOCK 4, A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING

PREPARED JULY 2019 SHEET 2 OF 9

JONES LAND SURVEYING, INC.
 Licensed in
 WY CO MT SD
 ND ID UT NV
 6750 Say Kelly Rd., Cheyenne, WY 82009
 Ph: 307-637-7107
 Cell: 307-630-8550
 Email: cotton_jones@msn.com


ORCHARD VALLEY
 ADDITION

** FOR LOT AND BLOCK INFORMATION
 SEE SHEETS 3 THROUGH 8 **


** FOR LINE & CURVE TABLES
 SEE SHEET 9 OF 9 **

LEGEND

- SET 1-1/2" ALUMINUM CAP ON 24" LONG #6 REBAR MARKED "PLS 9834"
- FOUND 1-1/2" ALUMINUM CAP ON 24" LONG #6 REBAR MARKED "PLS 9834"
- FOUND 2-1/2" ALUMINUM CAP
- FOUND NUMBER 5 REBAR "NO CAP"
- Ⓜ DENOTES MEASURED DATA THIS SURVEY
- Ⓡ DENOTES RECORDED DATA
- - - EASEMENT
- PROPERTY LINE
- - - ROAD RIGHT-OF-WAY



SHEET INDEX



FINAL PLAT

FOR HARMONY VALLEY 1st FILING


A PARCEL OF LAND IN THE SOUTHWEST CORNER OF SECTION 7, T. 11 N., R. 49 W., 8TH P.M., AND A REPLAT OF LOT 2, BLOCK 18, INTEREST HEREIN 2ND FILING, AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING.

PREPARED JULY 2019 SHEET 3 OF 9


ONES LAND SURVEYING, INC.

Licensed in
WY CO NE SD
ND ID UT NV


6750 Say Kally Rd., Cheyenne, WY 82009
Ph: 307-637-7107
Cell: 307-630-8550
Email: cotton.jones@ones.com



○ SET 1½" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
 ● FOUND 1½" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
 ⊙ FOUND 2½" ALUMINUM CAP
 ⊕ FOUND NUMBER 5 REBAR "NO CAP"
 (M) DENOTES MEASURED DATA THIS SURVEY
 (R) DENOTES RECORDED DATA
 ----- EASEMENT
 _____ PROPERTY LINE
 ===== ROAD RIGHT-OF-WAY



**SOUTH CHEYENNE
HIGH SCHOOL**



FOR
HARMONY VALLEY
1st FILING

A PARCEL OF LAND IN THE SOUTH HALF 3/4 AND THE SE 1/4 NE 1/4 OF SECTION 7, T. 13 N., R. 66
P.M.; AND A REPLAT OF LOT 2, BLOCK 146, INTERIOR HEIGHTS 2nd FILING, AND A PORTION OF
BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMON CENTER, CITY OF CHEYENNE,
LARAMIE COUNTY, WYOMING

PREPARED JULY 2019


SHEET 4 OF 9




6750 Say Kally Rd., Cheyenne, WY 82009
Ph: 307-637-7107
Cell 307-630-8550
Email: cotton.jones@msn.com

LEGEND

- SET 1-1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 1-1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 2-1/2" ALUMINUM CAP
- FOUND NUMBER 5 REBAR "NO CAP"
- (M) DENOTES MEASURED DATA THIS SURVEY
- (R) DENOTES RECORDED DATA
- EASEMENT
- PROPERTY LINE
- ROAD RIGHT-OF-WAY




TRIUMPH ADDITION 2ND FILING




FINAL PLAT FOR HARMONY VALLEY 1st FILING

A PARCEL OF LAND IN THE SOUTH HALF 6th AND THE EASTERLY 1/4 OF SECTION 7, T. 13 N., R. 48 W., 6TH P.M., AND A REPLAT OF LOT 2, BLOCK 188, INTERIOR HEIGHTS 2ND FILING, AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING


PREPARED JULY 2019	SHEET 5 OF 9
	
6750 Say Kelly Rd., Cheyenne, WY 82009 Ph: 307-637-7107 WY CO. ME. SD. CA# 5074330-8550 Email: cotton_jones@ones.com	






**SOUTH CHEYENNE
HIGH SCHOOL**

BLOCK 10
LOT 1
1,052,587 SF
(24.18 ACRES)



LEGEND

- SET 1-1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 1-1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 2-1/2" ALUMINUM CAP
- FOUND NUMBER 5 REBAR "NO CAP"
- (M) DENOTES MEASURED DATA THIS SURVEY
- (R) DENOTES RECORDED DATA
- EASEMENT
- PROPERTY LINE
- ROAD RIGHT-OF-WAY



SHEET INDEX



**FINAL PLAT
FOR
HARMONY VALLEY
1st FILING**

A PARCEL OF LAND IN THE SOUTH HALF 51st AND THE SEWEN OF SECTION 7, T. 13 N., R. 66 W., 6TH P.M., AND A REPLAT OF LOT 2, BLOCK 168, INTERIOR HEIGHTS 2ND FILING AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING

PREPARED JULY 2019

SHEET 6 OF 9





LEGEND	
	SET 1-3/4" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
	FOUND 1-3/4" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
	FOUND 2-1/2" ALUMINUM CAP
	FOUND NUMBER 5 REBAR "NO CAP"
	DENOTES MEASURED DATA THIS SURVEY
	DENOTES RECORDED DATA
	EASEMENT
	PROPERTY LINE
	ROAD RIGHT-OF-WAY

TRIUMPH ADDITION
2ND FILING

HARMONY
CENTER

HARMONY MEADOWS
2ND FILING

BLOCK 10
LOT 1
1,052,587 SF
(24.16 ACRES)

BLOCK 10
LOT 2
1,096,599 SF
(25.17 ACRES)

FINAL PLAT
FOR
HARMONY VALLEY
1st FILING

A PARCEL OF LAND IN THE SOUTH HALF 35 AND THE SEENEN OF SECTION 1, T. 13 N., R. 96 W., 6TH P.M., AND A REPLAT OF LOT 2, BLOCK 169, INTERIOR HEIGHTS 2ND FILING, AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARABEE COUNTY, WYOMING


PREPARED JULY 2019

SHEET 7 OF 9

JONES LAND SURVEYING, INC.


Licensed in:
WY, CO, NE, SD,
ND, ID, UT, NV

6750 Say Kelly Rd., Cheyenne, WY 82009
Ph: 307-637-7107
Cell: 307-430-8550
Email: cotton.jones@msn.com



LEGEND

- SET 1/8" ALUMINUM CAP ON 3/4" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 1/2" ALUMINUM CAP ON 24" LONG #5 REBAR MARKED "PLS 9834"
- FOUND 3/4" ALUMINUM CAP
- FOUND NUMBER 5 REBAR "NO CAP"
- (M) DENOTES MEASURED DATA THIS SURVEY
- (R) DENOTES RECORDED DATA
- - - EASEMENT
- PROPERTY LINE
- ROAD RIGHT-OF-WAY



**SOUTH CHEYENNE
HIGH SCHOOL**

BLOCK 10
LOT 2
1,096,599 SF
(25.17 ACRES)

**HARMONY
POINT**

W. ALLISON ROAD

W. ALLISON ROAD

**HARMONY MEADOWS
2ND FILING**

**FINAL PLAT
FOR
HARMONY VALLEY
1st FILING**

A PARCEL OF LAND IN THE SOUTH HALF 35 AND THE SEQUARTER OF SECTION 1, T.13 N., R. 96 W., 8TH P.M., AND A REPLAT OF LOT 2, BLOCK 108, INTERIOR HEIGHTS 2ND FILING, AND A PORTION OF LOT 5, BLOCK 4, & A PORTION OF LOT 1, BLOCK 5, HARMONY CENTER, CITY OF CHEYENNE, LARAMIE COUNTY, WYOMING.

PREPARED JULY 2019

SHEET 8 OF 9



ONES LAND SURVEYING, INC.
Licensed in:
WY, CO, MT, SD,
ND, ID, UT, NV

6750 Say Kelly Rd., Cheyenne, WY 82009
Ph: 307-637-7107
Cell: 307-430-8550
Email: cotton_jones@msn.com

Curve Table					
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C1	125.39	180.00	47.99	S22°57'20"W	127.77
C2	185.45	150.00	65.82	S70°21'53"W	193.08
C3	759.82	960.00	45.35	S22°41'02"W	740.15
C4	241.45	150.00	92.33	N88°31'40"W	216.22
C5	546.12	890.00	45.35	S22°41'02"W	531.98
C6	38.89	1000.00	2.23	S46°28'20"W	38.88
C7	332.24	400.00	45.35	S22°41'02"W	333.91
C8	26.39	730.00	2.23	S46°28'20"W	26.39
C9	118.72	150.00	45.35	S22°41'02"W	115.65
C10	17.89	460.00	2.23	S46°28'20"W	17.89
C11	388.64	300.00	42.24	N21°17'33"W	360.34
C12	5.33	150.00	2.04	S89°59'29"W	5.33
C13	4.34	122.00	2.04	S89°59'29"W	4.34
C14	6.33	178.00	2.04	S89°59'29"W	6.33
C15	23.56	15.00	90.00	N45°00'34"E	21.21
C16	60.78	178.00	19.57	S9°47'33"W	60.49
C17	39.62	178.00	12.75	S25°57'10"W	39.54
C18	46.38	178.00	15.57	S40°07'01"W	46.53
C19	23.56	15.00	90.00	S44°59'28"E	21.21
C20	63.28	122.00	29.25	S14°38'03"W	61.61
C21	39.70	122.00	18.65	S38°34'53"W	39.53
C22	48.82	178.00	15.71	S55°45'42"W	48.67
C23	54.15	178.00	17.43	S72°25'02"W	53.94
C24	41.98	178.00	13.51	S87°48'09"W	41.87
C25	44.33	178.00	14.27	N78°18'33"W	44.22
C26	115.72	122.00	54.35	S19°04'41"W	111.43
C27	14.00	122.00	6.57	N74°27'41"W	13.99
C28	23.56	15.00	90.00	N45°00'34"E	21.21
C29	23.56	15.00	90.00	S44°59'28"E	21.21
C30	47.92	988.00	3.78	S1°27'57"W	47.92
C31	47.93	932.00	3.95	S1°28'58"W	47.92
C32	71.09	988.00	4.12	S4°51'00"W	71.07
C33	72.04	988.00	4.18	S9°05'01"W	72.02
C34	91.04	988.00	5.28	S12°43'43"W	91.00
C35	22.92	15.00	87.54	N27°24'11"W	20.75
C36	22.92	15.00	87.54	N63°03'15"E	20.75
C37	45.34	988.00	2.63	S22°35'50"W	45.33
C38	58.70	988.00	3.40	S25°36'50"W	58.69
C39	49.89	988.00	2.89	S28°45'40"W	49.89
C40	64.53	988.00	3.96	S32°18'19"W	64.52
C41	64.57	988.00	3.74	S35°56'24"W	64.56
C42	58.70	988.00	3.40	S39°30'52"W	58.69
C43	54.79	988.00	3.18	S42°48'19"W	54.78
C44	16.63	988.00	0.96	S44°52'34"W	16.63
C45	36.19	178.00	12.62	S51°39'57"W	36.11
C46	55.44	178.00	15.82	S57°22'34"W	55.30
C47	55.72	178.00	17.94	S60°45'32"W	55.49
C48	50.39	178.00	16.22	N77°09'50"W	50.22
C49	56.05	178.00	18.04	N60°02'04"W	55.81
C50	26.72	178.00	8.60	N46°42'50"W	26.69
C51	26.52	122.00	11.98	S25°21'02"W	26.47
C52	151.08	122.00	70.95	N87°15'51"W	141.61
C53	19.78	122.00	9.29	N47°03'32"W	19.76
C54	22.98	15.00	87.77	N7°28'20"E	20.80
C55	23.56	15.00	90.00	S87°24'49"E	21.21
C56	37.80	872.00	2.53	S46°28'20"W	37.80
C57	71.92	932.00	4.42	S51°15'00"W	71.91
C58	72.81	932.00	4.48	S59°36'37"W	72.80
C59	76.02	932.00	4.81	S14°09'36"W	75.00
C60	72.81	932.00	4.48	S18°42'15"W	72.80
C61	75.02	932.00	4.81	S23°14'54"W	75.00
C62	72.81	932.00	4.48	S27°44'35"W	72.80
C63	75.02	932.00	4.81	S32°25'13"W	75.00
C64	72.81	932.00	4.48	S38°52'51"W	72.80
C65	66.19	932.00	4.07	S41°09'13"W	66.18
C66	35.30	932.00	2.17	S44°16'23"W	35.30
C67	23.56	15.00	90.00	S44°59'28"W	21.21
C68	23.56	15.00	90.00	S45°00'34"E	21.21
C69	23.56	15.00	90.00	N45°00'34"E	21.21
C70	23.56	15.00	90.00	S44°59'28"E	21.21
C71	47.94	718.00	3.83	S1°55'21"W	47.92
C72	42.83	662.00	3.72	S1°52'02"W	42.82
C73	46.07	718.00	3.94	S5°16'11"W	46.06
C74	46.23	718.00	4.05	S9°59'40"W	46.22
C75	64.06	718.00	5.11	S14°52'25"W	64.04

Curve Table					
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C76	64.06	718.00	5.11	S19°59'08"W	64.04
C77	64.06	718.00	5.27	S23°10'30"W	63.98
C78	64.00	718.00	5.27	S30°28'30"W	63.98
C79	64.06	718.00	5.11	S35°37'52"W	64.04
C80	64.06	718.00	5.11	S40°44'35"W	64.04
C81	25.81	718.00	2.06	S44°18'43"W	25.80
C82	71.94	862.00	4.22	S6°50'50"W	71.91
C83	69.92	862.00	6.05	S12°58'26"W	69.89
C84	76.77	862.00	6.64	S19°18'58"W	76.72
C85	76.92	862.00	6.83	S26°02'11"W	76.87
C86	76.41	862.00	6.61	S32°46'29"W	76.37
C87	69.30	862.00	6.05	S39°04'49"W	69.27
C88	71.99	862.00	3.98	S47°43'07"W	71.98
C89	23.56	15.00	90.00	N89°38'31"W	21.21
C90	23.56	15.00	90.00	S5°21'29"W	21.21
C91	23.56	15.00	90.00	N87°24'49"W	21.21
C92	23.56	15.00	90.00	S2°35'11"W	21.21
C93	23.56	15.00	90.00	N44°00'34"E	21.21
C94	23.56	15.00	90.00	S44°59'28"E	21.21
C95	33.05	448.00	4.23	S2°07'23"W	33.04
C96	33.07	392.00	4.83	S2°25'34"W	33.06
C97	46.23	448.00	5.91	S7°11'34"W	46.21
C98	47.65	448.00	6.09	S12°11'45"W	47.62
C99	47.65	448.00	6.09	S19°17'23"W	47.62
C100	47.65	448.00	6.09	S25°22'59"W	47.62
C101	47.65	448.00	6.09	S31°28'36"W	47.62
C102	47.65	448.00	6.09	S37°34'13"W	47.62
C103	23.56	15.00	90.00	N2°21'29"E	21.21
C104	23.56	15.00	90.00	S34°19'54"E	21.21
C105	29.48	718.00	2.23	S46°28'20"W	29.47
C106	27.30	702.00	2.23	S46°28'20"W	27.30
C107	23.56	15.00	90.00	N2°35'11"E	21.21
C108	23.56	15.00	90.00	N87°24'49"W	21.21
C109	46.75	392.00	6.85	S8°15'33"W	46.72
C110	39.33	392.00	5.75	S14°35'43"W	39.30
C111	53.56	392.00	7.83	S21°20'13"W	53.52
C112	53.32	392.00	7.79	S29°08'53"W	53.28
C113	53.08	392.00	7.76	S36°55'26"W	53.04
C114	31.17	392.00	4.56	S43°04'50"W	31.16
C115	23.56	15.00	90.00	N40°00'34"E	21.21
C117	23.21	178.00	7.47	S3°44'44"W	23.20
C118	24.64	178.00	7.93	S11°26'50"W	24.62
C120	27.00	178.00	8.69	S19°45'27"W	26.97
C121	35.12	178.00	11.30	S29°45'15"W	35.08
C122	30.92	178.00	9.95	S40°22'56"W	30.88
C123	18.98	488.00	2.23	S46°28'20"W	18.98
C125	23.56	15.00	90.00	N2°35'11"E	21.21
C127	23.56	15.00	90.00	S2°35'11"W	21.21
C128	23.56	15.00	90.00	S87°24'49"E	21.21
C130	197.88	528.00	20.39	N32°12'11"W	186.89
C132	23.57	15.00	86.82	N46°04'15"W	21.18
C133	99.58	283.00	20.16	S22°14'20"W	99.07
C134	76.92	283.00	15.57	S40°07'01"W	76.69
C135	74.52	1093.00	3.91	S21°57'31"W	74.50
C136	64.94	1093.00	3.40	S25°36'50"W	64.93
C137	55.20	1093.00	2.89	S28°45'40"W	55.19
C138	71.60	1093.00	3.96	S32°18'19"W	71.59
C139	71.44	1093.00	3.74	S35°56'24"W	71.42
C140	64.94	1093.00	3.40	S39°30'52"W	64.93
C141	60.61	1093.00	3.16	S42°48'19"W	60.60
C142	16.40	1093.00	0.96	S44°52'34"W	16.40
C143	39.05	472.00	26.34	S49°50'15"W	39.24
C144	16.18	820.00	4.04	N5°21'29"E	16.15
C145	64.45	820.00	4.48	N9°36'57"E	64.44
C146	66.41	820.00	4.61	N14°09'36"E	66.39
C147	64.45	820.00	4.48	N18°42'15"E	64.44
C148	66.41	820.00	4.61	S23°14'54"W	66.39
C149	64.45	820.00	4.48	S27°44'35"W	64.44
C150	66.41	820.00	4.61	S32°25'13"W	66.39
C151	64.45	820.00	4.48	S38°52'51"W	64.44
C152	58.59	820.00	4.07	S41°09'13"W	58.58
C153	31.25	820.00	2.17	S44°16'23"W	31.25
C154	42.39	820.00	4.23	N2°35'11"E	42.37
C155	64.91	820.00	4.65	N9°59'40"E	64.89
C156	73.61	820.00	5.11	N14°52'25"E	73.58

Curve Table					
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C157	73.61	820.00	5.11	N19°59'08"E	73.58
C158	73.61	820.00	5.27	N23°10'30"E	73.58
C159	73.64	820.00	5.27	N30°28'30"E	73.61
C160	73.61	820.00	5.11	N35°37'52"E	73.58
C161	73.61	820.00	5.11	N40°44'35"E	73.58
C162	29.85	820.00	2.06	N44°18'43"E	29.85
C163	53.69	555.00	5.54	N4°11'57"E	53.67
C164	57.94	555.00	5.99	N11°57'14"E	57.91
C165	63.74	555.00	6.58	N18°14'05"E	63.70
C166	65.67	555.00	6.78	N24°54'53"E	65.63
C167	63.74	555.00	6.58	N31°35'41"E	63.70
C168	55.59	555.00	5.71	N36°00'44"E	55.57
C169	43.51	555.00	4.49	N42°00'44"E	43.50
C170	65.18	555.00	6.73	N49°47'00"E	65.14
C171	59.03	555.00	6.09	N13°11'45"E	59.00
C172	59.03	555.00	6.09	N19°17'22"E	59.00
C173	59.03	555.00	6.09	N25°22'59"E	59.00
C174	59.03	555.00	6.09	S31°28'36"W	59.00
C175	59.18	555.00	6.11	N37°33'49"E	59.13
C176	26.52	285.00	5.33	S7°20'03"W	26.51
C177	26.04	285.00	5.64	S12°49'09"W	26.03
C178	28.34	285.00	7.71	S19°29'31"W	28.31
C179	28.34	285.00	7.71	S27°11'59"W	28.31
C180	28.34	285.00	7.71	S34°54'29"W	28.31
C181	32.81	285.00	6.60	S42°03'36"W	32.79
C182	53.45	285.00	10.74	S10°02'26"W	53.37
C183	43.22	285.00	8.69	S19°45'27"W	43.18
C184	56.23	285.00	11.30	S29°45'15"W	56.14
C185	45.90	285.00	9.60	S40°22'56"W	45.84
C186	45.93	555.00	4.74	S45°15'00"W	45.90
C187	37.07	448.00	4.74	N42°59'15"E	37.06
C188	23.60	15.00	90.33	S22°20'25"E	21.27
C189	23.63	15.00	89.72	N69°33'57"W	21.26
C190	23.64	15.00	90.37	S50°07'37"E	21.27
C191	205.35	528.00	22.27	N69°51'00"W	205.94
C192	30.00	528.00	21.77	N03°37'49"W	30.00
C193	127.68	528.00	13.86	N99°37'57"W	127.37
C194	129.96	1105.42	9.73	S74°38'36"E	129.88
C195	23.74	1189.50	18.60	N22°40'44"E	23.73
C196	23.56	23.50	90.00	N44°56'26"W	21.21
C197	96.56	122.00	48.35	N22°41'02"E	96.06
C198	166.10	432.00	23.33	N48°28'20"E	164.80
C199	23.86	15.00	90.00	S69°37'31"E	21.21
C200	23.87	472.00	23.33	N17°37'33"E	23.86
C201	23.81	15.00	90.00	N44°56'09"E	21.21