PetroCAL

Fuel Service Co

Test Report for Fuel Dispensers (other than LPG)

Test Details

Date of test	06/08/2024
Job number	54321
Type	In-service Inspection
Maximum permissible error (MPE) %	0.3
Verifier's name	Johnny Petro
Registration number	VR-01234
Verification mark	PET1234

Operator	ServoPlus
Site name	Laverton
Site number	223344
Contact on site	Luke Smith
Street Address	100 Little Boundary Road
Suburb	Laverton
State	VIC
Post Code	3026

Comments

Luke makes a really good coffee.

Measures

Details of the Reference Standards of Measurement used for testing (clause 2.0).

Measure 1

Type	Conical
Sightglass?	no
Serial number	LMI 101
Volume (L)	15
Reg. 13 Certificate number	AB112233
Certificate expiry	27/10/2030

Measure 2

Type	Cylindrical
Sightglass?	yes
Serial number	LMI 202
Volume (L)	100
Reg. 13 Certificate number	AB334455
Certificate expiry	1/12/2030

Measure 3

Type	Cylindrical
Sightglass?	yes
Serial number	LMI 303
Volume (L)	200
Reg. 13 Certificate number	AB667788
Certificate expiry	15/05/2030

Instruments

Dispenser 1/2

Instrument details

Manufacturer	Wayne
Make	Helix 6000
Model number	C(WH/LM)44-44R
Serial number	40-1003326
Manufacture date	2018
NMI pattern approval	5/6A/232
Products approved for delivery	Petrol, Diesel, Bio-diesel, Ethanol, DEF/AdBlue
Type of system	Pressurised

Visual inspection (clause 3.1)

1. Does the dispenser comply with its certificate/s of approval (CofA)?	✓ Yes
2. Are all mandatory descriptive markings clearly and permanently on a data plate that is fixed to the dispenser?	✓ Yes
3. Is the instrument wire sealed in line with the CofA, is there a Verifier Mark on the meter(s)?	✓ Yes
4. Is the dispenser firmly fixed on its foundations?	✓ Yes
5. Are all panels secure and cover windows not broken?	✓ Yes
6. Do the indications of volume, unit price and total price correspond with the hose selected?	✓ Yes
7. Are all indications clearly visible under all conditions, day and night?	✓ Yes
8. Are the hoses in reasonable condition, e.g.: they are not badly chafed, split or worn?	✓ Yes
9. Does each nozzle terminate the delivery when returned to its holsters?	✓ Yes
10. Is the dispenser free from any leaks?	✓ Yes
11. For self-service systems: do the dispenser number/s correspond with the console?	✓ Yes
12. For continuous indicators: do the price-posting wheels line up with, and follow, the internal price-setting ranger lever?	N/A

1/ULP91

Hose serial	40-1003326-B1
Unit price (¢/L)	219.90
Start tote	941358
End tote	941478
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	38
Performance code	C

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15.04	15	0.27	–
#2	15.03	15	0.20	–
#3	15.04	15	0.27	–
#4	15.04	15	0.27	–
Preset	15.04	15	0.27	–

Average error runs 1-3 (E_{AV}) %	0.25
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 12

Verification

INSTRUMENT VERIFIED UNDER THE NATIONAL MEASUREMENT ACT 1960

PET1234H4

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15	15	0.00	–
#2	14.99	15	-0.07	–
#3	15	15	0.00	–
#4	15	15	0.00	–
Preset	15.01	15	0.07	–

Average error (E_{AV})	-0.02
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 12
Existing verification mark	ABC9876

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

1/E-10

Hose serial	40-1003326-B2
Unit price (¢/L)	217.90
Start tote	390222
End tote	390267
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	40
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15.01	15	0.07	–
#2	15.01	15	0.07	–
#3	15.01	15	0.07	–
#4	15.01	15	0.07	–
Preset	15.02	15	0.13	–

Average error runs 1-3 (E_{AV}) %	0.07
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 10

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

1/PULP98

Hose serial	40-1003326-B3
Unit price (¢/L)	242.90
Start tote	133740
End tote	133785
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	40
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	14.98	15	-0.13	–
#2	14.98	15	-0.13	–
#3	14.99	15	-0.07	–
#4	15	15	0.00	–
Preset	14.99	15	-0.07	–

Average error runs 1-3 (E_{AV}) %	-0.11
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 8

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

1/Premium Diesel

Hose serial	40-1003326-B4
Unit price (¢/L)	192.90
Start tote	573440
End tote	573740
Q_{min} (L/min)	7
Q_{max} (L/min)	70
Max achievable rate (L/min)	55
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	100	100.20	-0.20	–
#2	100	100.25	-0.25	–
#3	100	100.20	-0.20	–
#4	15.03	15	0.20	–
Preset	100	100.25	-0.25	–

Average error runs 1-3 (E_{AV}) %	-0.22
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 10

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

2/ULP91

Hose serial	40-1003326-A1
Unit price (¢/L)	219.90
Start tote	326876
End tote	326921
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	38
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15.01	15	0.07	–
#2	15.02	15	0.13	–
#3	15.02	15	0.13	–
#4	15.02	15	0.13	–
Preset	15.02	15	0.13	–

Average error runs 1-3 (E_{AV}) %	0.11
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 12

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

2/E-10

Hose serial	40-1003326-A2
Unit price (¢/L)	217.90
Start tote	793989
End tote	794034
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	40
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15.02	15	0.13	–
#2	15.02	15	0.13	–
#3	15.03	15	0.20	–
#4	15.02	15	0.13	–
Preset	15.02	15	0.13	–

Average error runs 1-3 (E_{AV}) %	0.15
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 9

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

2/PULP98

Hose serial	40-1003326-A3
Unit price (¢/L)	242.90
Start tote	262140
End tote	262260
Q_{min} (L/min)	4
Q_{max} (L/min)	40
Max achievable rate (L/min)	40
Performance code	D

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15.06	15	0.40	–
#2	15.05	15	0.33	–
#3	15.08	15	0.53	–
#4	15.08	15	0.53	–
Preset	15.07	15	0.47	–

Average error runs 1-3 (E_{AV}) %	✖ 0.42
Anti-drain/Hose-dilation fuel vol. (mL)	–

Verification

INSTRUMENT VERIFIED UNDER THE NATIONAL MEASUREMENT ACT 1960

PET1234H4

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	15	15	0.00	–
#2	15	15	0.00	–
#3	15	15	0.00	–
#4	15.01	15	0.07	–
Preset	15.02	15	0.13	–

Average error (E_{AV})	0.00
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 8
Existing verification mark	ABC9876

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass

2/Premium Diesel

Hose serial	40-1003326-A4
Unit price (¢/L)	192.90
Start tote	406844
End tote	407144
Q_{min} (L/min)	7
Q_{max} (L/min)	70
Max achievable rate (L/min)	55
Performance code	B

In-service Inspection

Run	V_{FD}	V_{REF}	E_{FD} (%)	E_D (%)
#1	100	100.10	-0.10	–
#2	100	100.10	-0.10	–
#3	100	100.15	-0.15	–
#4	15.02	15	0.13	–
Preset	100	100.10	-0.10	–

Average error runs 1-3 (E_{AV}) %	-0.12
Anti-drain/Hose-dilation fuel vol. (mL)	✓ 10

Compliance

Checking facility for indicating devices	✓ Pass
Zero setting	✓ Pass
Price computing	✓ Pass
Nozzle cut-off	✓ Pass
Interlock	✓ Pass
Pre-set indications	✓ Pass
Overall result	✓ Pass