PAGE COUNTER-USING SERVLET

INDEX.HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home Appliance Welcome Page</title>
  <style>
    body {
       background-image: url(img.jpg);
       background-image: cover;
       font-family: Arial, sans-serif;
       background-color: #f0f0f0;
       margin: 0;
       padding: 0;
    .container {
       text-align: center;
       padding: 50px;
    }
    .title {
       font-size: 2.5em;
       color: black;
       margin-bottom: 20px;
    .link-button {
       display: inline-block;
       padding: 15px 25px;
       font-size: 1.2em;
       color: white;
       background-color: black;
       text-decoration: none;
       border-radius: 5px;
       margin-top: 20px;
    .link-button:hover {
       background-color:grey;
    .image {
       width: 100%;
       max-width: 600px;
```

```
height: auto;
       margin-top: 30px;
  </style>
</head>
<body>
  <div class="container">
     <div class="title">Welcome to Our Home Appliance Page!</div>
     <a href="pageCounter" class="link-button">See Visit Count</a>
  </div>
</body>
</html>
JAVA:
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.ServletContext;
import java.io.IOException;
import java.io.PrintWriter;
@WebServlet("/pageCounter")
public class PageCounterServlet extends HttpServlet {
  @Override
  public void init() throws ServletException {
    // Initialize visit count if not already present
    ServletContext context = getServletContext();
    if (context.getAttribute("visitCount") == null) {
       context.setAttribute("visitCount", 0);
    }
  }
  @Override
  protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
    // Retrieve the current visit count
     ServletContext context = getServletContext();
     Integer visitCount = (Integer) context.getAttribute("visitCount");
```

```
// Increment the visit count
    visitCount++;
    context.setAttribute("visitCount", visitCount);
    // Set response content type
    response.setContentType("text/html");
    // Display the visit count
    PrintWriter out = response.getWriter();
    out.println("<html><body>");
    out.println("<h1>Home Appliance Page</h1>");
    out.println("Number of visits: " + visitCount + "");
    out.println("</body></html>");
  }
}
WEB.XML:
<web-app>
  <servlet>
    <servlet-name>PageCounterServlet</servlet-name>
    <servlet-class>PageCounterServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>PageCounterServlet/servlet-name>
    <url>pattern>/pageCounter</url-pattern></url-pattern>
  </servlet-mapping>
</web-app>
```

OUTPUT:



Home Appliance Page

Number of visits: 2