

ABS Level I Basic

Orga/Workflow

Version 2.0

Agenda

- 1 Introduction
- 2 Organisation and authorisation model
- 3 Workflow
- 4 Summary



Contents of the module

What can you expect in this unit?

You get an insight into:

Structure of the organisation model and authorisation model


Use of company configuration data

Most important components of the workflow

Workflow processes from the user's perspective

Routing for the allocation of work assignments

IT architecture (A3K Framework, Client and Batch)



The structure of the insurance company is mapped through the organisation model on which ABS workflow is based. authorisations for the use of ABS is determined through the authorisation model. The ABS workflow ensures allocation of work orders to the responsible teams.

1

- 1 Introduction**
- 2 Organisation and authorisation model
- 3 Workflow
- 4 Summary



Overview of organisation and authorisation model

What do the two models contain?

Organisation model

Contains:

- Tables for the management of the organisational structure (in the defining data areas “Organisation” and “Company data”)
- storage of defined control parameters within the organisational structure

authorisation model


Contains:

- Tables for the management of authorisation bundles (in the defining data area “Role”)
- the option of managing access rights for the authorisation of specific ABS areas

The organisation and authorisation model forms the basis for the use of ABS by taking into consideration the individual organisation structure.

Relation of organisation and authorisation model

What are the cornerstones of the model?




Aim of the model is that

- a user (employee),
- Is assigned to a specific location (within the organisational structure) and
- has defined authorisations (for using ABS).

In order to use ABS, a user must at least be assigned to one location and one role.

Relation of organisation and authorisation model


What are the tasks of the individual partial areas?



Location	Role	Employee
defines a <i>place within the organisation</i>	contains a bundle of <i>authorisations</i>	manages most important data for every user
• Building • Level within the organisation hierarchy • Team	• Defines visibility of ABS areas • Allows/forbids changes	• User ID • Personnel number • Name

Example for relation of organisation and authorisation model

How can the relation of organisation and authorisation model be created?



2

- 1 Introduction
- 2 Organisation and authorisation model**
- 3 Workflow
- 4 Summary



Organisational model in ABS

Why is the organisation a central point in ABS?

Features of the organisation model


The ABS Organisation model supports mapping of the organisation structures of an insurance company (central and peripheral location, hierarchies)

basic control parameters for using ABS are provided centrally as “Company data” in the organisation model. (e.g. company’s currency)

ABS delivers a routing concept for the allocation of business objects to defined organisation units within the organisation structure.

is used to control data distribution to the peripheral organisation units.


Insurance XY



Mapping

Organisational model

Organisational
structure of XY in ABS



Adaptation to different organisation structures is possible.

Definition of components

What distinguishes the individual components in the ABS system?

Employee	• is a user of the ABS system and is created as such in the defining data • a user must be allocated to at least one location and at least one role. • allocation is done using “employee positions”.
Location	• defines a place within the organisation • forms the basis for mapping the organisation structure • can be flexibly adapted for use within the organisation structure (e.g. team, address)
Role	• is a bundle of authorisations needed to do defined tasks • if a role is assigned to an employee, he gets the authorisation for processing the elements and functions in ABS legitimated through it.

Employee

What can be defined for an employee?

Employee

- To use ABS, every employee must also be created as a user in the defining data
- Amongst others following data are provided per user:
 - Name
 - User ID

Employee position

- Is used to assign a user to a location within the organisational structure.
- Each user has a “main” employee position.
- Using “additional” employee positions an assignment to further locations is possible.
- A team leader can only assign tasks to employees that have their “main” employee position in the team.

Location

What information does the location contain?

Company system data

- are values which are required as control parameters for the technical use of ABS
- these are defined as company configuration data via a special location
- possible control parameters are e.g. the database environment, company's currency, availability of files and their functions, etc.

Company data

- Company data are used for locations at the highest level in the organisational structure for defining tenants in ABS
- Company configuration data contain information about the ABS tenants, like e.g.:
 - Company name
 - Contact address
 - Bank account

Location values

- special information can be stored at the location level via the location values

Role

What components does the role use?

usage profile

- Creates a bundle of authorizations with profile functions

access right

- Concrete authorizations for handling the functions within ABS

access restriction

- Restriction of the profile function to specific authorizations

Role

What is a role?

A role constitutes a bundle of authorisations in ABS

A role can contain several application profiles, which consist of several profile functions

Based on the functional responsibility, roles can be summarised into role groups e.g. all roles of the claim quick service area. Different role ranks can be assigned within the role group. Substitution rules can be defined in this way.

Roles are used to define the access (invisible/read only/edit) to areas within ABS.

Authorisation model in ABS

How can the authorisation model be used?

Features of the authorisation model (summarised)

Authorisations in ABS are “additive”. I.e. all authorisations assigned to an employee are added up

ABS as a “positive” system. If an employee has several different authorisations for the same application area in ABS, only the highest authorisation (i.e. the least restricted one) is used.


Authorisation bundle in ABS is described as a “role” and consists of application profiles which consist of profile functions.

The philosophy for defining authorisations is to first allow full access to an area and then restrict to the extent actually needed.

Profile function and profile function restriction

How can roles be defined?

A profile function defines access to areas (Files, top tabs, side tabs) within ABS.
Profile function restrictions restrict this access.



Profile functions are summarised into application profiles, application profiles into roles.

Example: Modelling of an authorisation bundle (1/2)

How is an authorisation bundle modeled in practice?

Short description of the authorisation for the new role „VERTRAG SACH“

- Person: Editing of person data allowed. Access to the corporate group structure just reading.
- Contract: Editing of property insurances. No access to the life and health insurance file.
- Claim: Access to claims just for information. No editing allowed.

Application profile property


Overview of the access rights and restrictions

access right	description	right	access restriction
PERAE	Create/edit a person	Editing	▪ Top-tab „corporate group“ just reading
VANAE	Create/edit a quote	Editing	▪ No life insurance file ▪ No health insurance file
SLANA	Create/edit a claim	Display	

Example: Modelling of an authorisation bundle (1/2)

How is an authorisation bundle modeled in practice?

Modelling the role in ABS



3

- 1 Introduction
- 2 Organisation and authorisation model
- 3 Workflow**
 - 3.1 Process slip + scheduled tasks**
 - 3.2 Work lists**
 - 3.3 Routing**
- 4 Summary



Clerk's process

How do the daily tasks of a clerk look?

Main tasks of a clerk

Scheduled tasks, process slip and incoming documents represent work orders for the clerk which must be completed

Routing identifies a team which is responsible for processing the to dos.

The clerk obtains to dos from the team work list or the team leader assigns them.

The clerk completes all scheduled tasks and process slips for which he is authorized

The following work tools are available for the clerks

Process slip, scheduled tasks

Work lists

Triggers for creating a process slip

Which process slips can be created?

Types of process slips

Depending on the functional criteria of the system, **functional process slips** are created in the relevant file. Functional trigger (e.g. insurance sum above a determined limit) is provided in the business logic

Technical process slips, which are created by the system in case of inconsistencies (e.g. data error during policy processing)

“**Individual**” process slips created by the user (e.g. in case of a query to another organisational unit)

Process slip

The process slips are configured via a special table in the defining data.

From which role to which role a process slip is created, can be determined in the process.

Process slips are always triggered by internal events within ABS.

Triggers for creating scheduled tasks

How and when can a scheduled task be created?

Scheduled tasks are created for internal and external events. Event processing is controlled via the scheduled task

External

External events are incoming documents via fax, post, email, web services and portals

Internal

Internal events come from ABS and are created in a batch, in the business logic in the client or by the clerk

Scheduled tasks are configured via separate tables in the defining data

Visibility and processing possibility are defined via the defining data and determine whether the scheduled task is relevant for routing.

Process slips and scheduled tasks

What is the difference between process slips and scheduled tasks?

Scheduled tasks and process slips are displayed in the work lists

Creation in the contract and claim files, configuration and processing in the workflow

Scheduled tasks and process slips are triggers for a working process

Similarities

Scheduled tasks and process slips both are displayed in the work lists

Scheduled tasks and process slips both point out to dos

Differences

Process slips prevent any automatic further processing

Scheduled tasks allow further processing

Whether a scheduled task or process slip is created is defined in the business logic.

Work lists in ABS

What do work lists contain?

Work lists are central places in ABS for open tasks



The contract work list contains:

- all pending tasks of the contracts in ABS
- including incoming documents



The claim work list contains:

- all pending tasks of the claims in ABS
- including incoming documents



The document work list contains:

- all incoming documents, which are not linked to a contract or a claim

Main function in the work list

Which functions are offered by the work list?

Search

Search
Personal view
Team view

Change

Approve
Branch out to file
Reject

Organisation

Return
Allocate (by team leader)
Group change (by team leader)

ABS-Kern Work list

Contract | Dgc | Claim | Recourse | Investigation | Assignm. | Request | Feedback | Exp.opinion | Campaign | Booking | EAC »4

RR4094174746 Siemens France

Policy no.	Policy holder	MCL	BP status	Work list since	Medium	Nu...	Reasons
RR409417...	Siemens Fran...	KV	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incomplete	01.01.0001 00:00:...		1	in progres
RR569207...	Reithmeier Re...	UE	Incd Incomplete	01.01.0001 00:00:...		1	in progres

1/26

Search... Return... Allocate temporarily Edit... Contract... Remove
Detail info Allocate Comment... Clerk Priority... Refresh

List
PS/Sched.ta...
Comment
Documents
Request

Some work orders can be directly completed in the work list (approval/rejection). For all other processing steps, there is a branch out to the relevant file. Most important searches are “My business objects to be processed (personal view)” and “Business objects to be allocated” (Team view)”

Work list search - personal view and team view

Which views are available within the work lists?

Team view

The team work list is filled by:

- Routing
- manual group change from another team
- return of a business object by a team member

My business objects to be processed


Work list of a clerk

- allocated by a team leader (*push*)
- allocated by oneself (*pull*)
- allocated by system (personalised)

allocated business objects no longer appear in the team work list

Interaction of components

How do individual components of a workflow integrate?



- Scheduled tasks and process slips for functional objects and documents are created based on the business processes.
- Routing determines the functional responsibility.
- Functional object/document appears in the appropriate work list.

Routing

How does routing function?

Routing is the determination of the responsible team for processing the to dos.

Routing requires an appropriate organisational structure

Routing takes place in maximum 2 steps

Step I

identifies either

- exactly one team
- a skill group
- several teams (→ customer routing)

▶ routing ends after step I, when precisely one team is determined

Step II

determines

- a team from the skill group (customer-specific load allocation possible)

▶ After step II exactly one team must have been determined.

Workflow - responsibilities

What are the types of responsibilities?

ABS distinguishes between three types of responsibilities

Team allocation

- Team is responsible for processing the functional object
- Is determined in routing

Personalisation

- Functional objects are always processed by the same clerk
- Can be set in the contract and claim


Temporary personalisation

- Functional objects are always processed by the same team or clerk until temporary responsibility is reset or all process slips and scheduled tasks are processed
- Can be set in the contract and claim

Personalised functional objects are not routed. Personalisation takes place in the relevant functional object. Temporary responsibilities do not relieve the affected team of their responsibility.

Example for workflow-responsibilities (claim)

How are the responsibilities used in practice?



Differences routing contract and claim

How is routing in contract and claim distinguished?

Contracts

A contract has no defined responsibility

A contract is routed if a scheduled task is due or a process slip is created

After all work steps are done there's again no defined responsibility

Claims

A claim is always assigned to a team or clerk

A claim is just routed again when a process slip is created

Scheduled tasks cannot be routing relevant

4

- 1 Introduction
- 2 Organisation and authorisation model
- 3 Workflow
 - 3.1 Process slip + scheduled tasks
 - 3.2 Work lists
 - 3.3 Routing
- 4 Summary**



Summary

What should we keep in mind?

You should now have knowledge about the following:

Features and use of organisation and authorisation model in ABS

Definition of central components employee, location and role

Structure and use of authorisation bundle

Usage of work lists in ABS

Definition of scheduled tasks and process slips

Functionality of routing in ABS

Sample test question



Quiz navigation

1	2	3	4	5	6	7	8	9	10	11
12	13	14	15	16	17	18	19	20	21	22
23	24	25	26	27	28	29	30	31	32	33
34	35	36	37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52	53	54	55
56	57	58	59	60	61	62	63	64	65	66
67	68	69	70	71	72	73	74	75	76	77
78	79	80	81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	96	97	98	99
100	101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120	

[Finish attempt...](#)

Time left 1:24:23

Question 22

Not yet answered

Marked out of 1.00

 Flag question

[Next](#)

04-0005: How is a role defined in the ABS context?

Select one or more:

- ☐ A. by the personnel number of the employee
- ☐ B. by an authorisation bundle
- ☐ C. by authorisation allowing or preventing the user from making changes
- ☐ D. by a level within the organisational hierarchy



*

All rights regarding training materials and documentation or parts thereof, including rights of translation, reprint and reproduction, are held by **metafinanz**. All **metafinanz** materials will be provided electronically. Participants are permitted to print out the materials. No part of the training materials may be reworked, duplicated, distributed, divulged or publicly communicated in any manner whatsoever, including for the purpose of providing training, without prior written consent of **metafinanz**.

Information on technical procedures, developments and knowledge is imparted without regard for existent patents or other intellectual property rights. It is the responsibility of the customer and participants to inform themselves of any restrictions in this regard before using or exploiting such information commercially.

Software provided during the course of the training may not be removed, copied in whole or in part, duplicated, altered, deleted or used after the end of the training. This stipulation excludes sample code and exercises discussed during training.